

A dvanced SUS M odel in M athem atica by M .Barton

For Norna Robertson's LSC Talk LIGO Livingston Observatory 20-23 March 2002

LIGO-G020135-00-D

18-Mar-02

LIGO-G XXX XXX -00-M



Motivation

- Want a design model to go beyond the Matlab model of Torrie, Strain et al.
- Need to add:
 - » Full 3D with provision for asymmetries
 - » Proper blade model
 - » Wire bending elasticity
 - » Arbitrary damping and consequent thermal noise
- Similar in scope to the Maple model of Matt Husman but based on a Mathematica framework originally developed for the X-pendulum
- Make best use of tools: export state-space model to Simulink for time-domain and control system analysis.

Features

• Features

LIGO

- » A general framework with utilities for specifying different configurations (e.g., quad, triple etc) in a (relatively) user-friendly way
- » 6-DOF rigid bodies for masses (no internal modes)
- » 6-DOF rigid bodies representing blades (slight overkill but simpler than half measures)
- » Massless wires (i.e., no violin modes) but detailed elasticity model from beam equation
- » Arbitrary frequency-dependent damping on all sources of elasticity
- » Symbolic up to the point of minimizing the potential to find the equilibrium position
- » Calculates elasticity and mass matrices semi-numerically (symbolic partial derivatives of functions with mostly numeric coefficients)
- » Eigenfrequncies and eigenmodes calculated numerically
- » Reasonable runtime:
 - 2 minutes with just wire longitudinal elasticity (adequate for most control theory purposes)
 - 2 hours with wire bending elasticity (required for thermal noise estimates)
- » Structured to make version control easy

LIGO

Status

• Quad and triple versions released:

http://www.ligo.caltech.edu/~mbarton/SUSmodels

- Validation against quad and triple Matlab models completed to extent possible:
 - » Four figure agreement in mode frequencies for test cases with blades disabled and no wire bending elasticity
 - » Some minor errors in the quad Matlab model identified and fixed as a spinoff
- Validation against analytical results largely completed:
 - » Wire bending elasticity code is giving correct results
 - » Dissipation dilution is not correctly implemented so there is spurious damping/thermal noise from subsystems that should be lossless the fix has been identified but not implemented
 - » ETA: another few days
- Choosing correct values for blade parameters largely unfinished:
 - » Apart from elasticity in the working direction, most blade parameters are order-of-magnitude guesstimates
 - » Model is useable for many purposes as-is
 - » ETA to bet ter parameters: a few months