



NOTES CONTINUED:
 ⑤ SCRIBE, ENGRAVE, OR MECHANICALLY STAMP (NO INKS OR DYES) DRAWING PART NUMBER AND REVISION ON NOTED SURFACE FOLLOWED ON THE NEXT LINE BY A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: DXXXXXX-VY, S/N 001. A VIBRATORY TOOL MAY BE USED.

REV.	DATE	DCN #	DRAWING TREE #
-	-	-	-
-	-	-	-
-	-	-	-

D
C
B
A

D
C
B
A



D0900141-V1, PART PDM REV.: , DRAWING PDM REV.:

NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED)				PART NAME	
DIMENSIONS ARE IN		1. INTERPRET DRAWING PER ASME Y14.5-1994.		RF Bottles Mounting Plate	
TOLERANCES:		2. REMOVE ALL SHARP EDGES, R.02 MIN.		DESIGNER GMoreno	
.XX ±0.01		3. DO NOT SCALE FROM DRAWING.		DRFTER	
.XXX ±0.005		4. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410.		SIZE DWG. NO.	
ANGULAR ± °0.5		MATERIAL 6061-T6 Al		B D0900141	
		FINISH 32 μinch		REV.	
		NEXT ASSY		v1	
		SYSTEM ADVANCED LIGO		SCALE: 1:2	
		SUB-SYSTEM Sens & ctrl		PROJECTION:	
		CHECKER		SHEET 1 OF 1	
		APPROVAL			

8 7 6 5 4 3 2 1