




ADDITIONAL NOTES:
 5. 'L' AND 'LN' VARIANTS OF 304, 316 AND 302 TYPE STAINLESS STEEL ARE ACCEPTABLE.
 6. 303 TYPE STAINLESS STEEL IS NOT ACCEPTABLE.

REV.	DATE	DCN #	DRAWING TREE #
A	01 AUG 2008	E080418-00	E080191-01-D



NOTES: (UNLESS OTHERWISE SPECIFIED)		DIMENSIONS ARE IN INCHES [mm]		 CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY IGR, GLASGOW UNIVERSITY GEO 600 GROUP	
1. DO NOT SCALE FROM DRAWING. 2. REMOVE ALL SHARP EDGES, R.02 MAX. 3. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE.		TOLERANCES: .XX ± 0.01 .XXX ± 0.005		SYSTEM ADVANCED LIGO	
④ SCRIBE, ENGRAVE OR MECHANICALLY STAMP DRAWING (NO INKS OR DYES) PART NUMBER, REVISION ON NOTED SURFACE OF PART FOLLOWED ON THE NEXT LINE WITH A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE .12" HIGH CHARACTERS, UNLESS THE SIZE OF THE PART DICTATES SMALL CHARACTERS. A VIBRATORY TOOL MAY BE USED. EXAMPLE: D050XXX-A S/N 001		ANGULAR ± 0.5 °		SUB-SYSTEM SUS	
		MATERIAL 304, 316 OR 302 SSSL		NEXT ASSY ROTATIONAL ADJUSTER	
		FINISH 32 μ inch		PART NAME BLADE CLAMP, UPPER BLADE, INSIDE	
		DRAWN G. CARBOROUGH FEB 2008 CHECKED M. MEYER 14 MAY 2008 APPROVED		SIZE DWG. NO. D020622 A	
				SCALE: 1:1 PROJECTION:  SHEET 1 OF 1	