

4

3





2

1

NOTES CONTINUED:

⑤ SCRIBE, ENGRAVE, OR MECHANICALLY STAMP (NO INKS OR DYES) DRAWING PART NUMBER AND REVISION ON NOTED SURFACE FOLLOWED ON THE NEXT LINE BY A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST ARTICLE AND PROCEED CONSECUTIVELY. USE .07" HIGH CHARACTERS. EXAMPLE: DXXXXXX-VY, S/N 001. A VIBRATORY TOOL MAY BE USED.

REV.	DATE	DCN #	DRAWING TREE #
v1	02 JUN 2009	E0900162	E080191
-	-	-	-
-	-	-	-



NOTES AND TOLERANCES: (UNLESS OTHERWISE SPECIFIED)

DIMENSIONS ARE IN INCHES

TOLERANCES:
 .XX $\pm .01$
 .XXX $\pm .005$

ANGULAR $\pm 0.5^\circ$

1. INTERPRET DRAWING PER ASME Y14.5-1994.
2. REMOVE ALL SHARP EDGES, R.02 MIN.
3. DO NOT SCALE FROM DRAWING.
4. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE, SUCH AS CINCINNATI MILACRON'S CIMTECH 410.

MATERIAL
 6061-T6 Al

FINISH
 63 μ inch



SYSTEM
 ADVANCED LIGO

SUB-SYSTEM
 SUS

NEXT ASSY
 EARTHQUAKE STOP ASSY, BRIDGE

PART NAME
 EARTHQUAKE STOP MOUNT, BRIDGE

DESIGNER	D. BRIDGES	14 JUN 2009	SIZE	DWG. NO.	REV.
DRAFTER	D. BRIDGES	14 JUN 2009	A	D0901241	v1
CHECKER	M. MEYER	15 JUN 2009			
APPROVAL			SCALE: 1:1	PROJECTION:	SHEET 1 OF 1

4

3

2

1