



REV.	DATE	DCN #	DRAWING TREE #
A	15/OCT/06	E060240	.
B	20/DEC/07	E060240-B	.
F	21/JULY/08	E080370	.



MASS AS SHOWN: 39.91 KG  
 (INCLUDES 16 X 50g REMOVABLE MASSES)

PRINCIPAL MOMENTS OF INERTIA:  
 $I_{yy}$ : 404938.965 kg/mm<sup>2</sup>  
 $I_{xx}$ : 405178.343 kg/mm<sup>2</sup>  
 $I_{zz}$ : 615613.652 kg/mm<sup>2</sup>

ITEM	QTY	SPARE	TOTAL	PART NUMBER	DESCRIPTION	MATERIALS
1	2			D060356	DUMMY TEST MASS SIDE: .	AL ALLOY: 5083
2	16			D060359-059-0	ADDITIONAL MASS: .	ST STEEL: 316
3	24			1/4" 20 UNC X 1" CAP HEAD: .		ST STEEL 316

PARTS LIST	
NAME	DATE
FINISH	AS DRW
DRAWN	WILMOT 29/SEP/06
CHECKED	AJB 27/MAY/08
APPROVED	AJB 18/JULY/08

NOTES: (UNLESS OTHERWISE SPECIFIED)	SYSTEM	SYSTEM
1. REMOVE ALL SHARP EDGES. R.02 MIN.	ADVANCED LIGO	ADVANCED LIGO
2. DO NOT SCALE FROM DRAWING.	SUB-SYSTEM	SUS
3. ALL MACHINING FLUIDS SHALL BE WATER SOLUBLE AND FREE OF SULFUR, CHLORINE AND SILICONE. SUCH AS CINCINNATI WILCOX'S CIMTECH 410 (STAINLESS STEEL)	NEXT ASSY	QUAD N-PTYPE
4. SCRIBE, ENGRAVE OR STAMP DRAWING PART NUMBER ON NOTED SURFACE OF PART AND A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS START AT 001 FOR THE FIRST PART AND PROCEED CONSECUTIVELY.	PART NAME	DUMMY TEST MASS ASSEMBLY TOOLING
USE .07" HIGH CHARACTERS. EXAMPLE: D060356-001. A VIBRATORY TOOL MAY BE USED.	DRG. NO.	D060355