

1

2



3

4


NOTES: (UNLESS OTHERWISE SPECIFIED)

- 1. DIMENSIONS IN INCHES.
- 2. BREAK ALL SHARP EDGES.
- 3. CUTTING FLUIDS TO BE WATER SOLUABLE AND FREE OF SULFUR, CHLORINE AND SILICONE.
- ④ STAMP OR ETCH THE DRAWING PART NUMBER ON NOTED SURFACE OF PART FOLLOWED BY "S/N" THEN A THREE DIGIT SERIAL NUMBER. SERIAL NUMBERS TO START AT 001 FOR FIRST PART AND PROCEED IN A CONSECUTIVE MANNER TO A MAXIMUM OF 999, FOR EACH SUCCEEDING PART PRODUCED. USE .13 HIGH CHARACTERS.
EXAMPLE: D000200-A S/N001

REV	DATE	DRAWN BY	CHECKED	DCC	DCN/DESCRIPTION
A	6-13-00	J. Romie			E000320/INITIAL RELEASE



5X, .250-20 UNC-2B
 ▽ .65 MIN.



QTY REQD	FSCM NO	PART OR IDENTIFYING NO	NOMENCLATURE OR DESCRIPTION	MATERIAL SPECIFICATION	ITEM NO
PARTS LIST					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:			APPROVALS DRAWN J. Romie CHECKED DATE 6/00 TITLE LIGO CALIFORNIA INSTITUTE OF TECHNOLOGY RM CLAMP MASSACHUSETTS INSTITUTE OF TECHNOLOGY		
FRACTIONS DECIMALS 0.XX±0.01 0.XXX±0.005 ANGLES±0.5°					
DO NOT SCALE DRAWING			DWC NO. D000200		
NEXT ASSEMBLY			REV A		
FILE LOCATION /home/dcc/docs/D000200.pdf			SCALE 1/1 SHEET 1 OF 1		
MATERIAL 300 SERIES SST			FINISH NONE		

1

2

3

4