


1. CLEAR ANODIZE PER MIL-A-8625

NOTES:



.2810 THRU (4) HOLES EQ SP ON A 7.000 B.C.

REF	QTY	PART or DRWG No.	CDS	MATERIAL
PARTS and MATERIAL LIST				
CALIFORNIA INSTITUTE OF TECHNOLOGY MASSACHUSETTS INSTITUTE OF TECHNOLOGY TUBE MOUNT ISC TABLE ASSY ITMx				
A		INITIAL RELEASE	MASON	3/00
00		PRE-RELEASE	MASON	8/99
REV		DESCRIPTION	DCC	SYS
			DET	CDS
			VE	CC
			BT	CHECK
			DRWN	DATE
ISSUE DESCRIPTION				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN FEET (cm) TOLERANCES: FRACTIONAL ±1/16(.16) FINISHED SURFACE RMS 63 ANGULAR ±1° BREAK CORNERS:02 TWO PLACE DECIMAL ±.01(.025) REMOVE ALL BURRS THREE PLACE DECIMAL ±.005(.013)			MATERIAL: 6061-T6 ALUM. HEAT TREAT: - FINISH: SEE NOTE 1	
DWG. NO. REFERENCE DRAWINGS		USED ON: - NEXT ASS'Y: -		SCALE FULL SHEET 1 of 1