

# LIGO SURF First Progress Report: 3D Localization of Gravitational Wave Event Candidates

Patricia Porter\*  
*Carleton College*

Larry Price<sup>†</sup>, Leo Singer<sup>‡</sup>, Vivien Raymond<sup>§</sup>  
*LIGO SURF Advisors, California Institute of Technology*

July 5, 2013

## 1. Introduction

Gravitational wave (GW) observations provide new information about their sources, aiding in the development a more complete picture of astronomical phenomena. Analogous to the production of electromagnetic (EM) waves by accelerated charges, GWs are generated by accelerated mass distributions, such as supernova explosions or mergers of neutron star and black hole binary systems. Such events induce the propagation of GWs through our universe at the speed of light, which manifests as fluctuating tidal forces on masses in the wave's path [1]. Current GW detectors, such as those used by aLIGO and Virgo, are Michelson-type laser interferometers that measure the effects of GW tidal forces through distance changes between mirrors suspended in vacuum within the detector [3]. Although indirect evidence of GW emission has been observed through its effects on the orbital evolution of pulsars, a GW has not yet been directly detected [4]. With recent efforts to increase detector sensitivity, the aLIGO and Virgo ground-based detectors are predicted to observe a GW signal within the next decade [5].

Unlike electromagnetic (EM) waves, which are emitted by individual particles, GWs are emitted by bulk motions of their source, and therefore, carry a completely different set of information about their origin [4]. For example, GW observations measure the masses and spins of their source's components with great accuracy. In addition, GWs can be used to approximate their source's sky location and distance [6] [4]. However, there are some properties, such as a source's redshift, that GWs cannot measure, but that can be determined from EM observation [5]. Considering the complementary information provided by GW and EM observation, the joint observation of both emissions would provide further insight into the nature of their source, such as its Hubble constant. One of the most promising sources of coincident GW and EM emissions in the frequency range of current detectors is the merger between two neutron stars or a neutron star and a black hole, known as a compact binary coalescence (CBC) event [5]. During the inspiral of a CBC event, the neutron star may be torn apart, resulting in EM emission across the spectrum that can last anywhere from seconds to months after the event [3]. Finding the EM counterpart of a GW would not only help to

---

\*porterp@carleton.edu

<sup>†</sup>lprice@caltech.edu

<sup>‡</sup>lsinger@caltech.edu

<sup>§</sup>raymond@caltech.edu

validate a GW detection, but would also provide a more accurate measurement of the luminosity distance to the source and refine the source's sky localization [7].

In order to obtain optimal EM follow-up of GW candidates, GW signals can be used to localize their source's sky position, enabling the ideal orientation of telescopes to detect the corresponding EM counterpart [9]. GW detectors are designed to receive signals from a large fraction of the sky, and, consequentially, a single detector provides little information about the sky location of a detection's source. However, using a network of detectors, one can triangulate a CBC event from the observed time delays in the GW signals at several detector sites. Using timing information alone, it is only possible to determine the sky location of a detection's source as projected onto the baseline of the detectors. Therefore, localization can only restrict a source's sky position up to the reflection degeneracy with respect to the plane of the detectors. For networks consisting of more than two detectors, such as the aLIGO-Virgo detector network, this mirror image degeneracy can usually be mitigated by requiring consistency between the observed amplitudes of signals from each detector [7].

The observed time delays and amplitude of a GW signal can then be used to determine a probability distribution of a source's most likely sky location. In general, the posterior distribution for the set of parameters  $\boldsymbol{\mu}$ , given the dataset  $s$ , can be found using Bayes' theorem [7],

$$p(\boldsymbol{\mu}|s) = \frac{p(\boldsymbol{\mu})p(s|\boldsymbol{\mu})}{p(s)} = \frac{p(\boldsymbol{\mu})p(s|\boldsymbol{\mu})}{\int d\boldsymbol{\mu} p(\boldsymbol{\mu})p(s|\boldsymbol{\mu})}. \quad (1)$$


In this equation,  $p(\boldsymbol{\mu})$  is the prior probability distribution of the parameters  $\boldsymbol{\mu}$ ,  $p(s|\boldsymbol{\mu})$  is the likelihood that the dataset  $s$  is consistent with the parameters  $\boldsymbol{\mu}$ , and  $p(s)$  is the marginal likelihood given by the distribution of the observed data  $s$  marginalized over the parameters  $\boldsymbol{\mu}$  [8]. A GW signal resulting from a CBC event is defined by several parameters. These include right ascension, declination, distance to the source, inclination angle, coalescence time, polarization angle, orbital phase at coalescence, along with intrinsic parameters such as the masses and spins of the binary components [3]. However, in order to determine the probability distribution of a source's sky location, it is only necessary to consider a subset of these parameters, particularly the right ascension and declination. This is made possible by either fixing or marginalizing over all other parameters except for those related to the sky position of the source [7]. The likelihood  $p(s|\boldsymbol{\mu})$  can be determined by the likelihood ratio of a signal  $h$  parametrized by  $\boldsymbol{\mu}$  being present in the dataset  $s$ , relative to the null hypothesis. This is given by [7]

$$\Lambda(\boldsymbol{\mu}) = \frac{p(s|h(\boldsymbol{\mu}))}{p(s|0)} = \frac{e^{-\langle s-h(\boldsymbol{\mu})|s-h(\boldsymbol{\mu}) \rangle/2}}{e^{-\langle s|s \rangle/2}}, \quad (2)$$

where the inner product is defined in terms of the noise power spectrum of the detector  $S(f)$  by the integral [7]

$$\langle a|b \rangle = 4\text{Re} \int_0^\infty df \frac{\bar{a}(f)\bar{b}^*(f)}{S(f)}. \quad (3)$$

Using this calculation of the likelihood  $p(s|\boldsymbol{\mu})$  and assuming a uniform prior distribution  $p(\boldsymbol{\mu})$ , one can obtain a probability distribution of a source's sky location from the amplitude and observed time delays of its GW signal. This probability distribution, referred to as a GW skymap, can then be used to guide telescopes, optimizing the probability of EM detection. An example of a skymap is shown in Fig. 1 [10].



**Figure 1:** GW skymap for the G20190 trigger on September 19, 2012. More probable source locations are indicated in red, while less probable regions are in blue. Image from [10].

The primary source of error in using a network of detectors to create a GW skymap is due to the uncertainty in the timing accuracy of the GW signal. This is approximated to be

$$\sigma_t \approx \frac{1}{2\pi\sigma_f\rho}, \quad (4)$$

where  $\rho$  is the signal-to-noise ratio (SNR) and  $\sigma_f$  is the effective bandwidth of the signal [7]. Taking into consideration this uncertainty, for an ideal source with optimal orientation the LIGO-Virgo detector network can restrict the source's sky location to an area of approximately 20 square degrees. Typical localization is approximately twice this area [7] [11]. This GW error region is likely to contain over a hundred galaxies out to 100 Mpc, making the imaging of all possible galaxies in this region impractical [11]. However, by introducing additional GW parameters and constructing a more accurate prior, it may be possible to determine a more precise posterior probability distribution using Bayes' theorem in Eq. 1.


For this project, we will examine the incorporation of the source's distance along with its sky location as parameters in Bayes' theorem to determine a 3D skymap of the most probable source locations. In addition, we will analyze various methods of constructing a prior using information from a galaxy catalog to further localize the source based on the known locations of its most likely host galaxies. Taking into consideration this additional parameter and prior, we will compare the efficiency and accuracy of the source localization performance of the resultant posterior probability distribution as compared to that obtained using a 2D skymap and uniform prior distribution.

## 2. Objectives

Combining the probabilistic information from a 3D skymap with prior information from a galaxy catalog, we hope to more precisely localize a CBC source in low latency, enabling optimal EM followup of GW candidates. Motivation for this project stems from previous studies, which have demonstrated how the application of a galaxy catalog and the incorporation of a source’s distance can be used to enhance source localization. For example, Nuttall and Sutton [11] have demonstrated the potential advantages of utilizing a galaxy catalog. In their study, they developed a ranking statistic for comparing galaxies within the GW error box of a signal’s 2D skymap to determine the most probable host galaxy within this region. Their statistic compares the luminosities and distances of potential galaxies, favoring nearby, larger galaxies as more probable sources of detection. This statistic is given by [11]

$$R = e^{-\frac{\chi^2}{2}} \frac{L}{d^\alpha}, \quad (5)$$

where  $L$  is the blue-light luminosity of the potential host galaxy,  $d$  is the distance to the galaxy,  $\alpha$  is a constant, and  $\chi^2$  is the chi-squared match between the measured and predicted arrival time of the GW signal at each detector. Using this ranking statistic, it is possible to correctly identify the true host galaxy of a CBC event approximately 20-50% of the time when imaging a single galaxy, depending on the masses of the binary members. This accuracy can be increased up to 30-60% by collectively imaging groups of galaxies using a larger field-of-view [11]. These probability estimates further improve as the number of images taken increases, as depicted in Fig. 2.



**Figure 2:** Probability of imaging a true host galaxy for various types of binary systems versus the number of images taken. The first graph (a) reflects the success rate of Nuttall and Sutton’s statistic identifying the true host galaxy of a source when images are taken using a narrow field of view, whereas, the second graph (b) corresponds to a wide field of view. The shaded regions indicate the uncertainty associated with this probability estimate. Image from [11].

Our proposed method of incorporating distance and using a galaxy catalog provides a more effective form of source localization than the ranking statistic used by Nuttall and Sutton in two important ways. First, we aim to take into consideration the actual distance to the source rather than just favoring closer galaxies. As described by Schutz [4], GW signals not only carry information about their source’s sky position, but also about their distance. Using gravitational wave detectors,

it is therefore possible to measure the effective distance to a source given by [10]

$$D_{eff} = D \left[ F_+^2 \left( \frac{1 + \cos^2 \iota}{2} \right)^2 + F_x^2 \cos^2 \iota \right]^{-1/2}, \quad (6)$$

where  $D$  is the actual distance to the source,  $\iota$  describes the inclination of the binary's orbital plane to our line-of-sight, and  $F_+$  and  $F_x$  are the antenna response functions of the detector. By including the effective distance to a source as a parameter, we predict that we'll obtain more precise source localization than that achieved using Nuttall and Sutton's ranking statistic. Secondly, we intend to utilize information from a galaxy catalog differently than the way in which it was used by Nuttall and Sutton. Their study uses the catalog to determine ad hoc rankings of potential host galaxies identified by the 2D skymap of a GW signal. On the other hand, we intend to use the catalog to construct a more accurate prior distribution. With these differences, we hope to develop a posterior probability distribution using Bayes' theorem with more effective source localization.

### 3. Procedure

Thus far, we have primarily focused on determining the accuracy of the parameter estimation obtained using Bayes' theorem, given by Eq. 1. Assuming a Gaussian likelihood distribution, we were able to analyze this accuracy using the elements of the Fisher information matrix, given by

$$\mathcal{I}_{jk} = E \left[ \frac{-\partial^2 \log \mathcal{L}}{\partial \mu_j \partial \mu_k} \middle| \boldsymbol{\mu} \right], \quad (7)$$

where  $E[y]$  represents the expectation value of  $y$  and  $\mathcal{L}$  is the probability of observation  $x$  given the parameters  $\boldsymbol{\mu}$ , which is known as the likelihood.

The Fisher information matrix provides a simple way of determining a lower limit on the extent to which we can restrict various parameters of a GW signal. The Fisher matrix is convenient because assuming that the uncertainty in the parameters follows a Gaussian distribution, the elements of the Fisher matrix depends only on the likelihood  $\mathcal{L}$ , which is proportional to

$$\mathcal{L} : p(x|\boldsymbol{\mu}) \propto e^{-\frac{1}{2} \int_0^\infty \frac{|x(\omega) - h(\omega, \boldsymbol{\mu})|^2}{S(\omega)} d\omega}, \quad (8)$$

where  $S(\omega)$  is the noise power spectrum of the detector and  $h(\omega, \boldsymbol{\mu})$  is the GW signal. By taking the logarithm of the likelihood given in Eq. 8 and differentiating this expression with respect to two parameters  $\mu_j$  and  $\mu_k$ , we can reduce our expression for the elements of the Fisher information matrix in Eq. 7, resulting in the following equation

$$\mathcal{I}_{jk} = - \int_0^\infty \frac{\text{Re} \left[ \left( \frac{\partial h}{\partial \mu_j} \right)^* \left( \frac{\partial h}{\partial \mu_k} \right) \right]}{S(\omega)} d\omega. \quad (9)$$

The GW signal  $h(\omega)$  is defined by the linear combination of the two polarization components  $h_+(\omega)$  and  $h_\times(\omega)$

$$h(\omega) = F_+ h_+(\omega) + F_\times h_\times(\omega), \quad (10)$$

where  $F_+$  and  $F_\times$  are the detector's antenna-pattern. To simplify  $h(\omega)$ , we assume that the GW's source is in line perpendicular to the arms of the detector such that the inclination of the orbital to the line of sight is zero degrees. In this case,  $h(\omega)$  reduces to

$$h(\omega) = Ae^{i(\gamma-\omega\tau)}h_0(\omega), \quad (11)$$

where  $A$ ,  $\gamma$ , and  $\tau$  are related to the inverse distance to the source, the phase of the signal, and the time of coalescence respectively. In Eq. 11,  $h_0(\omega)$  is given by

$$h_0(\omega) = \mathcal{M}^{5/6} \left( \frac{G\omega}{2c^3} \right)^{-7/6} e^{-i\Psi(\omega)}, \quad (12)$$

where  $\mathcal{M}$  is the chirp mass, which is defined as

$$\mathcal{M} = M_{tot}\eta^{3/5} = M_{tot} \left( \frac{m_1 m_2}{M_{tot}^2} \right)^{3/5}, \quad (13)$$

where  $m_1$  and  $m_2$  are the masses of the binary components of the inspiral and  $\eta$  is the reduced mass over the total mass of these components. In addition, the term  $\Psi(\omega)$ , also introduced in Eq. 12, can be approximated as

$$\Psi(\omega) \approx -\frac{\pi}{4} + \frac{3}{128} \left( \frac{G\mathcal{M}\omega}{2c^3} \right)^{-5/3}. \quad (14)$$

Combining this expression for  $\Psi$  with the expression for  $h_0(\omega)$  in Eq. 12 and plugging this into the equation for the GW signal  $h(\omega)$  given in Eq. 11, we derive an expression for  $h(\omega)$  dependent on the parameters  $A$ ,  $\gamma$ ,  $\tau$ , and  $\mathcal{M}$ . Using the expression for  $\mathcal{I}_{jk}$  given in Eq. 9, we then solved for the elements of the Fisher information matrix with respect to each of these parameters. For simplification, we introduced the unitless variable  $\rho$  to encompass the parameter  $A$ , where  $\rho$  is defined as

$$\rho = A\sigma \quad (15)$$

and  $\sigma^2$  is given by the integral

$$\sigma^2 = \int_0^\infty \frac{|h_0(\omega)|^2}{S(\omega)} d\omega. \quad (16)$$

We approximated  $\sigma^2$  using a Riemann sum given values for  $S(\omega)$  at discrete frequencies ranging from 9-8,190 Hz [13]. For every possible pairing of the four parameters  $\mathcal{M}$ ,  $\rho$ ,  $\gamma$ , and  $\tau$ , we created 2x2 matrices corresponding to the elements of the Fisher matrix related to the two parameters. By inverting this matrix, we determined the covariance matrix of the following parameter pairs:  $\mathcal{M}$  and  $\rho$ ,  $\mathcal{M}$  and  $\gamma$ ,  $\mathcal{M}$  and  $\tau$ , and  $\gamma$  and  $\tau$ . We excluded the pairings of  $\rho$  and  $\gamma$  and  $\rho$  and  $\tau$  because the partial derivative of  $h(\omega)$  with respect to  $\rho$  is real whereas the partial derivatives with respect to  $\gamma$  and  $\tau$  are imaginary, resulting in zeros within their respective 2x2 matrices. For each of the four aforementioned parameter pairs with nonzero elements, we created error ellipses. The semi-major and minor axes of each ellipse were defined by the square root of the eigenvalues of each covariance matrix corresponding to a parameter pair. In addition, the tilt of the ellipse was determined by the angle between the eigen vectors of each covariance matrix.

## 4. Results and Discussion

For each parameter pair, we analyzed error ellipses for a 1.4-1.4, 1.4-10, and 10-10  $M_\odot$  inspiral, which correspond to a NS-NS, NS-BH, and BH-BH merger respectively. In addition, for each of these types of inspirals, we considered when  $\rho=5, 10$ , and 15. The resulting eighteen error ellipses for the parameter pairs  $\mathcal{M}$  and  $\rho$  and  $\gamma$  and  $\tau$  are shown in Fig. 3.

From Fig. 3, we can see that the angle by which the ellipse is tilted increases as  $\rho$  increases and decreases as  $\mathcal{M}$  increases. In addition, as  $\rho$  increases the ellipses become more stretched out, indicating more accurate parameter estimations. To better quantify this accuracy and its dependence on  $\rho$  and  $\mathcal{M}$ , Fig. 4 shows the area enclosed within an ellipse for various parameter pairs, chirp masses, and values of  $\rho$ .


	<b><math>\mathcal{M}</math> and <math>\rho</math></b>	<b><math>\mathcal{M}</math> and <math>\gamma</math></b>	<b><math>\mathcal{M}</math> and <math>\tau</math></b>	<b><math>\gamma</math> and <math>\tau</math></b>
	<b>Ellipse Area</b>	<b>Ellipse Area</b>	<b>Ellipse Area</b>	<b>Ellipse Area</b>
<b>1.4-1.4 <math>M_\odot</math></b>				
<b><math>\rho=5</math></b>	2.44 E-04	9.03 E-07	7.22 E-08	1.52 E-06
<b><math>\rho=10</math></b>	1.22 E-04	4.52 E-07	3.61 E-08	7.62 E-07
<b><math>\rho=15</math></b>	8.14 E-05	3.01 E-07	3.61 E-08	5.08 E-07
<b>1.4-10 <math>M_\odot</math></b>				
<b><math>\rho=5</math></b>	2.54 E-02	9.20 E-06	7.36 E-07	1.52 E-06
<b><math>\rho=10</math></b>	1.27 E-02	4.60 E-06	3.68 E-07	7.62 E-07
<b><math>\rho=15</math></b>	8.45 E-03	3.07 E-06	2.45 E-07	5.08 E-07
<b>10-10 <math>M_\odot</math></b>				
<b><math>\rho=5</math></b>	1.07 E+00	5.99 E-05	4.79 E-06	1.52 E-06
<b><math>\rho=10</math></b>	5.37 E-01	2.99 E-05	2.39 E-06	7.62 E-07
<b><math>\rho=15</math></b>	3.58 E-01	2.00 E-05	1.60 E-06	5.08 E-07

**Figure 4:** Areas of the error ellipses for various parameters.


From the data in Fig. 4, we can see that for all parameter pairs, the area enclosed within an ellipse decreases as  $\rho$  increases. Considering that  $\rho$  corresponds to one over the distance to the CBC event, the observed inverse relationship between the area of an ellipse and  $\rho$  suggests that the closer the source of a CBC event, the more accurately we can restrict its parameters. In addition, for parameters pairs involving chirp mass ( $\mathcal{M}$  and  $\rho$ ,  $\mathcal{M}$  and  $\gamma$ , and  $\mathcal{M}$  and  $\tau$ ), the area enclosed within an ellipse increases as chirp mass increases, indicating that we can more accurately estimate the parameters for a NS-NS inspiral than a NS-BH inspiral, which in turn we can more accurately estimate the parameters for than a BH-BH inspiral. However, for the parameters  $\gamma$  and  $\tau$  the area of the ellipse is independent of  $\mathcal{M}$ .

## 5. Future Work


The next step of this project will be to use the Fisher information matrix to evaluate the accuracy of the parameter estimation obtained using Bayes' theorem in order to create a GW skymap of the most likely source locations of a GW signal. We'll then analyze various ways of utilizing a galaxy




(a) Error ellipse of  $M$  and  $\rho$  for  $1.4-1.4 M_\odot$  inspiral where  $\rho=5$ .




(b) Error ellipse of  $\gamma$  and  $\tau$  for  $1.4-1.4 M_\odot$  inspiral where  $\rho=5$ .




(c) Error ellipse of  $M$  and  $\rho$  for  $1.4-1.4 M_\odot$  inspiral where  $\rho=10$ .




(d) Error ellipse of  $\gamma$  and  $\tau$  for  $1.4-1.4 M_\odot$  inspiral where  $\rho=10$ .




(e) Error ellipse of  $M$  and  $\rho$  for  $1.4-1.4 M_\odot$  inspiral where  $\rho=15$ .




(f) Error ellipse of  $\gamma$  and  $\tau$  for  $1.4-1.4 M_\odot$  inspiral where  $\rho=15$ .




(g) Error ellipse of  $M$  and  $\rho$  for  $1.4-10 M_\odot$  inspiral where  $\rho=5$ .



(h) Error ellipse of  $\gamma$  and  $\tau$  for  $1.4-10 M_\odot$  inspiral where  $\rho=5$ .




(i) Error ellipse of  $M$  and  $\rho$  for  $1.4-10 M_\odot$  inspiral where  $\rho=10$ .




(j) Error ellipse of  $\gamma$  and  $\tau$  for  $1.4-10 M_\odot$  inspiral where  $\rho=10$ .







(k) Error ellipse of  $\mathcal{M}$  and  $\rho$  for 1.4-10  $M_\odot$  inspiral where  $\rho=15$ .




(l) Error ellipse of  $\gamma$  and  $\tau$  for 1.4-10  $M_\odot$  inspiral where  $\rho=15$ .




(m) Error ellipse of  $\mathcal{M}$  and  $\rho$  for 10-10  $M_\odot$  inspiral where  $\rho=5$ .




(n) Error ellipse of  $\gamma$  and  $\tau$  for 10-10  $M_\odot$  inspiral where  $\rho=5$ .




(o) Error ellipse of  $\mathcal{M}$  and  $\rho$  for 10-10  $M_\odot$  inspiral where  $\rho=10$ .



(p) Error ellipse of  $\gamma$  and  $\tau$  for 10-10  $M_\odot$  inspiral where  $\rho=10$ .



(q) Error ellipse of  $\mathcal{M}$  and  $\rho$  for 10-10  $M_\odot$  inspiral where  $\rho=15$ .



(r) Error ellipse of  $\gamma$  and  $\tau$  for 10-10  $M_\odot$  inspiral where  $\rho=15$ .

**Figure 3:** Error ellipses of parameter pairs  $\mathcal{M}$  and  $\rho$  (left column) and  $\gamma$  and  $\tau$  (right column).  $\sigma_{\mathcal{M}}, \sigma_\rho, \sigma_\gamma$ , and  $\sigma_\tau$  represent the deviation from the estimated value of their respective parameter, which is centered at zero. Ellipses are shown for 1.4-1.4, 1.4-10, and 10-10  $M_\odot$  inspirals where  $\rho=5, 10$ , and  $15$ .

catalog to construct a prior and compare the source localization performance of the resulting posterior probability distributions.

## References

- [1] M. Pitkin, S. Reid, S. Rowan, and J. Hough, *Living Rev. Relativity* **14**, 5 (2011).
- [2] The LIGO Scientific Collaboration, *Nature Phys.* **7**, 12 (2011).
- [3] L. Singer, L. Price, and A. Speranza. (2012), arXiv:1204.4510v1 [astro-ph.IM].
- [4] B. F. Schutz, *Class. Quantum Grav.* **16**, A131 (1999).
- [5] B. D. Metzger and E. Berger, *Astrophys. J.* **746**, 48 (2012).
- [6] S. Nissanke *et al.*, *Astrophys. J.* **725**, 1 (2010).
- [7] S. Fairhurst, *New J. Phys.* **11**, 123006 (2009) , arXiv:0908.2356v2 [gr-qc].
- [8] J. Ellis, "A Bayesian analysis pipeline for continuous GW sources in the PTA band," (2013), arXiv:1305.0835v1 [astro-ph.IM] .
- [9] J. Abadie *et al.*, *Astron. Astrophys.* **541**, A155 (2012), arXiv:1112.6005v4 [astro-ph.CO].
- [10] The LIGO Scientific Collaboration and the Virgo Collaboration, "First Low-Latency LIGO+Virgo Search for Binary Inspirals and their Electromagnetic Counterparts," (2012), arXiv:1112.6005v4 [astro-ph.CO].
- [11] L. K. Nuttall and P. J. Sutton, *Phys. Rev.* **D82**, 102002 (2010), arXiv:1009.1791v3 [gr-qc].
- [12] E. Berger, *Astrophys. J.* **690**, 231 (2009), arXiv:0805.0306v1 [astro-ph].
- [13] LIGO Document T0900288-v3, [https://dcc.ligo.org/public/0002/T0900288/003/ZERO\\_DET\\_high\\_P.txt](https://dcc.ligo.org/public/0002/T0900288/003/ZERO_DET_high_P.txt)