




Fabrication Drawing
D1900405-v1




Layer	Name	Material	Thickness	Constant	Rogers 3003
1	Top Overlay				
2	Top Solder	Solder Resist	0.40mil	3.5	
3	Top Layer	Copper	1.40mil		
4	Dielectric1	2116, 2113	8.60mil	4.2	
5	GND	Copper	1.40mil		
6	Dielectric2	FR-4	39.00mil	4.2	
7	VCC	Copper	1.40mil		
8	Dielectric3	2116, 2113	8.60mil	4.2	
9	Bottom Layer	Copper	1.40mil		
10	Bottom Solder	Solder Resist	0.40mil	3.5	
11	Bottom Overlay				

[illegible]

Fabrication Drawing
D1900405-v1



Layer	Name	Material	Thickness	Constant	Rogers 3003
1	Top Overlay				
2	Top Solder	Solder Resist	0.40mil	3.5	
3	Top Layer	Copper	1.40mil		
4	Dielectric1	2116, 2113	8.60mil	4.2	
5	GND	Copper	1.40mil		
6	Dielectric2	FR-4	39.00mil	4.2	
7	VCC	Copper	1.40mil		
8	Dielectric3	2116, 2113	8.60mil	4.2	
9	Bottom Layer	Copper	1.40mil		
10	Bottom Solder	Solder Resist	0.40mil	3.5	
11	Bottom Overlay				

[illegible]