

LIGO SCIENTIFIC COLLABORATION  
VIRGO COLLABORATION  
KAGRA COLLABORATION

<b>Technical Document</b>	<b>LIGO-T2400388-v1</b> <b>VIR-1012A-24</b> <b>JGW-T2416107</b>
<b>The LSC-Virgo-KAGRA Operations White Paper (2025 edition)</b>	
The LSC-Virgo-KAGRA Operations Working Groups	

<http://www.ligo.org>  
<http://www.virgo-gw.eu>  
<https://gwcenter.icrr.u-tokyo.ac.jp>

# Contents

<b>Overview and Executive Summary</b>	<b>5</b>
OPS-0.1 LIGO and GEO600 Observatory Operations . . . . .	6
OPS-0.2 LIGO Upgrades - A+ . . . . .	6
OPS-0.3 Virgo Observatory Operations . . . . .	6
OPS-0.4 Virgo Upgrades - AdV+ Phase II . . . . .	6
OPS-0.5 KAGRA Observatory Operations . . . . .	7
OPS-0.6 KAGRA Upgrades . . . . .	7
OPS-0.7 LIGO Aundha Observatory Operations . . . . .	7
OPS-0.8 Detector Characterization mission summary . . . . .	8
OPS-0.9 Calibration mission summary . . . . .	9
OPS-0.10 Low Latency mission summary . . . . .	11
OPS-0.11 Computing and Software mission summary . . . . .	12
OPS-0.12 Open Data mission summary . . . . .	13
OPS-0.13 Unused Section . . . . .	14
OPS-0.14 Joint Run Planning mission summary . . . . .	14
OPS-0.15 Support of LIGO Observatories mission summary . . . . .	14
<b>OPS-1 LIGO and GEO600 Observatory Operations</b>	<b>15</b>
OPS-1.1 ALTS.COMM: Advanced LIGO Commissioning . . . . .	15
OPS-1.2 ALTS.DI: Detector Improvements . . . . .	16
OPS-1.3 LOPS: LIGO Lab Operations . . . . .	16
OPS-1.4 GEO600 Operations . . . . .	16
<b>OPS-2 LIGO A+ Upgrade</b>	<b>16</b>
OPS-2.1 LIGO A+ Project . . . . .	17
<b>OPS-3 Virgo Observatory Operations</b>	<b>17</b>
OPS-3.1 Advanced Virgo Commissioning . . . . .	17
OPS-3.2 AdV+ phase I . . . . .	18
OPS-3.3 AdV+ phase I . . . . .	19
<b>OPS-4 AdV+: O5 Upgrade</b>	<b>19</b>
OPS-4.1 AdV+: O5 Project . . . . .	20
<b>OPS-5 KAGRA Observatory Operations</b>	<b>20</b>
OPS-5.1 KAGRA Observatory Operations . . . . .	20
<b>OPS-6 KAGRA Upgrades</b>	<b>20</b>
OPS-6.1 KAGRA Upgrade . . . . .	20
<b>OPS-7 LIGO Aundha Observatory Operations</b>	<b>21</b>
OPS-7.1 LIGO Aundha Observatory Facility Construction . . . . .	21
OPS-7.2 LIGO Aundha Testing and Training . . . . .	21
OPS-7.3 LIGO Aundha Detector: Shipping, Upgrades and Construction . . . . .	22
OPS-7.4 LIGO Aundha Observatory Services . . . . .	23
<b>OPS-8 Detector Characterization</b>	<b>24</b>

OPS-8.1 Monitoring known or new DQ issues . . . . .	24
OPS-8.2 DQ products for the astrophysical searches . . . . .	27
OPS-8.3 Vetting and data mitigation for GW signal candidates . . . . .	29
OPS-8.4 Commissioning support . . . . .	31
OPS-8.5 Support of key DetChar tools . . . . .	33
OPS-8.6 Interfacing with other groups in the operations and observational science divisions	36
OPS-8.7 Machine learning for detector characterization . . . . .	37
OPS-8.8 Organization of planning and development for current and future observing runs	37
OPS-8.9 Characterization of interferometer and auxiliary channels for O4 and future ob- serving runs . . . . .	38
OPS-8.10 Research and development of methods for noise identification/mitigation . . . . .	39
OPS-8.11 Curation of detector characterization information for internal and public use . . . . .	40
OPS-8.12 Quantify the impact of transient noise on parameter estimation . . . . .	41
<b>OPS-9 Calibration</b>	<b>41</b>
OPS-9.1 LIGO Calibration Operations . . . . .	42
OPS-9.2 Virgo Calibration Operations . . . . .	47
OPS-9.3 KAGRA Calibration Operations . . . . .	49
<b>OPS-10 Low Latency</b>	<b>51</b>
OPS-10.1 Low Latency system architecture . . . . .	51
OPS-10.2 Low Latency system documentation . . . . .	53
OPS-10.3 Data replays and mock data challenges . . . . .	54
OPS-10.4 External Coincidences . . . . .	55
OPS-10.5 Parameter estimation and skymap generation . . . . .	55
OPS-10.6 GraceDB and igwn-alert . . . . .	56
OPS-10.7 Low Latency system review . . . . .	57
OPS-10.8 Interfaces with IGWN working groups . . . . .	58
<b>OPS-11 Computing and Software</b>	<b>59</b>
OPS-11.1 Collaboration Operation Services (LVK.OPS.COMP.COS) . . . . .	59
OPS-11.2 Data Analysis and Handling Services (LVK.OPS.COMP.DASH) . . . . .	60
OPS-11.3 Management (LVK.OPS.COMP.MGMT) . . . . .	63
OPS-11.4 Security, Identity and Access Management (LVK.OPS.COMP.SIAM) . . . . .	64
OPS-11.5 Software (LVK.OPS.COMP.SOFT) . . . . .	66
OPS-11.6 Computing systems (LVK.OPS.COMP.SYS) . . . . .	68
<b>OPS-12 Open Data</b>	<b>69</b>
OPS-12.1 Public Data Preparation . . . . .	69
OPS-12.2 GWOSC Webserver Development . . . . .	70
OPS-12.3 Display Community Catalogs . . . . .	71
OPS-12.4 Create Desktop App . . . . .	71

OPS-12.5 Host Open Data Workshop . . . . .	72
<b>OPS-13 Unused Section</b>	<b>72</b>
OPS-13.1 Unused: This Project ID unused . . . . .	72
<b>OPS-14 Joint Run Planning</b>	<b>73</b>
OPS-14.1 Coordination of observing between LIGO, KAGRA, and Virgo . . . . .	73
OPS-14.2 Rapid Response Team for human vetting of low latency public alerts . . . . .	73
<b>OPS-15 Support of LIGO Observatories</b>	<b>75</b>
OPS-15.1 Collaboration between LSC Members and Observatory Staff . . . . .	75
<b>OPS-16 LVK Leadership and Service Roles</b>	<b>77</b>
OPS-16.1 Operations Divisions Leadership . . . . .	77
OPS-16.2 Calibration Working Groups Leadership . . . . .	77
OPS-16.3 Detector Characterization Working Groups Leadership . . . . .	77
OPS-16.4 Low-latency Working Group Leadership . . . . .	77
OPS-16.5 Run Planning Committee Leadership . . . . .	78
OPS-16.6 Computing and Software Working Group Leadership . . . . .	78
OPS-16.7 Support of the LIGO Observatories Committee Leadership . . . . .	78
OPS-16.8 Open Data Working Group Leadership . . . . .	78
<b>References</b>	<b>79</b>

## Overview and Executive Summary

The present document is the result of a joint work undertaken by the LIGO Scientific Collaboration (LSC), the Virgo Collaboration and the KAGRA Collaboration. Each of these three Collaborations is now structured into topical Divisions, with similar scopes. In each Collaboration, each Division identifies the work needed to achieve the Collaboration’s goals for the topic it manages and documents them in a joint LIGO-Virgo-KAGRA (LVK) white paper. This is the white paper for the LVK Operations [OPS] Divisions.

The LSC program committee reviews and establishes the goals of the LSC on an annual basis. The LSC Program is documented in LIGO-M2400265.

The successful operation of the LIGO, Virgo, and KAGRA detectors and key infrastructure are critical to enabling gravitational-wave astronomy. Gravitational wave detections are made possible by optimized instrument sensitivity and uptime, well-characterized noise, accurately calibrated data, and robust computational infrastructure that supports not only the detectors but also the data analysis pipelines used to identify and characterize gravitational wave signals. These activities are undertaken by the LIGO Laboratory in collaboration with the broader LSC, by the Virgo Collaboration in collaboration with EGO, and with the KAGRA Collaboration.

The LSC Operations Division exists to organize and manage all LSC activities related to, and necessary for, detector operation (see Section 5 of LSC bylaws: LIGO-M050172). It comprises the Detector Characterization, Calibration, Low Latency, Computing and Software, and Open Data Working Groups, such as the Support of Observatories and Run Planning Committees.

Similar organizations exist for the Virgo and KAGRA Collaborations. They are active participants both in co-chairing and membership in all the aforementioned joint Working Groups. Alongside the LSC, Virgo and KAGRA collaborations are represented on the Joint Run Planning Committee, which is charged with the strategic planning of engineering and observing runs. The Support of Observatories committee is unique to the LSC.

The LIGO, Virgo, and KAGRA **Commissioning** teams work toward optimizing the sensitivity and uptime of the global detector network. The LSC, Virgo, and KAGRA **Detector Characterization (DetChar)** groups interface with the detector commissioning teams and work to improve GW signal searches by identifying and mitigating noise sources that limit sensitivity to astrophysical signals. The LSC, Virgo, and KAGRA **Calibration** teams produce fast and reliable calibration of detector data. The LSC, Virgo, and KAGRA **Computing and Software** teams support the joint LSC-Virgo-KAGRA computing infrastructure and software. The LSC, Virgo, and KAGRA **Low Latency** teams provide rapid notification of Gravitational Wave candidate events to the wider observing community. The LSC, Virgo, and KAGRA **Open Data** teams curate the observation data for public release. The LSC **Support of Observatories** committee coordinates LSC contributions to the Observatories including the LSC Fellows program.

This *LSC-Virgo-KAGRA Operations White Paper* describes the planned activities for these efforts.

Further details on the planned activities in collaboration between the DetChar and Calibration groups and the four LSC-Virgo-KAGRA data analysis working groups (Burst, Compact Binary Coalescence, Continuous Waves, and Stochastic Gravitational-Wave Background) can be found in the *LSC-Virgo-KAGRA Observational Science White Paper*, LIGO-T2400403. The data analysis working groups also undertake tasks related to the Operations of the LIGO-Virgo-KAGRA observatories, described therein.

This Operations White Paper also complements the *LSC Instrument Science White Paper*, LIGO-T2400407, which covers the Advanced Interferometer Configurations Working Group (AIC) including Newtonian Noise and Interferometer Simulations, the Quantum Noise Working Group (QNWG), the Lasers and Auxiliary Optics Working Group (LAWG), the Optics Working Group (OWG), the Suspensions and Seismic Isolation Working Group (SWG), and the Control Systems Working Group (CSWG).

The LIGO Laboratory operates and maintains the LIGO Hanford and Livingston observatories through a Cooperative Agreement with the US National Science Foundation. The LIGO Laboratory makes major contributions to the LIGO Scientific Collaboration, including responsibility for delivering calibrated, well-characterized gravitational strain data at a target sensitivity during designated observing runs. The broader LSC, jointly with the Virgo and KAGRA Collaborations, is in turn charged with producing astrophysical results, including low latency GW candidate alerts. The **LIGO Laboratory Operations** include activities which are deeply collaborative with the LSC (e.g., Calibration, Detector Characterization, Low-Latency public alerts), those with some participation from the LSC (e.g., Commissioning), and others which are largely internal to the LIGO Lab (e.g., maintenance of the vacuum equipment).

EGO operates and maintains the Virgo detector, whose various systems are developed, installed, steered and upgraded jointly by the Virgo Collaboration and EGO. The instrument is funded by CNRS (France), INFN (Italy) and NIKHEF (The Netherlands), through the the EGO Consortium.

The KAGRA Observatory operates and maintains the KAGRA detector, a cryogenic gravitational-wave telescope built underground in the Kamioka mine in Japan. The KAGRA project is supported by MEXT and hosted by ICRR, the University of Tokyo, and co-hosted by KEK and NAOJ.

### **OPS-0.1 LIGO and GEO600 Observatory Operations**

On January 16, 2024 there will be an approximately two month break in the O4 run to perform some repairs and upgrades to the detectors. LIGO Observatory Operations will focus on planning and executing activities during the break and then revert to supporting the O4b run.

The priorities of the LIGO Observatories is to:

- Plan and execute the repairs, upgrades and maintenance of the detectors during the O4 break.
- Support the stable running of the detectors during O4b.

The GEO 600 detector is operated in so-called Astrowatch mode to provide coverage outside of LIGO observing times. Planned improvements to the detector in 2024 include a laser amplifier upgrade and faster data acquisition for higher frequency observation.

### **OPS-0.2 LIGO Upgrades - A+**

The mission of the “A+ detector” project is to provide a major upgrade to the Advanced LIGO detectors. The project began in 2019 and is expected to continue through the end of 2024. Several upgrades were already completed prior to O4; the balance will be completed before O5.

### **OPS-0.3 Virgo Observatory Operations**

The mission of the Virgo Observatory operations is to commission and operate the Virgo detector.

### **OPS-0.4 Virgo Upgrades - AdV+ Phase II**

The mission of the Advanced Virgo Plus (AdV+) project is to provide a major upgrade to the Virgo detector. The project began in 2020 and is expected to continue until O5. The first phase of AdV+ was implemented

in 2020-2021 after the end of the O3 run while the second phase should happen after the O4 run is over. The original plan has been completely revisited, following the difficulties of the pre-O4 Virgo commissioning. The focus for O5 is to enhance detector robustness by installing stable recycling cavities. Simultaneously, the project aims to increase the instrument's sensitivity by reducing mirror thermal noise and quantum noise

## **OPS-0.5 KAGRA Observatory Operations**

The mission of the KAGRA Observatory operations is to commission and operate the KAGRA detector.

## **OPS-0.6 KAGRA Upgrades**

The KAGRA project is planning a major upgrade to its current detector after O5 or later. Design studies are exploring various options, including detuning the interferometer with low power operation to enhance sensitivity focused at low frequencies, and increasing laser power to improve high frequency sensitivity. Higher laser power necessitates the use of short, thick sapphire fibers to increase the capability to extract heat from laser absorption, which, in turn, increases suspension thermal noise at low frequencies. Significant R&D efforts are required to reduce sapphire mirror absorption and improve cryogenic suspension performance to maintain low suspension thermal noise during high-power operations to realize a broadband upgrade. Due to sapphire's high thermal conductivity and Young's modulus, challenges such as thermal lensing and parametric instability are expected to have a limited impact on KAGRA's performance in high power operations.

Recent in-situ measurements using the KAGRA interferometer have suggested that the mechanical losses of the currently installed sapphire mirrors, fibers, and blade springs of the cryogenic suspensions were higher than the design specifications. These findings have prompted additional studies focusing on high frequency sensitivity enhancements. One option under consideration involves increasing the reflectivity of the signal recycling mirror to leverage a long signal recycling cavity effect, which would introduce a dip in sensitivity in the kHz band. Adjusting the signal recycling configuration and laser power are relatively straightforward changes that can be reversed, making these adjustments an attractive first step toward broadband sensitivity improvements. Science case studies are also underway to assess the high-frequency options, evaluating their capabilities for neutron star physics while considering trade-offs, such as reduced detection rates for heavy black hole binaries.

Active R&D efforts include frequency-dependent squeezing using a 300-m filter cavity at the TAMA300 facility, studies of mirror coatings at cryogenic temperatures, research to reduce inhomogeneous sapphire mirror birefringence, development of gravity-gradient detectors for mitigating Newtonian noise, and quantum filter experiments. The KAGRA project aims to finalize the upgrade direction and procedures by 2025, supported by evaluations of technical readiness and science case studies. Please refer to KAGRA Instrument Science White Paper JGW-T2416182 for details.

## **OPS-0.7 LIGO Aundha Observatory Operations**

The LIGO-India project is preparing an expression of interest for identifying contractors who are capable of construction both the civil and vacuum infrastructure at the Aundha site. The goal is to have construction begin in 2024. In parallel the initial "pathfinder" shipment of some detector components to the Testing & Training facility at the Raja Ramanna Centre for Advanced Technology (RRCAT) in Indore will be executed. The priorities of the LIGO-India project is to:

- Begin construction of the observatory infrastructure at the Aundha site.
- Begin construction of the vacuum components of the Aundha detector.
- Define and document the interfaces between LIGO Aundha Observatory (LAO) subsystems.
- Complete the installation and begin using the 10m prototype at RRCAT.
- Build a PSL table, for use in LAO, using components shipped from the USA.
- Commission training facilities for future staff at the LAO site.
- Begin shipment of detector components from LIGO Hanford to India.
- Upgrade components of the stored Aundha detector to the same level as current Livingston and Hanford detectors.
- Procure and assemble detector components that are not available in storage.
- Construct a fiber pulling and fiber welding facility at RRCAT and train LIGO-India personnel in their use.

## OPS-0.8 Detector Characterization mission summary

Sensitivity to gravitational-wave signals is limited by noise from the instruments and their environment. Robust detection of signals, the vetting of candidate signals, and the accuracy of parameter estimation are *crucially* dependent on the quality of the data searched and the collaboration's knowledge of the instruments and their environment. The LIGO, Virgo and KAGRA Detector Characterization groups are focused on working together with the astrophysical search groups and the detector groups to (i) deliver the data quality information necessary to avoid bad data, veto false positives, and allow candidate follow-up for gravitational-wave searches and (ii) characterize the Advanced gravitational-wave detectors to help to identify data quality issues that can be addressed in the instruments to improve future instrument and search performance. This focus leads to three core activities: 1) preparing for future observing runs, 2) supporting the upgrade and commissioning of the detectors during commissioning breaks and 3) delivering data quality information and vetting candidate gravitational-wave events during and after observing runs.

In preparing for O4 [1], the highest priorities are improving the incorporation of data quality information into the low latency searches, further automating candidate event validation, conducting pre-O4 analysis of noise sources that most affected the astrophysical analyses, and developing key tools to improve the performance of the detectors and the astrophysical searches. The highest priorities in preparing for future observing runs are improved automation of existing key tools and monitors of known data quality features, as well as maintaining and extending the software infrastructure required to provide needed data quality information to online and offline searches. Another high priority is curating data quality information for public data releases.

In support of the O3–O4 commissioning break, the highest priority is conducting on-site and off-site investigations of interferometer and environment behavior to support the upgrade and commissioning efforts. This includes the development of critical tools for commissioning and an early characterization of each sub-system, including a coherent system of monitoring web pages.



During O4, the highest priorities are to provide data quality information to the gravitational-wave searches to reduce the impact of artifacts in the data, validate the quality of the data around the time of candidate events, investigate instrumental noise which most impacts astrophysical searches, maintain key tools which allow us to monitor and investigate detector performance, and provide support to the sites.

In parallel, there are a number of key longer-term research and development tasks, including the development of improved methods to uncover the coupling paths and the sources of the noise transients which most impact the searches, and to implement automated noise characterization tools.

To accomplish these priorities, the DetChar groups require enough personpower from the Collaborations, including code developers to support and build key software infrastructure.

More details can be found in Section OPS-8. The present document updates the 2022 Ops. Div. white paper [2].

## **OPS-0.9 Calibration mission summary**

The mission of the LIGO, Virgo, and KAGRA calibration groups is to provide reliable and timely calibrated strain data for all detectors as well as quantified uncertainty estimates.

The raw optical power variations at the gravitational-wave readout ports of the detectors are calibrated into dimensionless strain on the detectors before use with astrophysical analyses [3, 4]. The process for doing so requires detailed modeling of the feedback control system and the interferometric, opto-mechanical response of the detectors [5]. Some model parameters vary slowly with time throughout operation of the interferometer which must be monitored and, when possible, corrected [6]. All detectors continue to use photon calibrator systems [7, 8, 9, 10] for their primary absolute displacement fiducial reference to develop each static detector model, measure parametric time dependence, and validate any strain data stream once constructed. Virgo plans to employ a secondary reference of gravitational (Newtonian) systems to enhance and compliment the primary systems [9, 11, 12].

Strain is produced in near real-time (low-latency) using methods such as those described in [3, 4]. For the purposes of this white paper, the following language will be adopted: The calibrated strain data contains a quantifiable systematic error due to imperfections in the calibration models. This systematic error is quantified to a certain level of confidence and can therefore be quoted with, for example, a 68% confidence interval that represents a probabilistic range of the true systematic error. The combination of the systematic error and its corresponding confidence interval will be called the “total calibration uncertainty.” Historically, the level of systematic error in the strain data was occasionally directly confirmed across the detectors’ sensitive frequency region, and continuously monitored at select frequencies with the photon calibrator systems. In doing so, the systematic error was confirmed to be within acceptable limits at snapshots in time, but the total calibration uncertainty at all times was not measured in low-latency.

During the course of O4, the LIGO calibration group has produced low-latency calibration strain data as its main product, and have produced publishable estimates of the total calibration error and uncertainty for the low-latency strain data within months after collection. Subsets of the data may be re-calibrated offline, as necessary, with models updated and informed by careful analysis of all measurements taken throughout the observational period [13]. Such data sets have reduced systematic error and well-quantified total calibration uncertainty but at the sacrifice of weeks-to-months of latency. A low-latency calibration uncertainty pipeline in development could provide publishable total calibration uncertainty estimates with a latency of  $\sim$ hours rather than weeks-to-months.

The LVK groups strive to continue to reduce the latency and increase the accuracy for the production-quality strain data and related error and uncertainty estimates.

*Working group priorities*

The tasks critical to the infrastructure and operations of the detector calibration groups include:

### 1. **Highest Priority**

- Maintain global network of absolute displacement fiducial references, including photon calibrator (PCAL) and gravitational-field / Newtonian calibrator (GCAL/NCAL) systems.
- Maintain precision models of the detector response, including regular characterization of the detectors.
- Maintain and operate the low- and high-latency  $h(t)$  data production software, including upkeep of the filters based on the DARM loop model to match the detector changes.
- Maintain and operate the production of a calibration state vector to be released along with  $h(t)$  data that indicates the fidelity of the calibrated data.
- Develop and deploy real-time monitoring for the low-latency  $h(t)$  data production.
- Develop and deploy infrastructure for low-latency calibration uncertainty estimation.
- Continued coordination with observational science groups to facilitate mock astrophysical and detector noise signals injected in the DARM control loop (aka “hardware injections”).
- Maintain the calibration software tools used for reviewing and diagnosing calibration issues.
- Continually maintain documentation of methods and results, review final calibration products and software, and publish calibration results.

### 2. **High Priority**

- Improve the low-latency calibration pipeline software in accuracy, efficiency, and latency.
- Maintain and retain extensibility of the DARM loop model software used for workflow from calibration measurements to uncertainty estimation, including software improvement to speed up production of systematic error and uncertainty estimates. Continue efforts toward common software whenever feasible in collaboration across LIGO, Virgo, and KAGRA.
- Streamline and automate (wherever possible) the process of calibrating each interferometer.
- Develop, maintain, and deploy methods for removing (or “cleaning”) calibration lines (and/or other known lines) from the strain data.

### 3. **Essential**

The tasks that the calibration groups will be working towards with longer term R&D include:

- Improve DARM loop models and methods for characterizing the DARM loop systematic error.
- Understand the impact of total calibration uncertainty on astrophysical results including detection and astrophysical parameter estimation.

- Improve the understanding of the detectors response above 1 kHz.
- Continue efforts towards simultaneously reducing systematic error and latency in  $h(t)$  production.
- Improve the hardware used as the absolute calibration reference.

## OPS-0.10 Low Latency mission summary

The mission of the working group is the prompt identification and dissemination of gravitational-wave detections within the transient astronomy community during real-time analysis of the interferometers' data. The group provides the integration of multiple tasks, from the astrophysical searches that identify event candidates to the issuing of astronomical alerts.

In the fourth observing run (O4) the LIGO-Virgo-KAGRA Collaborations have successfully provided open public alerts (OPA) to the transient observing communities through the General Coordinates Network (GCN) and the Scalable Cyberinfrastructure to support Multi-Messenger Astrophysics (SCiMMA) project. The group also provided the infrastructure for identifying coincidence of gravitational-wave triggers with gamma-ray bursts and neutrino events, and sharing them with the community in real-time. It maintains the Public Alerts User Guide<sup>1</sup>, which provides the broader community information on how to receive and interpret the real-time gravitational-wave information.

Looking towards O4b, the group will be making incremental changes in the low-latency infrastructure that will (a) improve the stability of the existing alert pipeline, (b) improve the efficiency of alert generation, (c) offer the ability to include more detectors (i.e., KAGRA), and (d) provide refinements of our data-products.

### *Working group priorities*

The priorities of the working group are:

#### 1. Highest Priority

- **Priority A:** The working group will increase reliability and automation throughout the entire alert pipeline, including through monitoring. [Section OPS-10.1]
- **Priority B:** The group will continue to document the alert products and the broader ecosystem within the User Guide. [Section OPS-10.2]
- **Priority C:** The working group will interface and work with the Burst, CBC and DetChar groups in carrying out comprehensive tests of the end-to-end pipeline(s) using replay, simulated and engineering data (e.g. MDCs). [Section OPS-10.3]

#### 2. High Priority

- **Priority A:** The working group will continue to maintain and improve external coincidence software, RAVEN. [Section OPS-10.4]
- **Priority B:** The working group will continue to maintain and improve GraceDB. [Section OPS-10.6]

---

<sup>1</sup><https://emfollow.docs.ligo.org>

- **Priority C:** The group will continue to review the alert system and broader ecosystem. [Section OPS-10.7]
- **Priority D:** The working group will finish integration of parameter estimation pipelines, including RapidPE-RIFT and Bilby. [Section OPS-10.5]

### *Methods for Advancing Frontiers of Low Latency Operations*

The two main levels of longer term R&D activities of the working group comprise:

#### 1. **Essential**

- **Item A:** The working group will interface and work with the CBC and Burst groups to improve, refine and communicate data products. [Section OPS-10.8]

#### 2. **Exploratory**

- **Item C:** The group will explore serverside implementation of the superevent manager alongside GraceDB.

## **OPS-0.11 Computing and Software mission summary**

The mission of the working group is to support the scientific work of the collaborations through the operation and support of cyberinfrastructure and hardware resources for scientific data analysis, robust security and identity and access management, and other collaboration services that allow our large scientific organizations to function effectively. It seeks to identify and manage new computational technologies that may increase the effectiveness of the rest of the scientific mission of the collaborations, or enable the same science with fewer resources or greater robustness.

Because so much of the work of the collaborations involve computing and software, it may not be obvious which activities are within the scope of this group. To best reflect the expertise of the working group and the natural organizational structure of the other working groups, the scope of the Computing and Software working group excludes software development in other working groups, general computing of collaboration institutions (including the interferometers), interferometer control and data acquisition systems up to and including the data concentrator, control room software and services, the calibration pipelines, and the data cleaning pipeline. For most of these excluded areas, the infrastructure tools and services on which they depend may be considered in-scope. There are also special considerations for the operation of computing centers that provide computing resources: the amount of effort that is in-scope for this working group is that *fraction* of the actual person-power required that equals the fraction of the total computing service units provided that are made available for general collaboration use *and* prioritized by the chairs of the LVK Observational Science divisions.

### *Working group priorities*

The priorities of the working group do not break down cleanly into a subset of certain projects, but are organized as follows:

#### 1. **Highest Priority**

- **Priority A:** The working group will provide infrastructure and services to support low-latency science, as identified in specific activities under data analysis services and data handling services. [Sections OPS-11.2]
- **Priority B:** The working group will coordinate information security and as needed respond to security incidents. [Section OPS-11.4]

## 2. High Priority

- **Priority A:** The working group will support high latency data analysis through the operation of computing clusters, and the infrastructure and services that provide data access and workflow submission. These are a subset of the activities in the data analysis services, data handling services, and computing systems projects. [Sections OPS-11.2 and OPS-11.6]
- **Priority B:** The working group will operate, support, and maintain collaboration services to facilitate the functioning of the collaborations. [Sections OPS-11.1 and OPS-11.4]

### *Methods for Advancing Frontiers of Computing and Software*

The two main levels of longer term R&D activities of the working group comprise:

#### 1. Essential

- **Item A:** The group will investigate improved methods for data distribution and access, both for low-latency data analysis and high latency offline analysis.
- **Item B:** The group will migrate toward and support improved federated identity and access management.

#### 2. Exploratory

- **Item C:** The group will, through consultation with identified high-priority data analysis pipelines, facilitate improving the hardware performance of critical pipelines, and migrate those pipelines to run with optimal performance on suitable hardware accelerators.

## OPS-0.12 Open Data mission summary

The mission of the Open Data working group is to prepare, host, and document releases of public instrument data from the LVK collaboration, as described for instance in the LIGO Data Management Plan. In addition, we support public releases of analysis results and other LVK data products.

### *Working group priorities*

The priorities of the working group are:

#### 1. Highest Priority

- **Public Data Preparation:** The working group will prepare the O4a data release. [Section OPS-12.1]

- **GWOSC Webserver Development:** The working group will develop and maintain the GWOSC webserver [Section OPS-12.2]

## 2. High Priority

- **Display Community Catalogs:** The working group will display catalogs developed using public data in the Event Portal. [Section OPS-12.3]
- **Create Desktop App:** The working group explore creating a desktop application for viewing GW data files. [Section OPS-12.4]
- **Open Data Workshop:** The working group will organize an Open Data Workshop [Section OPS-12.5]

## OPS-0.13 Unused Section

This section is unused.

## OPS-0.14 Joint Run Planning mission summary

The mission of the working group is to facilitate the coordination of the run planning among the active observatories, currently KAGRA, Virgo, and LIGO.

*Working group priorities*

The priorities of the working group are:

### 1. Highest Priority

- **Priority A:** The working group will facilitate information exchange between the LIGO, Virgo, and KAGRA Collaborations to help establish and coordinate the run plans.
- **Priority B:** The working group will maintain the LVK-published timeline for runs and any other key communication artefacts used to communicate with the observing community.

### 2. High Priority

- **Priority A:** The working group will support the Rapid Response Teams for Virgo, KAGRA, and LIGO.

## OPS-0.15 Support of LIGO Observatories mission summary

The mission of the Support of Observatories working group is to facilitate interactions between members of the LSC and the LIGO Observatories. This working group is unique to the LSC, and includes LSC Fellows work at the LIGO Observatories.

## OPS-1 LIGO and GEO600 Observatory Operations

There are many detector-related activities at the LIGO Hanford and Livingston observatories to support Observatory Scientific Operations:

- The Commissioning team is charged with bringing the detector configuration to a state that is appropriate to meet the upcoming run goals, and to document and transfer operating knowledge to the Detector Engineering group and operators. This activity is detailed below.
- The Detector Engineering group monitors, characterizes, maintains, and repairs working detector configurations. Their goal is high-quality reliable uptime during runs. The Detector Engineering Group leaders manage Engineering Runs at the observatories, setting day-to-day priorities, scheduling work, approving interruptions, and tracking progress. The Detector Engineering Group leaders also chair the daily (or similar cadence) Engineering Run Management meetings and closely coordinate with the LSC Operations Division during the run up to an observing run.
- The Detection Coordinators work for the best science outcome and lead Observational Runs at the observatories. Together with the LSC chair of the RPC they closely plan and monitor run readiness and performance.
- The Computing, Electronics, Facilities and Vacuum teams support operations both directly and indirectly related to the detectors. In general, these groups give priority to the operational phase currently underway, be it commissioning, running, or key preparations for these. During runs these groups' activities will be carried out in close consultation with Run Management. As they also support high-priority non-run-related activities, such as the safe stewardship of Vacuum Equipment and infrastructure, cyber-security patching, and employee safety, not all of their work can be effectively overseen by Run Management.
- The LIGO Laboratory Systems group is central to the planning of all activities related to the detectors including vacuum refurbishment efforts. Typical activities that will be undertaken over the next year will focus on particulate control, stray light control, test mass point absorber R&D, improved automation of detector operation, vacuum system recovery, and the extensive modifications and installations needed for the A+ upgrade.
- The LIGO Laboratory Control and Data Systems (CDS) group maintains and updates the CDS suite of software used in real-time control and data acquisition systems deployed to the LIGO sites and R&D facilities. This includes introducing updates to the software suite based primarily on changes in software packages not developed in-house and computer technologies (software improvement) and providing general support in the area of electronics design, fabrication, test and maintenance (electronics improvements).

### OPS-1.1 ALTS.COMM: Advanced LIGO Commissioning

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Personnel applied to H1 and L1 detectors during dedicated commissioning periods in order to bring the detectors to their target design sensitivity and uptime levels. Performance improvement tasks include characterization and documentation of detector behavior, diagnosis and mitigation of noise sources, tuning and optimizing control systems, and integration of new detector components (Lab WBS ALTS.COMM).

ACTIVITY OPS-1.1-A-INFRAOPS: ALTS.COMM: ADVANCED LIGO COMMISSIONING

## OPS-1.2 ALTS.DI: Detector Improvements

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Covers labor for LIGO Lab managed observatory detector system improvements, in the fabrication phase. The scope includes detector system, subsystem, and technology fabrication and implementation. This includes all activities after the Final Design Review (FDR) up to commissioning efforts (Lab WBS ALTS.DI).

ACTIVITY OPS-1.2-A-INFRAOPS: ALTS.DI: DETECTOR IMPROVEMENTS

## OPS-1.3 LOPS: LIGO Lab Operations

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The sum of LSC-relevant LIGO Lab Operations activity at the four LIGO Laboratory sites not reflected in Commissioning and Detector Improvements. This includes Detection Coordination, Site Computing, Electronics, Facilities and Vacuum activities, Laboratory Control and Data Systems (CDS), and Systems Engineering (Lab WBS LOPS.CDS, LOPS.CTRL, LOPS.DASC, LOPS.DOM, LOPS.FAC, LOPS.GCT).

ACTIVITY OPS-1.3-A-INFRAOPS: LOPS: LIGO LAB OPERATIONS

## OPS-1.4 GEO600 Operations

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

This activity covers the operation of the GEO 600 detector. This includes all operations activities associated with Astrowatch as well as the development and commissioning of detector improvements. Astrowatch is the taking of data when we aren't directly working on the detector. The scope of work includes electronics, computing, vacuum system, simulations, stabilization and control, and improvement design, preparation, and planning.

ACTIVITY OPS-1.4-A-INFRAOPS: GEO600 OPERATIONS

## OPS-2 LIGO A+ Upgrade

The "A+ detector" project is a major upgrade to the existing Advanced LIGO detectors, which began in 2019 and expected to continue through to late 2025. Design, procurement and installation for A+ is well underway, led by the LIGO Lab with UK and Australian hardware contributions, as well as support by other members of the LSC.

### *Upgrades Completed before the O4 Run*

A number of A+ Project deliverable elements have been fast-tracked for installation prior to the O4 run. These fast-tracked (accelerated development) elements of the A+ Project include a high-transmission Faraday isolator in the output optics section, adaptive wavefront control for improved mode-matching to the



output mode cleaner and frequency-dependent squeezing. With concurrent detector improvements (including mitigation of point absorbers and higher laser power), the BNS range for O4 could be as high as 192 Mpc; This would effectively triple the O3 event detection rate.

In order to accomplish this A+ scope for O4 a number of vacuum system and facility modifications had to be accomplished. Facility construction of a Filter Cavity End Station (FCES) and Filter Cavity Enclosure (FCE) has been completed at both observatories. The filter cavity has been successfully locked at both LIGO sites, an important milestone for pre-O4 preparations

The FDS components (seismic isolation, suspensions, electronics, photodetectors, scattered light baffling, etc.) have all been installed at both observatories and are being commissioned at Hanford and read for commissioning at Livingston. The high-transmission (low loss) Faraday isolators have been installed as have the adaptive wavefront control elements (both thermally and piezo-actuated).

### *Future Upgrades*

The full A+ expected BNS design range of 325 MPc is not expected until the O5 run with the addition of lower thermal noise coatings on the test mass optics, a larger beamsplitter and suspension and the addition of a Balanced Homodyne Detection (BHD) readout system.

## **OPS-2.1 LIGO A+ Project**

**Start date:** 2019-10-01

**Estimated due date:** 2026-09-30

Activities connected to the A+ Upgrade. Note that costs for A+ have their own WBS assignments. In general LIGO Lab efforts on the upgrade are billed to detector improvements.

### **ACTIVITY OPS-2.1-A-INFRAOPS: ADVANCED LIGO DETECTOR RESEARCH**

Effort on the A+ project including project management, systems engineering, vacuum, control & data systems, facility modifications, core optics, suspensions, seismic isolation and interferometer sensing and control. Includes items from LIGO Lab ADTR.

## **OPS-3 Virgo Observatory Operations**

### **OPS-3.1 Advanced Virgo Commissioning**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

### **ACTIVITY OPS-3.1-A-INFRAOPS: ADVANCED VIRGO COMMISSIONING**

Commissioning in Virgo focuses on noise hunting and duty cycle improvements.

#### **TASK OPS-3.1-A(i)-INFRAOPS: NOISE HUNTING**

Commissioning work to improve sensitivity and data quality in Virgo include: search for the source of excess  $1/\sqrt{f}$  noise; control strategy changes to manage radio-frequency offsets in design error signals; optical tunings via thermal compensation actuators and via alignment set points, to minimise frequency and intensity noise couplings, control noise couplings, and

stray light couplings, improve fringe contrast, optical gain, and double cavity pole frequency; tuning of control filters; diagonalisation of longitudinal control loops; magnetic and acoustic noise injections, investigation of stray light couplings by angular noise injections on suspended benches and tapping tests on ground-based viewports and vacuum chambers/pipes; parameters tuning on injection and pre-stabilised laser systems; parameters tuning on detection system, including the alignment and mode matching of the output mode cleaner.

#### **TASK OPS-3.1-A(ii)-INFRAOPS: DUTY CYCLE IMPROVEMENTS**

Commissioning actions to improve duty cycle the O4 run include: improving robustness of lock and lock acquisition; extraordinary maintenance including absolute recalibration of photon calibrator, magnetic shielding on Newtonian calibrator, replacement of laser chillers and main laser head, replacement of SLED sources for optical levers, etc.

## **OPS-3.2 AdV+ phase I**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

#### **ACTIVITY OPS-3.2-A-INFRAOPS: ADV+ PHASE I**

Virgo upgrades for O4 focused on quantum noise reduction down to the level where detector sensitivity would be limited by coating thermal noise.

#### **TASK OPS-3.2-A(i)-INFRAOPS: DOUBLE RECYCLING**

A signal recycling mirror with 60% reflectivity was installed; an auxiliary laser system, based on the generation of second harmonic from the 1064 nm Virgo laser, was developed to acquire the full lock of the interferometer by controlling the arm cavities on the 532 nm light with a frequency offset from the 1064 main laser resonance during the lock acquisition of the central interferometer on the 1064 main laser.

#### **TASK OPS-3.2-A(ii)-INFRAOPS: FREQUENCY DEPENDENT SQUEEZING**

The optical setup to optically couple an optical parametric oscillator (OPO) to the Virgo interferometer through the dark port, was modified with the addition of a 285-m long Fabry-Pérot resonator with suspended mirrors acting as a filter cavity to generate a frequency-dependent rotation of the squeezing ellipse. The optical bench hosting the AEI squeezer was modified to host additional sources and detectors to control the filter cavity length and alignment, and a balanced homodyne detector to measure the squeezing level at the interferometer input; two new suspended benches were added, hosting the optical system to couple the OPO to the filter cavity and to the interferometer.

#### **TASK OPS-3.2-A(iii)-INFRAOPS: HIGH POWER LASER**

O4 upgrades included the replacement of slave laser + solid state amplifier, capable of 70 W output power, with a single stage fiber amplifier providing up to 100 W output power. The fiber amplifier was found to be damaged during O4 commissioning, and the O3 system (slave laser + solid state amplifier) was restored. The repair of the fiber amplifier is not expected to be concluded before the start of O4b. Thus Virgo will join O4b with the same laser system used during O3.

**TASK OPS-3.2-A(iv)-INFRAOPS: NN CANCELLATION**

An array of seismic sensors in the central and end buildings was deployed to test seismic Newtonian noise cancellation techniques. An array of microphones is also installed to monitor acoustic Newtonian noise.

**TASK OPS-3.2-A(v)-INFRAOPS: DETECTION UPGRADES**

Several actions were taken to mitigate stray light couplings from suspended benches, in particular from the suspended benches hosting the output mode cleaner (OMC) and the strain detection photodiodes. Actions included the installation of diaphragms and beam dumps. A single, high-finesse ( $F=1000$ ) OMC was developed to replace the pair of mid-finesse ( $F<200$ ) OMCs used in O3.

**TASK OPS-3.2-A(vi)-INFRAOPS: OTHER UPGRADES**

An instrumented baffle, for stray light control, has been installed on the Input Mode Cleaner end mirror. In parallel with the other upgrades, an effort has been done to reduce the environmental noise coming for the air conditioning system, and to tackle several other technical noises.

**OPS-3.3 AdV+ phase I**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

**ACTIVITY OPS-3.3-A-INFRAOPS: SUPPORT FROM VIRGO GROUPS**

Each subsystem in the Virgo interferometer is in charge of a Virgo group, which is responsible to monitor the status of the subsystem and to provide on-call support in case of issues or malfunctioning. A local expert is also available at EGO to provide prompt support, under the remote supervision from the subsystem manager, whenever a physical intervention is needed and the subsystem experts from Virgo groups are unable to reach the EGO site in due time.

**ACTIVITY OPS-3.3-B-INFRAOPS: SUPPORT FROM EGO OPERATIONS TEAM**

The EGO operations teams provides the continuous presence of operators in control room to keep the interferometer properly controlled, asking for on-call support from subsystem experts whenever needed.

**OPS-4 AdV+: O5 Upgrade**

Advanced Virgo Plus (AdV+) is the upgrade of Advanced Virgo to be realized in two steps. The installation of AdV+ Phase I started in May 2020 and was concluded in May 2021. The installation of AdV+ upgrades for the second phase will take place after the end of O4. The main goal of AdV+ Phase I was to reduce the interferometer quantum noise, through the addition of the signal recycling cavity and the frequency dependent squeezing system.

During 2024, the second phase of the project has been deeply revised. In the initial plan, the focus of the project was on the reduction of the mirror thermal noise, by increasing the beam size on the end test masses and improving the mirror coatings. The plan also included the increase of the interferometer input power up to 80 W.

However, the experience from the O4 commissioning has shown the difficulties of using marginally stable recycling cavities in a dual-recycled interferometer, in presence of strong optical aberrations (either coming from production process of the mirrors or from self heating). For this reason, the main objective of the O5 upgrade has become the improvement of the detector robustness. A study carried on in the second half of 2023 has identified a solution for implementing stable recycling cavities within the present infrastructure. It will require a deep modification of the central interferometer vacuum system, the production of new seismic isolators, a major upgrade of the injection and detection systems. Some infrastructural works will be necessary to adapt the central hall to the new configuration. The plan also includes the increase of the interferometer input power up to 80 W and the replacement of the test masses with improved mirror coatings.

## **OPS-4.1 AdV+: O5 Project**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

Activities connected to the upgrade of the Virgo detector in view of O5.

ACTIVITY OPS-4.1-A-**INFRAOPS**: ADV+ O5 UPGRADES

Effort on the AdV+ project including project management and activities carried on within the different subsystems: vacuum, data acquisition, infrastructure, mirrors, suspended benches, seismic isolation, interferometer sensing and control, thermal compensation, optical design, pre-stabilized laser, injection, detection, payloads, coating R&D, auxiliary lasers, calibration, Newtonian noise cancellation, environmental noise hunting and quantum noise reduction.

## **OPS-5 KAGRA Observatory Operations**

### **OPS-5.1 KAGRA Observatory Operations**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

ACTIVITY OPS-5.1-A-**INFRAOPS**: OPERATIONS OF THE KAGRA OBSERVATORY

All operations of the KAGRA Observatory.

## **OPS-6 KAGRA Upgrades**

### **OPS-6.1 KAGRA Upgrade**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

ACTIVITY OPS-6.1-A-**INFRAOPS**: KAGRA UPGRADES

Upgrades to the KAGRA Observatory.

## **OPS-7 LIGO Aundha Observatory Operations**

### **OPS-7.1 LIGO Aundha Observatory Facility Construction**

**Start date:** 2023-10-01

**Estimated due date:** 2026-01-01

Activities related to the construction of the LIGO Aundha Observatory in the Hingoli district of Maharashtra state in India.

#### *Motivation and goals*

The LIGO Aundha Observatory will provide a third LIGO interferometer to participate in observations as part of the international network.

Finalize the design for the LIGO Aundha Observatory. Identify a contractor to perform the civil and vacuum construction of the facility according to design requirements and adhering to a schedule provided by project management. Work with the chosen contractor to build the Observatory.

#### *Expected products and/or outcomes*

The end result will be the addition to the international gravitational-wave network of another kilometer-scale interferometer; the LIGO Aundha Observatory

#### **ACTIVITY OPS-7.1-A-INFRAOPS: CIVIL CONSTRUCTION OF LIGO AUNDHA OBSERVATORY**

Acquisition of the Aundha site. Construction of buildings, roads and other infrastructure to house the 4km interferometer. Provision of power and water to the site.

#### **ACTIVITY OPS-7.1-B-INFRAOPS: LIGO AUNDHA VACUUM CONSTRUCTION**

Build or purchase the vacuum components needed for the LIGO Aundha interferometer. This includes the two 4km long vacuum tubes, chambers to house detector components, Cryopumps and Gate Valves. Construction and testing of prototype chambers, cryopumps and beam tube segments is also part of this activity.

#### **ACTIVITY OPS-7.1-C-INFRAOPS: INTERFACES BETWEEN LAO SUBSYSTEMS**

Activities related to finalizing interfaces between different subsystems and preparing reference documents.

### **OPS-7.2 LIGO Aundha Testing and Training**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Testing and training activities related to LIGO India.

*Motivation and goals*

The Aundha detector will utilize components currently in storage at the LIGO Hanford Observatory and will leverage these assemblies, the expertise gained from operating the current LIGO observatories, and improvements and upgrades to build a state of the art interferometer. The goal is to build a team in India with the expertise requires to test detector components prior to installation and to commission and operate the Aundha Observatory.

*Expected products and/or outcomes*

The end result will be a group of local experts capable of playing lead roles in the installation, commissioning, and operation of the Aundha detector.

**ACTIVITY OPS-7.2-A-INFRAOPS: LIGO INDIA 10M PROTOTYPE**

Installation and operation of a 10m prototype at the Testing and Training (T&T) facility in the Raja Ramanna Center for Advanced Technology (RRCAT). This prototype will be used to train LIGO India scientists and engineers on LIGO control systems and the principles of interferometer operation.

**ACTIVITY OPS-7.2-B-INFRAOPS: LIGO INDIA PRE-STABILIZED LASER**

Use components shipped from LIGO Hanford in order to build and test a 35 W Laser at the RRCAT T&T facility.

**ACTIVITY OPS-7.2-C-INFRAOPS: COMMISSIONING LIGO INDIA TRAINING FACILITIES**

A Training Program for LIGO-India aimed at generating the needed personpower for Commissioning and Operation of the observatory in the future. This training program requires development of several stand-alone training modules, addressing each of the major subsystems of aLIGO, aimed at training students, postdocs, project personnel, as well as scientists and engineers at different institutions, who wish to take up projects in this area. This is envisioned as a structured, multi-level training program starting at the conceptual (Instrument-Science) level, leading up to imparting various aLIGO-specific detector technology skills at higher levels. These modules may also be used for teacher training, Master's level course-work and for seeding undergrad student labs at various institutions of higher education.

**OPS-7.3 LIGO Aundha Detector: Shipping, Upgrades and Construction**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Shipping the detector components currently stored at Hanford to India, upgrading components where appropriate and constructing new components where needed.

*Motivation and goals*

The Aundha detector will primarily utilize components currently in storage at the LIGO Hanford Observatory. A careful inventory of components will need to be made and each assembly or component parts will need to be inspected and carefully packed for shipment. Items received in India will need to be tracked in our inventory and inspected to ensure that they have survived the shipping process intact.

Many of these components will need to be upgraded to match the current state-of-the-art LIGO interferometers. Additionally, there will be a need to build some new assemblies, such as extra HAM Isolation platforms, in order to bring the Aundha detector to a similar level of performance as the Livingston and Hanford detectors.

*Expected products and/or outcomes*

The end result will be a carefully inventoried set of detector components received from the LIGO laboratory in the US. These components will be upgraded as needed to benefit from the experience gained in the operation of the US based LIGO detectors. New assemblies will be constructed as required.

**ACTIVITY OPS-7.3-A-INFRAOPS: DETECTOR SHIPPING FROM LIGO HANFORD TO INDIA**

Inventory, prepare, pack and ship detector components for use in the LIGO Aundha interferometer.

**ACTIVITY OPS-7.3-B-INFRAOPS: DETECTOR UPGRADES FOR LAO**

Upgrade components of the LIGO-India detector in order to benefit from lessons learned during the operation of the current LIGO detectors and from advances in technology.

**ACTIVITY OPS-7.3-C-INFRAOPS: DETECTOR CONSTRUCTION AND AUGMENTATION FOR LAO**

The current LIGO detectors contain components that were added after the LIGO-India detector was put into storage. Most notable of these are the squeezer and extra seismic isolation tables. This task covers the procurement, assembly, testing and installation of detector components that are not available from storage.

**ACTIVITY OPS-7.3-D-INFRAOPS: LIGO INDIA SUSPENSION WORK**

Train LIGO India personnel in fiber pulling and fiber welding and in the installation of test mass optics into the suspension. Construct a fiber pulling lab and a fiber welding set up at RRCAT.

## **OPS-7.4 LIGO Aundha Observatory Services**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

Construction, operation and planning of the LIGO Aundha Observatory demands a sizeable amount of management efforts. Also, during the initial phases of the observatory all the major efforts may not be foreseen and, hence, not included in the white paper.

**ACTIVITY OPS-7.4-A-INFRAOPS: LIGO AUNDHA OBSERVATORY SERVICES**

Management tasks and essential services for the LIGO Aundha Observatory that are not captured by more specific tasks listed in the white paper.

**ACTIVITY OPS-7.4-B-OTHER: LONG TERM ACTIVITIES FOR THE LIGO AUNDHA OBSERVATORY**

Long term activities related to LIGO Aundha Observatory, which may not be considered critical, but important to carry out, e.g., for academic interests, and do not fall under specific tasks listed elsewhere in the white paper.

## OPS-8 Detector Characterization

The following sections outline the priorities for detector characterization work in 2025 in terms of tasks necessary during the fourth LIGO-Virgo-KAGRA observing run or tasks required for **future observing runs** beyond O4.

### *OPS-8.0.1 LIGO DetChar Roles*

There are many active roles within the LIGO detector characterization group, and often some people have more than just one role. There are two appointed DetChar chairs at present who oversee and steer the entire group. Working alongside them is a small committee who lead the low latency data quality, instrument characterization, DetChar-specific computing, and event validation efforts. This committee is structured by the DetChar co-chairs, and members are appointed by the DetChar co-chairs. There are five liaisons between search groups and DetChar. The data quality shift coordinator oversees the staffing of the data quality shifts and serves as a point of contact for data quality shift mentors. The safety studies coordinator coordinates with the Hardware Injection team to perform regular DetChar Hardware Injections, oversees the analysis of these safety studies and maintains the channel list. The review chair of the LIGO DetChar group manages the review of critical DetChar code and coordinates code configuration control with other working groups for observing runs. A small group of people also oversee, maintain and develop the key software required by the DetChar group.

### *OPS-8.0.2 Virgo DetChar Roles*

The Virgo DetChar group is led by a single coordinator, elected or renewed by the Virgo Steering Committee every two years. To facilitate communication with the other Data Analysis groups within the LVK, the various GW searches – CBC, Bursts, Stochastic, and Continuous Waves – are represented within the Virgo DetChar group by appointed members that serve as liaisons. Furthermore, there is ongoing discussion about formally adding two more liaisons for the Virgo Commissioning and Computing groups.

### *OPS-8.0.3 KAGRA DetChar Roles*

The KAGRA detector characterization (DetChar) group is led by two appointed DetChar chairs, who are elected or renewed every two years. The KAGRA DetChar group has two primary roles. The first role is to assist site commissioners in visualizing, analyzing, and investigating interferometric signals to improve the sensitivity and stability of the interferometric system. Using the DetChar tools, the group contributes to noise hunting, stability improvements, and interferometer monitoring. The second role is to provide the data quality information to GW search groups. In the case of well-understood noise, the group provides the segment information on the noise to prevent the false detection of GWs.

## OPS-8.1 Monitoring known or new DQ issues

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01



*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.1-A-INFRAOPS:** MONITORING KNOWN OR NEW DQ ISSUES IN THE LIGO INTERFEROMETERS

**TASK OPS-8.1-A(i)-INFRAOPS:** INVESTIGATION OF WORST OFFENDER NOISE SOURCES

These are known to include:

- Scattering
- Blip glitches
- Anomalous environmental coupling (e.g., thunderstorms, periscope motion, beam clipping)
- Spectral Artifacts
- *See LIGO DCC P2000495 for more information on the noise sources most prevalent in O3.*

**TASK OPS-8.1-A(ii)-INFRAOPS:** MONITORING AND STUDIES TO CHARACTERIZE SPECTRAL ARTIFACTS (LINES OR COMBS) THAT IMPACT SEARCHES FOR PERSISTENT GRAVITATIONAL WAVE SIGNALS

**TASK OPS-8.1-A(iii)-INFRAOPS:** MAINTENANCE AND CHARACTERIZATION OF THE PHYSICAL ENVIRONMENT MONITOR (PEM) SENSORS

This includes evaluating the environmental couplings of the interferometers.

**TASK OPS-8.1-A(iv)-INFRAOPS:** MEASURING AND MONITORING THE LEVEL OF MAGNETIC COUPLING AT THE LIGO OBSERVATORIES

**ACTIVITY OPS-8.1-B-INFRAOPS:** MONITORING KNOWN OR NEW DQ ISSUES IN THE VIRGO INTERFEROMETER

**TASK OPS-8.1-B(i)-INFRAOPS:** INVESTIGATION OF TRANSIENT NOISE IN VIRGO DATA

This task targets fast noise transients, namely glitches, with the study of their rates, classification, and anomalies in their populations, as well as slower transients. This task also encompasses understanding their origins and contributing to the development of strategies for fixing their sources or mitigating their effects.

**TASK OPS-8.1-B(ii)-INFRAOPS:** MONITORING AND STUDIES TO CHARACTERIZE SPECTRAL ARTIFACTS

This includes spectral lines or combs, non-linear coupling artifacts, and wandering lines; everything that impact searches for persistent gravitational wave signals.

**TASK OPS-8.1-B(iii)-INFRAOPS:** INVESTIGATION OF BNS RANGE DROPS AND LOCK-LOSSES CAUSES BY MEANS OF A NEW IMPROVED MONITOR

This task is carried out in collaboration with the Commissioning team and instrumentation expert in order to monitor a sufficient set of auxiliary channels data that are likely to witness the most common causes for unlocks and range drops.

**TASK OPS-8.1-B(iv)-INFRAOPS:** CHARACTERIZING THE LEVEL OF ENVIRONMENTAL NOISE COUPLING AT THE VIRGO SITE

Estimate coupling functions and transfer functions from environmental sensors and noise injections to understand the detector response to the environmental noise.

**ACTIVITY OPS-8.1-C-INFRAOPS:** MONITORING KNOWN OR NEW DQ ISSUES IN THE KAGRA INTERFEROMETER

**TASK OPS-8.1-C(i)-INFRAOPS:** INVESTIGATION REASONS FOR LOCK LOSSES

**TASK OPS-8.1-C(ii)-INFRAOPS:** MAINTENANCE AND CHARACTERIZATION OF THE PHYSICAL ENVIRONMENT MONITOR (PEM) SENSORS

This includes monitoring the environment inside and outside the experimental area, performing vibration and hammering tests, and performing acoustic and magnetic injections.

**ACTIVITY OPS-8.1-D-INFRAOPS:** LIGO DATA QUALITY SHIFTS

**TASK OPS-8.1-D(i)-INFRAOPS:** CONTRIBUTING TO CONDUCTING OR MENTORING LIGO DQ SHIFTS

Data quality shifts will be the primary means of ensuring full coverage of h(t) data quality analysis for both detectors during the next observing run, including limiting factors to interferometer performance such as weather or earthquakes. Data quality shifters must invest first in training, and a qualified mentor must be identified for new volunteers.

**ACTIVITY OPS-8.1-E-INFRAOPS:** MONITORING KNOWN OR NEW DQ ISSUES THAT ARE CORRELATED BETWEEN DETECTORS

**TASK OPS-8.1-E(i)-INFRAOPS:** PERFORM STUDIES OF INSTRUMENTAL AND ENVIRONMENTAL CORRELATIONS BETWEEN DETECTORS, PARTICULARLY CORRELATED MAGNETIC NOISE.

**ACTIVITY OPS-8.1-F-INFRAOPS:** INVESTIGATION OF DQ ISSUES THAT IMPACT SEARCH BACKGROUNDS

**TASK OPS-8.1-F(i)-INFRAOPS:** STUDYING HOW INSTRUMENTAL ARTIFACTS AFFECT THE SENSITIVITY OF A SPECIFIC SEARCH OR SEARCH METHOD.

The standardized metric for assessing the impact of DQ information on a particular search will be search volume-time (VT), measured by the effect on the background of each search and on recoverability of signals. Population model assumptions in these studies should be clearly documented.

**TASK OPS-8.1-F(ii)-INFRAOPS:** DEVELOPING SEARCH-SPECIFIC TECHNIQUES FOR NOISE MITIGATION.

This includes:

- Contributions to developing / incorporating low-latency DQ information into the online searches.

- Estimating the contribution of the correlated magnetic noise to the measurement of  $\Omega_{\text{gw}}$  in stochastic searches, and using parameter estimation formalism to separate this contribution from the true stochastic background contributions
- Exploring possibilities of removing the correlated magnetic noise that impacts stochastic searches from the strain data.
- Studying alternatives for delta sigma cut and Median PSD estimation instead of mean PSD estimation in stochastic searches.

**TASK OPS-8.1-F(iii)-INFRAOPS:** INVESTIGATING THE LOUDEST BACKGROUND OUTLIERS FOR A SPECIFIC SEARCH OR SEARCH METHOD

**TASK OPS-8.1-F(iv)-INFRAOPS:** CALIBRATION UNCERTAINTY ASSESSMENT FOR STOCHASTIC SEARCHES

## **OPS-8.2 DQ products for the astrophysical searches**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.2-A-OTHER:** UNUSED

**TASK OPS-8.2-A(i)-OTHER:** UNUSED

**TASK OPS-8.2-A(ii)-OTHER:** UNUSED

**TASK OPS-8.2-A(iii)-OTHER:** UNUSED

**TASK OPS-8.2-A(iv)-OTHER:** UNUSED

**TASK OPS-8.2-A(v)-OTHER:** UNUSED

**TASK OPS-8.2-A(vi)-OTHER:** UNUSED

**TASK OPS-8.2-A(vii)-OTHER:** UNUSED

**TASK OPS-8.2-A(viii)-OTHER:** UNUSED

**ACTIVITY OPS-8.2-B-INFRAOPS:** GENERATION OF ONLINE LIGO DQ PRODUCTS

**TASK OPS-8.2-B(i)-INFRAOPS:** SUPPORT OF ONLINE DQ PRODUCTS

This includes development and maintenance of a git repository with configuration files and products delivered with low latency h(t) frames: state information, data quality flags, iDQ timeseries, and veto definitions

**TASK OPS-8.2-B(ii)-INFRAOPS:** REVIEW OF ONLINE DQ PRODUCTS

**ACTIVITY OPS-8.2-C-INFRAOPS:** GENERATION OF OFFLINE VIRGO DQ PRODUCTS

**TASK OPS-8.2-C(i)-INFRAOPS:** REVIEW OF OFFLINE DQ PRODUCTS

Update of the thresholds and auxiliary channels to be used in O4 to produce DQ flags.

**TASK OPS-8.2-C(ii)-INFRAOPS:** FULL AUTOMATION (AND LATENCY REDUCTION) OF THE PRODUCTION OF OFFLINE DQ FLAGS AND VETOES

**TASK OPS-8.2-C(iii)-INFRAOPS:** SUPPORT FOR ADDITIONAL OFFLINE DQ PRODUCTS SUCH AS IDQ TIMESERIES

**TASK OPS-8.2-C(iv)-INFRAOPS:** PRODUCING AND REVIEWING LISTS OF LINE ARTIFACTS THAT IMPACT SEARCHES FOR PERSISTENT GRAVITATIONAL WAVE SIGNALS

Lines and other spectral artifacts are routinely monitored and cataloged in a Lines Database. From this, we plan to produce two catalogs, one referring to the engineering run period prior to O4b, and one referring to O4b

**TASK OPS-8.2-C(v)-INFRAOPS:** ANALYSING CORRELATED MAGNETIC NOISE THAT IMPACTS SEARCHES FOR THE STOCHASTIC GRAVITATIONAL-WAVE BACKGROUND

**TASK OPS-8.2-C(vi)-INFRAOPS:** STUDY OF THE IMPLEMENTATION AND IMPACT OF NON-LINEAR NOISE SUBTRACTION ON STOCHASTIC SEARCHES, AND ADOPT WHERE NECESSARY

**ACTIVITY OPS-8.2-D-INFRAOPS:** GENERATION OF ONLINE VIRGO DQ PRODUCTS

**TASK OPS-8.2-D(i)-INFRAOPS:** REVIEW OF ONLINE DQ PRODUCTS

Update of the thresholds and auxiliary channels to be used in O4 to produce DQ flags.

**TASK OPS-8.2-D(ii)-INFRAOPS:** REDUCE LATENCY OF ONLINE FLAGS AND VETOES PRODUCTION

**ACTIVITY OPS-8.2-E-INFRAOPS:** GENERATION OF OFFLINE KAGRA DQ PRODUCTS

**TASK OPS-8.2-E(i)-INFRAOPS:** PROVIDING SEGMENT INFORMATION USING AUXILIARY CHANNELS

**TASK OPS-8.2-E(ii)-INFRAOPS:** PROVIDING CAT1 DQ FLAGS FOR EACH SEARCH GROUP

**TASK OPS-8.2-E(iii)-INFRAOPS:** PROVIDING CAT2/3/4 DQ FLAGS FOR EACH SEARCH GROUP

**TASK OPS-8.2-E(iv)-INFRAOPS:** PRODUCING AND REVIEWING LISTS OF LINE ARTIFACTS THAT IMPACT SEARCHES FOR PERSISTENT GRAVITATIONAL WAVE SIGNALS

**ACTIVITY OPS-8.2-F-INFRAOPS:** GENERATION OF ONLINE KAGRA DQ PRODUCTS

**TASK OPS-8.2-F(i)-INFRAOPS:** PROVIDING THE ONLINE DQ STATE VECTOR

**TASK OPS-8.2-F(ii)-INFRAOPS:** PROVIDING OBSERVATION MODE DQ SEGMENTS WITH SHORTER CADENCE THAN THE O3GK RUN

**ACTIVITY OPS-8.2-G-INFRAOPS:** GENERATION OF VETO DEFINER FILES FOR ASTROPHYSICAL SEARCHES

**TASK OPS-8.2-G(i)-INFRAOPS:** PRODUCING AND REVIEWING OFFLINE VETO DEFINER FILES, WHICH DEFINE THE DQ FLAGS THAT ARE USED TO VETO DATA FOR EACH INDIVIDUAL ASTROPHYSICAL SEARCH

**ACTIVITY OPS-8.2-H-INFRAOPS:** DEVELOPING, TESTING, AND DOCUMENTING OFFLINE LIGO DQ FLAGS

**ACTIVITY OPS-8.2-I-INFRAOPS:** PRODUCING LISTS OF LINE ARTIFACTS IN LIGO THAT IMPACT SEARCHES FOR PERSISTENT GRAVITATIONAL WAVE SIGNALS

**ACTIVITY OPS-8.2-J-INFRAOPS:** PRODUCING LISTS OF INSTRUMENTAL CORRELATIONS BETWEEN DETECTORS, INCLUDING INFORMATION ON TIME EVOLUTION

**ACTIVITY OPS-8.2-K-INFRAOPS:** GENERATION OF THE OFFLINE IDQ TIMESERIES FOR LIGO

**ACTIVITY OPS-8.2-L-INFRAOPS:** DEVELOP AND PRODUCE LIGO DATA FRAMES WITH LOUD SHORT-DURATION GLITCHES GATED FOR USE BY SEARCHES FOR PERSISTENT GRAVITATIONAL WAVE SIGNALS

**ACTIVITY OPS-8.2-M-INFRAOPS:** GENERATION OF OFFLINE LIGO DATA FRAMES WITH BROADBAND NOISE SUBTRACTION

**ACTIVITY OPS-8.2-N-INFRAOPS:** RESEARCH AND DEVELOPMENT OF NEW TECHNIQUES FOR BROADBAND NOISE SUBTRACTION

**ACTIVITY OPS-8.2-O-INFRAOPS:** RESEARCH AND DEVELOPMENT OF NEW TOOLS FOR GENERATION OF DATA QUALITY PRODUCTS

### **OPS-8.3 Vetting and data mitigation for GW signal candidates**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.3-A-INFRAOPS:** DETCHAR VETTING OF TRANSIENT GW CANDIDATES

**TASK OPS-8.3-A(i)-INFRAOPS:** CONTRIBUTING TO CONDUCTING OR MENTORING GW EVENT CANDIDATE VALIDATION

Using the automatically generated Data Quality Report (DQR) [14] to vet the data quality around gravitational wave event candidates, including evaluating environmental couplings

**TASK OPS-8.3-A(ii)-INFRAOPS:** FIELD A DETCHAR RAPID RESPONSE TEAM TO VET THE DATA QUALITY FOR LOW-LATENCY GRAVITATIONAL WAVE CANDIDATE EVENTS

**ACTIVITY OPS-8.3-B-INFRAOPS:** IGWN DATA QUALITY REPORT: OPERATION AND MAINTENANCE

**TASK OPS-8.3-B(i)-INFRAOPS:** OPERATION, MAINTENANCE AND REVIEW OF TASKS FOR THE INTERNATIONAL GRAVITATIONAL-WAVE OBSERVATORY NETWORK (IGWN) DQR

**TASK OPS-8.3-B(ii)-INFRAOPS:** PRODUCE TRAINING MATERIAL TO EVALUATE THE IGWN DQR FOR GW EVENT VALIDATION

**ACTIVITY OPS-8.3-C-INFRAOPS:** SUPPORT OF THE VIRGO DATA QUALITY REPORT

**TASK OPS-8.3-C(i)-INFRAOPS:** DEVELOPMENT, MAINTENANCE AND REVIEW OF TASKS FOR THE VIRGO DQR

**TASK OPS-8.3-C(ii)-INFRAOPS:** INCLUSION IN THE VIRGO DQR OF NEW TASKS FOR O4 COMMON TO THE IGWN DQR  
This includes Stationarity, Glitch Find, and GSpyNetTree tasks.

**TASK OPS-8.3-C(iii)-INFRAOPS:** PROVIDING LIGO AND KAGRA WITH TASKS DEVELOPED WITHIN THE VIRGO DQR FRAMEWORK, FOR POTENTIAL REUSE IN THEIR OWN DQR INSTANCES  
This includes, but in principle is not limited to, the BRiSTOL - Band-limited RMS Stationarity Test Tool, already included in Virgo DQR instance since O3.

**ACTIVITY OPS-8.3-D-INFRAOPS:** DETCHAR VETTING OF PERSISTENT GW CANDIDATES

**TASK OPS-8.3-D(i)-INFRAOPS:** SUPPORT VALIDATION OF CW CANDIDATES, INCLUDING DEVELOPMENT AND STUDIES TO ADDRESS DETCHAR-RELATED ITEMS IN THE PROTOCOL FOR ESTABLISHING CONFIDENCE IN A CW CANDIDATE [15]

**TASK OPS-8.3-D(ii)-INFRAOPS:** SUPPORT VALIDATION OF STOCHASTIC GW CANDIDATES, INCLUDING DETCHAR-RELATED ITEMS IN THE STOCHASTIC DETECTION CHECKLIST [16]

**ACTIVITY OPS-8.3-E-INFRAOPS:** DATA MITIGATION FOR GW CANDIDATES

**TASK OPS-8.3-E(i)-INFRAOPS:** PRODUCE, TEST AND REVIEW GLITCH MITIGATED FRAMES FOR PARAMETER ESTIMATION ANALYSES  
For reference, the O3a data mitigation review document is at [17] and the O3b data mitigation status is at [18]

**TASK OPS-8.3-E(ii)-INFRAOPS:** DEVELOPMENT AND AUTOMATION OF DATA MITIGATION PROCESS

**ACTIVITY OPS-8.3-F-INFRAOPS:** DEVELOPMENT TO SUPPORT CURRENT IGWN DATA QUALITY REPORT WITH THE NEXT GENERATION DATA DELIVERY SYSTEM

**TASK OPS-8.3-F(i)-INFRAOPS:** DEVELOPMENT TO SUPPORT CURRENT IGWN DATA QUALITY REPORT WITH THE NEXT GENERATION DATA DELIVERY SYSTEM

**ACTIVITY OPS-8.3-G-INFRAOPS:** RESEARCH AND DEVELOPMENT OF NEW TOOLS FOR THE IGWN DATA QUALITY REPORT

**TASK OPS-8.3-G(i)-INFRAOPS:** RESEARCH AND DEVELOPMENT OF NEW TOOLS FOR THE IGWN DATA QUALITY REPORT

## **OPS-8.4 Commissioning support**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.4-A-INFRAOPS:** LIGO DetChar SUPPORT OF COMMISSIONING

**TASK OPS-8.4-A(i)-INFRAOPS:** TRACKING ISSUES THAT AFFECT INTERFEROMETER UPTIME, SUCH AS SEISMIC MOTION

**TASK OPS-8.4-A(ii)-INFRAOPS:** INVESTIGATING NOISE SOURCES THAT LIMIT DETECTOR SENSITIVITY

For example, hour-scale correlations between  $h(t)$  and auxiliary channels or jumps in detector binary neutron star range.

**TASK OPS-8.4-A(iii)-INFRAOPS:** INTERFACING WITH COMMISSIONERS AND INSTRUMENT EXPERTS TO PROPAGATE INSTRUMENT CHANGES AND DEVELOPMENTS TO DETECTOR CHARACTERIZATION INVESTIGATIONS AND MONITORING.

**TASK OPS-8.4-A(iv)-INFRAOPS:** MONITORING AND USING THE FAULT REPORTING SYSTEM (FRS) AND THE ELECTRONIC LOGS (ALOGS) TO COMMUNICATE RESULTS AND REQUEST TESTS.

**TASK OPS-8.4-A(v)-INFRAOPS:** PERFORMING INVESTIGATIONS AS PROMPTED BY COMMISSIONERS, INCLUDING REQUESTING ADDITIONAL INFORMATION OR SUGGESTING FOLLOW-UP TESTS WHEN NEEDED AND REPORTING RESULTS ON THE ALOGS.

**TASK OPS-8.4-A(vi)-INFRAOPS:** MENTORING AND TRAINING SCIENTISTS IN THE DETECTOR CHARACTERIZATION GROUP TO PERFORM INSTRUMENTAL INVESTIGATIONS

**TASK OPS-8.4-A(vii)-INFRAOPS:** MENTORING AND TRAINING SCIENTISTS PARTICIPATING IN THE LSC FELLOWS PROGRAM

This task supports LSC scientists working at the site to improve the detector data.

**TASK OPS-8.4-A(viii)-INFRAOPS:** REPORTING TO COMMISSIONERS AND INSTRUMENT EXPERTS ABOUT NOISE FEATURES THAT HAVE THE LARGEST IMPACTS ON SPECIFIC ASTROPHYSICAL ANALYSES.

**ACTIVITY OPS-8.4-B-INFRAOPS:** VIRGO DETCHAR SUPPORT OF COMMISSIONING

**TASK OPS-8.4-B(i)-INFRAOPS:** INVESTIGATING ISSUES THAT AFFECT INTERFEROMETER DUTY CYCLE

Maintaining the lock-loss monitor, with the support of the Commissioning and Instrumentation experts to develop and track common causes of interferometer unlocks.

**TASK OPS-8.4-B(ii)-INFRAOPS:** INVESTIGATING NOISE SOURCES THAT LIMIT DETECTOR SENSITIVITY

This includes both spectral artifacts, such as noise bumps, wandering lines, and sideband structures, and slowly-varying non-stationary noise.

**TASK OPS-8.4-B(iii)-INFRAOPS:** PERFORMING INVESTIGATIONS AS PROMPTED BY COMMISSIONERS, INCLUDING REQUESTING ADDITIONAL INFORMATION OR SUGGESTING FOLLOW-UP TESTS WHEN NEEDED AND REPORTING RESULTS ON THE LOGBOOK

This is facilitated by using the new framework provided by the detchar-tasks GitLab project and the sibling commissioning-tasks, where commissioners can request the intervention, or prompt the attention of the Virgo DetChar group to specific noise or software issues.

**TASK OPS-8.4-B(iv)-INFRAOPS:** SUPPORT COMMISSIONERS BY MAINTAINING THE AVAILABLE STATISTICAL ANALYSIS TOOLS AND DEVELOPING NEW ONES ON DEMAND

Interaction with both Commissioning and Computing groups to promptly provide support and assistance on the available software and coordinate upgrades and additions.

**TASK OPS-8.4-B(v)-INFRAOPS:** PARTICIPATING IN COMMISSIONING ACTIVITIES

Interfacing with the Commissioning coordinator, and participating in weekly Commissioning meetings, daily meetings, and shifts as weekly coordinator.

**TASK OPS-8.4-B(vi)-INFRAOPS:** REPORTING TO COMMISSIONERS AND INSTRUMENT EXPERTS THE RESULTS OF RELEVANT NOISE STUDIES

Periodic logbook entries and presentations at the Virgo Commissioning meetings.

**ACTIVITY OPS-8.4-C-INFRAOPS:** KAGRA DETCHAR SUPPORT OF COMMISSIONING

**TASK OPS-8.4-C(i)-INFRAOPS:** PROVIDING TOOLS AND INFORMATION TO COMMISSIONERS.

This includes:



- Summary pages [19]
- Bruco [20]
- Fscan [21]
- Pastavi; WEB base data plot tool [22]
- Noise budgetter; python base noise budget management tool [23]

## OPS-8.5 Support of key DetChar tools

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

### *Motivation and goals*

Types of work covered in this section:

- Support of key tools, including upgrade work such as python 3 compatibility, as well as user feedback and documentation for key infrastructure. Development standards for DetChar codebase:
  - Code is open source
  - Code is hosted on github.com or git.ligo.org to enable a github-flow-style development cycle
  - Code includes web-accessible documentation
  - Code has been through review
  - Code includes unit testing
  - Code includes clear and complete installation instructions
  - Code configuration files are available and up to date
  - Python is recommended for development to maximize compatibility with existing tools, reducing duplication-of-effort and redundancy
- Automation of key tools in LIGO DetChar
- Integration of key tools to be cross-compatible
  - Wherever possible, all tools in common use (i.e. excluding those in the early stages of development) should share a well-maintained, well-documented, and accessible codebase.
  - Wherever possible, all tools should be developed for use at all IGWN computing sites
  - All triggers and data products will be stored in appropriate common data formats [24] and will be discoverable with common tools (see key tools listed in Section Op-3.1-E). For instance, any data product should be accessible in a single function call on a site cluster.
  - Improve documentation and support of key tools: All DetChar tools in common use should be fully and centrally documented, accessible on the IGWN clusters (or easy to install), and well supported by responsive experts.

*Expected products and/or outcomes**Required inputs*

This list relies on software dependencies maintained by the LIGO Laboratory (e.g., the Guardian [25].), the LSC Computing and Software Committee (e.g., GWpy [26], the segment database [27, 28, 29], the channel information system [30], low-latency data distribution), the LSC Remote Access group (e.g., NDS2), and the Virgo and KAGRA Collaborations (e.g., Omicron, NoEMi). While those software elements are not in the scope of DetChar, continued maintenance of the software, adaptation for use on LIGO data, and operations on LIGO data are of the highest priority to enable IGWN science.

**ACTIVITY OPS-8.5-A-INFRAOPS:** REVIEW OF KEY DETCHAR TOOLS, PARTICULARLY THOSE USED TO GENERATE VETOES

**ACTIVITY OPS-8.5-B-INFRAOPS:** GWSUMM SUMMARY PAGES: MAINTENANCE, OPERATION, AND DEVELOPMENT

The summary pages [31] are an invaluable set of webpages containing key plots that describe the state and behavior of the IGWN detectors and their environment. This is a fundamentally necessary service.

This activity includes:

- maintenance of GWSumm [32] which is used to generate the summary pages
- providing summary pages
- improving the contents of summary pages

**ACTIVITY OPS-8.5-C-OTHER:** UNUSED

**ACTIVITY OPS-8.5-D-INFRAOPS:** OMICRON: MAINTENANCE, OPERATION, AND DEVELOPMENT

Omicron triggers [33] identify transient noise triggers, including in low latency, delivered with very high reliability. This is a fundamentally necessary service.

**ACTIVITY OPS-8.5-E-INFRAOPS:** TOOLS FOR SAFETY INFORMATION AND STUDIES: MAINTENANCE, OPERATION, AND DEVELOPMENT

Safety information and studies [34] [35] [36] flag auxiliary channels that witness the gravitational wave strain readout, such that a passing gravitational wave might also induce a response in an *unsafe* auxiliary channel in addition to  $h(t)$ . Accurate and up-to-date safety information is necessary for interpretation of any tools that correlate auxiliary channels with  $h(t)$  to model or infer noise couplings. This is a fundamentally necessary service.

**ACTIVITY OPS-8.5-F-INFRAOPS:** iDQ: MAINTENANCE, OPERATION, AND DEVELOPMENT

Maintenance, operation, and development of iDQ [37]

**ACTIVITY OPS-8.5-G-INFRAOPS:** SNAX TOOLKIT: MAINTENANCE, OPERATION, AND DEVELOPMENT

Maintenance, operation, and development of SNAX toolkit [38]

**ACTIVITY OPS-8.5-H-INFRAOPS:** GW-DETCAR: MAINTENANCE, OPERATION, AND DEVELOPMENT

GW-DetChar [39] contains Omega scans, LASSO, automated monitoring of scattering, ADC/DAC overflows and software saturations.

**ACTIVITY OPS-8.5-I-INFRAOPS: STOCHMON: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of Stochmon [40]

**ACTIVITY OPS-8.5-J-INFRAOPS: STAMP-PEM: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of STAMP-PEM [41]

**ACTIVITY OPS-8.5-K-INFRAOPS: HVETO: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of [42]

**ACTIVITY OPS-8.5-L-INFRAOPS: UPV: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of UPV [43]

**ACTIVITY OPS-8.5-M-OTHER: UNUSED**

**ACTIVITY OPS-8.5-N-INFRAOPS: POINTY POISSON: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of Pointy Poisson [44], [45]

**ACTIVITY OPS-8.5-O-INFRAOPS: VET: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of VET [46]

**ACTIVITY OPS-8.5-P-OTHER: UNUSED**

**ACTIVITY OPS-8.5-Q-OTHER: UNUSED**

**ACTIVITY OPS-8.5-R-INFRAOPS: LIGOCAM: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of [47]

**ACTIVITY OPS-8.5-S-INFRAOPS: FSCANS AND DEPENDENT TOOLS: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of the Fscan spectral monitor [48] and dependent tools

**ACTIVITY OPS-8.5-T-INFRAOPS: DETCHAR COHERENCE TOOL: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of the coherence tool [49]

**ACTIVITY OPS-8.5-U-INFRAOPS: MONITORING TOOL FOR CW HARDWARE INJECTIONS: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of the CW hardware injection monitoring tool [49]

**ACTIVITY OPS-8.5-V-OTHER: UNUSED**

**ACTIVITY OPS-8.5-W-INFRAOPS: ADAPT DETCHAR COMPUTING ECOSYSTEM TO NEW STORAGE ARCHITECTURE AT EGO**

**ACTIVITY OPS-8.5-X-INFRAOPS: MAINTAINING KEY TOOLS IN VIRGO DETCHAR**

**TASK OPS-8.5-X(i)-INFRAOPS: REVIEW OF KEY DETCHAR TOOLS**

Identify or assign their maintainers, and testing of their compatibility with the recent software, such as recent IGWN Conda Environment or the environment available at the Computing Center at EGO. The list of tools includes, but is not limited to:

- BRiSTOL - a Band-limited RMS Stationarity Test Tool
- BruCo - Brute-force Coherence tool
- DataDisplay
- DMS - Detector Monitoring System
- DQ flags and vetoes production
- Help package
- Lines Database
- Lock loss monitoring and investigation tools
- MONET - MOdulated NoisE Tool, for the study of bilinear couplings
- NoEMi - Noise-frequency Event Miner, for the identification and characterization of spectral lines
- Omicron - event trigger generator, mostly used for glitch identification and characterization
- Spectrogram tools
- UPV - Use-percentage veto, for time coincidence studies of omicron triggers
- VetoPerf - to test the performance of DQ flags against a set of triggers
- VIC - Virgo Interferometer Channel database
- VIM - Virgo Interferometer Monitor
- Virgo DQR 2.0

**ACTIVITY OPS-8.5-Y-INFRAOPS: GRAVITY SPY: MAINTENANCE, OPERATION, AND DEVELOPMENT**  
Maintenance, operation, and development of the Gravity Spy glitch classification pipeline to identify new glitch classes and to improve the quality of the training set for the machine-learning algorithm [50]

## **OPS-8.6 Interfacing with other groups in the operations and observational science divisions**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.6-A-INFRAOPS: INTERFACING BETWEEN DETCHAR AND THE SEARCH GROUPS, CALIBRATION, AND COMPUTING TEAMS**

**TASK OPS-8.6-A(i)-INFRAOPS: INTERFACING WITH SEARCH GROUPS**

DQ liaisons identified by each pipeline should identify and report sensitivities in the pipelines to data defects.

**TASK OPS-8.6-A(ii)-INFRAOPS: INTERFACING WITH THE CALIBRATION, COMPUTING, AND LOW-LATENCY TEAMS.**

**TASK OPS-8.6-A(iii)-INFRAOPS: ASSIST THE CALIBRATION GROUP WITH INVESTIGATING AND TESTING WHICH AUXILIARY CHANNELS ARE NEEDED TO PRODUCE BROADBAND NOISE SUBTRACTED FRAMES, IF NEEDED BY THE COLLABORATION**

## **OPS-8.7 Machine learning for detector characterization**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.7-A-INFRAOPS:** DEVELOPMENT OF NEW MACHINE LEARNING TOOLS FOR DETCHAR INVESTIGATIONS

**TASK OPS-8.7-A(i)-INFRAOPS:** MACHINE LEARNING [51] CLASSIFICATION, REGRESSION AND DATA MINING STUDIES TARGETING KNOWN NOISE SOURCES, E.G., SCATTERING.

**ACTIVITY OPS-8.7-B-OTHER:** DEVELOPMENT OF TOOLS TO PREDICT LIGO DETECTOR PERFORMANCE BASED ON INSTRUMENT STATE USING MACHINE LEARNING

**TASK OPS-8.7-B(i)-OTHER:** LOCK LOSS PREDICTION.

**TASK OPS-8.7-B(ii)-OTHER:** PREDICTION OF NOISE CHARACTERISTICS OR OTHER DETECTOR PERFORMANCE METRICS.

**ACTIVITY OPS-8.7-C-OTHER:** MACHINE LEARNING FOR DETCHAR INVESTIGATIONS OF THE VIRGO INTERFEROMETERS

**TASK OPS-8.7-C(i)-OTHER:** GLITCH CLASSIFICATION

Based on Gravity Spy and GWitchHunters datasets. Both supervised and unsupervised architecture networks under test.

**TASK OPS-8.7-C(ii)-OTHER:** ANOMALY DETECTION

Both in glitch classifications, to spot new families, and in the auxiliary channels' data that can trigger interferometer malfunctioning and excess noise.

**TASK OPS-8.7-C(iii)-OTHER:** NON-LINEAR NOISE SUBTRACTION

Via Deep Neural Networks.

## **OPS-8.8 Organization of planning and development for current and future observing runs**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.8-A-OTHER:** UNUSED

**TASK OPS-8.8-A(i)-OTHER:** UNUSED

TASK OPS-8.8-A(ii)-**OTHER**: UNUSED

ACTIVITY OPS-8.8-B-**INFRAOPS**: ORGANIZATION OF PLANNING AND DEVELOPMENT IN VIRGO DETCHAR FOR THE CURRENT AND FUTURE OBSERVING RUNS

TASK OPS-8.8-B(i)-**INFRAOPS**: CONSTRUCTION OF A CORE TEAM OF DETCHAR EXPERTS, ACTIVE IN THE LAST PERIOD BEFORE O4 AND DURING THE WHOLE RUN

TASK OPS-8.8-B(ii)-**INFRAOPS**: MONITORING THE GROUP'S ACTIVITIES AND EFFICIENT DISTRIBUTION OF THE RESOURCES VIA GITLAB PROJECT

This project is meant also to foster the interaction with Data Analysis and Commissioning groups, which can request the intervention of the DetChar group by opening git issues.

TASK OPS-8.8-B(iii)-**INFRAOPS**: GITLAB HELP PROJECT TO ASSIST NEWCOMERS AND SHARE KNOWLEDGE BY ANSWERING HELP REQUESTS

Help requests are submitted in the form of git issues. Once a set of questions sharing a common theme has received answer, these are converted in a tutorial or a wiki page.

TASK OPS-8.8-B(iv)-**INFRAOPS**: ADDRESSING PERSONPOWER ISSUES THAT HAVE LIMITED THE NUMBER OF TASKS THE VIRGO DETCHAR GROUP COULD FOCUS ON DURING O3

The engagement of new groups is partially facilitated by the above DetChar tasks GitLab project, where the groups can volunteer to serve to some of them.

## **OPS-8.9 Characterization of interferometer and auxiliary channels for O4 and future observing runs**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

ACTIVITY OPS-8.9-A-**INFRAOPS**: CHARACTERIZATION OF THE LIGO INTERFEROMETERS AND AUXILIARY CHANNELS DURING A+ INSTALLATION AND FOR FUTURE OBSERVING RUNS

TASK OPS-8.9-A(i)-**INFRAOPS**: DOCUMENTATION OF PLANNED OR NEWLY INSTALLED INTERFEROMETER SUBSYSTEMS AND ENVIRONMENTAL MONITORS.

TASK OPS-8.9-A(ii)-**INFRAOPS**: MAINTENANCE OF LISTS OF AUXILIARY CHANNELS USEFUL FOR DETCHAR STUDIES TO INCLUDE NEW SUBSYSTEMS AND ENVIRONMENTAL MONITORS.

TASK OPS-8.9-A(iii)-**INFRAOPS**: MAINTENANCE OF SUMMARY PAGE CONTENT TO INCLUDE NEW SUBSYSTEMS AND ENVIRONMENTAL MONITORS.

TASK OPS-8.9-A(iv)-**INFRAOPS**: SIGNAL FIDELITY STUDIES OF NEWLY INSTALLED AUXILIARY CHANNELS.

TASK OPS-8.9-A(v)-**INFRAOPS**: AUXILIARY CHANNEL SAFETY STUDIES FOR NEW SUBSYSTEMS AND ENVIRONMENTAL MONITORS.

**TASK OPS-8.9-A(vi)-INFRAOPS:** DEVELOPMENT AND IMPROVEMENT OF PEM SENSORS AND SENSOR CHARACTERIZATION FOR A+ AND FUTURE OBSERVING RUNS, E.G., MAGNETOMETERS TO MONITOR SCHUMANN RESONANCES IN THE EARTH’S ELECTROMAGNETIC FIELD.

**ACTIVITY OPS-8.9-B-INFRAOPS:** CHARACTERIZATION OF THE VIRGO INTERFEROMETER AND AUXILIARY CHANNELS DURING AdV+ INSTALLATION AND FOR FUTURE OBSERVING RUNS

**TASK OPS-8.9-B(i)-INFRAOPS:** REVIEW AND MAINTAIN THE LISTS OF CHANNELS THAT ARE NEEDED AND USED BY THE DETCHAR SOFTWARE

This activity is carried out in collaboration with the Commissioning and instrumentation experts, as well as with the Computing team to ensure that all the relevant data streams are available to the software that use them.

**TASK OPS-8.9-B(ii)-INFRAOPS:** MAINTENANCE OF LISTS OF AUXILIARY CHANNELS USEFUL FOR DETCHAR STUDIES TO INCLUDE NEW SUBSYSTEMS AND ENVIRONMENTAL MONITORS

This activity is carried out in collaboration with the Commissioning and instrumentation experts.

**TASK OPS-8.9-B(iii)-INFRAOPS:** DEPLOY AN IMPROVED PIPELINE FOR REGULAR VIRGO CHANNEL SAFETY STUDIES BEFORE AND DURING O4

The improvements include: GPU-based 2D clustering of glitch triggers, implementation of a time window to deal with possibly misaligned injection times, robustness to missing omicron data, and improved classification threshold

**TASK OPS-8.9-B(iv)-INFRAOPS:** AUXILIARY CHANNEL SAFETY STUDIES FOR NEW SUBSYSTEMS AND ENVIRONMENTAL MONITORS

**ACTIVITY OPS-8.9-C-INFRAOPS:** CHARACTERIZATION OF THE KAGRA INTERFEROMETER AND AUXILIARY CHANNELS DURING KAGRA INSTALLATION AND FOR FUTURE OBSERVING RUNS

**TASK OPS-8.9-C(i)-INFRAOPS:** AUXILIARY CHANNEL SAFETY STUDIES FOR NEW SUBSYSTEMS AND ENVIRONMENTAL MONITORS

## **OPS-8.10 Research and development of methods for noise identification/mitigation**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

**ACTIVITY OPS-8.10-A-INFRAOPS:** IMPROVE MONITORS OF KNOWN DQ FEATURES IN THE LIGO INTERFEROMETERS

**TASK OPS-8.10-A(i)-INFRAOPS:** IMPROVING MONITORING AND REPORTING OF DIGITAL AND ANALOG OVERFLOWS, REACHING SOFTWARE LIMITS, AND OTHER KINDS OF SATURATIONS; MONITORING AND REPORTING OF REAL-TIME DATA HANDLING ERRORS (TIMING, DROPPED DATA, ETC.).

**TASK OPS-8.10-A(ii)-INFRAOPS:** IMPROVING MONITORS FOR EXCESS MIRROR MOTION LEADING TO SCATTERED LIGHT.

**TASK OPS-8.10-A(iii)-INFRAOPS:** SCHUMANN RESONANCE STUDIES.

**TASK OPS-8.10-A(iv)-INFRAOPS:** DEVELOP TOOL TO QUERY STOCHASTIC MONITORS TO FIND WHICH AUXILIARY CHANNELS ARE COHERENT WITH THE GRAVITATIONAL WAVE STRAIN DATA AT A GIVEN FREQUENCY.

**TASK OPS-8.10-A(v)-INFRAOPS:** OPTIC SUSPENSION RESONANCE 'VIOLIN MODE' MONITORING

**ACTIVITY OPS-8.10-B-INFRAOPS:** IMPROVE MONITORS OF KNOWN DQ FEATURES IN THE VIRGO INTERFEROMETER

**TASK OPS-8.10-B(i)-INFRAOPS:** IMPROVE INTEGRATION OF BI-LINEAR NOISE COUPLING DAILY MONITOR INTO VIM SUMMARY PAGES  
Create a dedicated VIM page for daily MONET results.

**TASK OPS-8.10-B(ii)-INFRAOPS:** DEPLOY ONLINE SCATTERED LIGHT MONITOR  
Monitor possible sources of Scattered Light by correlating the instantaneous amplitudes of DARM's oscillatory modes with the velocity of various optical benches of the detector.

**TASK OPS-8.10-B(iii)-INFRAOPS:** DEPLOY BNS RANGE DROPS MONITOR AND KEEP MAINTAINING THE LOCK-LOSS MONITOR

**TASK OPS-8.10-B(iv)-INFRAOPS:** DEPLOY MONITOR OF DAILY REGRESSION RESULTS  
Target BNS range or BLRMS time series and produce the list of most correlated or contributing auxiliary channels to regression models (e.g. LASSO).

**ACTIVITY OPS-8.10-C-OTHER:** UNUSED

**TASK OPS-8.10-C(i)-OTHER:** UNUSED

**TASK OPS-8.10-C(ii)-OTHER:** UNUSED

**TASK OPS-8.10-C(iii)-OTHER:** UNUSED

**TASK OPS-8.10-C(iv)-OTHER:** UNUSED

**TASK OPS-8.10-C(v)-OTHER:** UNUSED

**ACTIVITY OPS-8.10-D-OTHER:** RESEARCH AND DEVELOPMENT OF USING KNOWN METHODS FOR NOISE IDENTIFICATION/MITIGATION ON DIFFERENT INTERFEROMETERS

**TASK OPS-8.10-D(i)-OTHER:** INVESTIGATING THE USE OF IDQ AT VIRGO DURING O4

**ACTIVITY OPS-8.10-E-OTHER:** RESEARCH AND DEVELOPMENT OF NEW METHODS FOR NOISE IDENTIFICATION/MITIGATION

**TASK OPS-8.10-E(i)-OTHER:** RESEARCH AND DEVELOPMENT OF NEW METHODS FOR NOISE IDENTIFICATION/MITIGATION

Any new methods are to be tested and validated on recent LIGO-Virgo-KAGRA data in a performance test outlined by the DetChar group.

## **OPS-8.11 Curation of detector characterization information for internal and public use**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01



*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

ACTIVITY OPS-8.11-A-**INFRAOPS**: CURATION OF DETECTOR CHARACTERIZATION INFORMATION FOR INTERNAL USE

TASK OPS-8.11-A(i)-**INFRAOPS**: CURATION, DOCUMENTATION, AND REVIEW OF DOCUMENTATION FOR KEY TOOLS.

TASK OPS-8.11-A(ii)-**INFRAOPS**: CURATION, DOCUMENTATION, AND REVIEW OF DOCUMENTATION FOR CONFIGURATION FILES USED IN DETECTOR CHARACTERIZATION ANALYSES.

ACTIVITY OPS-8.11-B-**INFRAOPS**: CURATION OF DQ INFORMATION FOR PUBLIC DATA RELEASES THROUGH GWOSC

TASK OPS-8.11-B(i)-**INFRAOPS**: CURATION, DOCUMENTATION, AND REVIEW OF DQ VETOES FOR RELEASE BY THE GW OPEN SCIENCE CENTER (GWOSC) [52].

TASK OPS-8.11-B(ii)-**INFRAOPS**: DEVELOPMENT AND DOCUMENTATION OF THE "DETECTOR STATUS" PUBLIC SUMMARY PAGES HOSTED BY THE GWOSC [31].

## **OPS-8.12 Quantify the impact of transient noise on parameter estimation**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

*Motivation and goals*

*Expected products and/or outcomes*

*Required inputs*

ACTIVITY OPS-8.12-A-**OTHER**: QUANTIFY THE IMPACT OF TRANSIENT NOISE ON PARAMETER ESTIMATION FOR TRANSIENT GW EVENTS

TASK OPS-8.12-A(i)-**OTHER**: TEST THE EFFECTS OF TRANSIENT NOISE ON RECOVERED SOURCE PROPERTIES

TASK OPS-8.12-A(ii)-**OTHER**: DEVELOP AND TEST METHODS TO RECONSTRUCT AND REMOVE FROM H(T) ISOLATED GLITCHES AND OTHER NOISE TYPES

## **OPS-9 Calibration**

It is imperative that each LIGO, KAGRA, and Virgo calibration group remain active in preparation and operation tasks. To do so, the groups must maintain an active role in the Observational Science, Instrument Science, and Operations divisions. The following plans discuss the activities the Calibration groups in each collaboration will perform in support of Operations. Please see interrelated sections in the parallel white papers for plans better suited therein.

## OPS-9.1 LIGO Calibration Operations

**Start date:** 2024-11-01

**Estimated due date:** 2025-11-01

### ACTIVITY OPS-9.1-A-INFRAOPS: LIGO CALIBRATION HARDWARE MAINTENANCE

A rigorous upkeep and monitoring schedule of all absolute displacement fiducial references must be maintained in order to retain accuracy and precision sufficient for characterization of the detector DARM loops.

#### TASK OPS-9.1-A(i)-INFRAOPS: MAINTENANCE AND MONITORING OF PHOTON CALIBRATORS

Continue the maintenance schedule and monitoring of the photon calibrator systems, including but not limited to: continued interaction with NIST, PTB and other observatory projects in propagating the calibration of transfer standards (TSA and TSB) to reference power standards (Gold standards) maintained by each project, and generalizing the practice of comparing results from NIST, PTB, LIGO, Virgo and KAGRA, following the O4 global calibration scheme described in LIGO-P2100484 and LIGO-P2300412. This involves shipping the transfer standards between LHO (LIGO), LAPP (Virgo), Toyama Univ. (KAGRA), PTB (Braunschweig, Germany) and NIST (Boulder, CO) both before and during the observing runs, maintaining analysis codes and procedures compatible with the ongoing global calibration scheme, and investigating, reducing, or mitigating sources of systematic errors. To avoid accumulating the observed systematic errors over time, a series of Experimental Physics and Industrial Control System (EPICS) records in the “front-end” code of the control and data acquisition system, used for implementing the Pcal calibrations, are updated at a cadence of every 3–4 months. LHO also calibrates Working standards for both LHO and LLO that are used to calibrate the Pcal power sensors at the end stations. Periodic responsivity ratio measurements made in both LHO Pcal lab and at the interferometer end stations are required. Shipments and periodic re-calibration of LLO Working standard are also required.

### ACTIVITY OPS-9.1-B-INFRAOPS: LIGO DETECTOR MODELING FOR CALIBRATION

The current LIGO calibration pipeline encodes a model of the detector response in order to calculate the strain from the DARM error and control signals. This model needs to be maintained and kept up-to-date as the interferometer evolves and changes.

#### TASK OPS-9.1-B(i)-INFRAOPS: DARM LOOP MODEL MEASUREMENTS AND UPDATES

Many measurements inform a carefully constructed model of the DARM control loop in order to achieve precise and accurate calibration. As the detectors evolve or are commissioned during commissioning breaks, the calibration group will revisit all model parameters, remeasure if necessary, and update them to reflect the changes and upgrades to the detectors. In addition, any large-scale infrastructure changes that are required of the model, which are needed as a result of upgrades, must also be done in a timely fashion.

#### TASK OPS-9.1-B(ii)-INFRAOPS: DARM LOOP MODELING SOFTWARE MAINTENANCE

The DARM loop model and systematic error budgeting software is a Python-based project called `pyDARM` that was successfully deployed and used initially in O3 [13]. `pyDARM` is now a publicly available package on common Python repositories PyPI and conda-forge (will eventually get into IGWN). Work is ongoing to streamline and automate the workflow from (1) measurement analysis, to (2) model development, to (3) installation of that model in to the low-latency and offline pipelines that produce  $h(t)$ , and finally to (4) systematic error assessment and uncertainty estimation.

**ACTIVITY OPS-9.1-C-INFRAOPS: LIGO CALIBRATION MEASUREMENTS**

Regular calibration measurements need to be taken throughout the observing run to keep the calibration pipeline up-to-date.

**TASK OPS-9.1-C(i)-INFRAOPS: REGULAR MEASUREMENTS THROUGHOUT OBSERVING RUN**

Transfer functions of the sensing and actuation function are obtained through swept sine measurements. The photon calibrator is used to obtain these measurements.

**ACTIVITY OPS-9.1-D-INFRAOPS: LIGO STRAIN PRODUCTION SOFTWARE AND INFRASTRUCTURE**

The LIGO calibration pipeline currently consists of two components: a front end, real-time process that does most of the calibration calculation, plus a downstream `gstlal`-based process that provides corrections for time variation and other issues. Both of these software components need to be maintained.

**TASK OPS-9.1-D(i)-INFRAOPS: MAINTAIN PRODUCTION LOW-LATENCY CALIBRATION PIPELINE**

The pipeline applications and services need to be maintained, to keep up with maintenance of, and to maintain compatibility with, the computing environments.

**TASK OPS-9.1-D(ii)-INFRAOPS: MAINTAIN LOW-LATENCY ERROR AND UNCERTAINTY ESTIMATE INFRASTRUCTURE**

The low-latency error and uncertainty estimate infrastructure is also a complicated set of applications and services that need to be maintained.

**TASK OPS-9.1-D(iii)-INFRAOPS: UPDATE SOFTWARE TO BE CONSISTENT WITH DARM MODEL AS NEEDED**

Changes in DARM model parameters and/or infrastructure will be propagated to the respective pipelines with minimal introduction of systematic error in an extensible and robust fashion. This includes the most current and accurate ways to track time-dependence and communicate live calibration fidelity through the calibration state vector.

**TASK OPS-9.1-D(iv)-INFRAOPS: CLEANING OF STRAIN DATA**

Certain noise sources, such as calibration lines and power mains lines, are known and can be removed from the strain data. The calibration groups needs to coordinate with Detector Characterization and other groups to develop, maintain, and deploy the necessary noise-cleaning methods for strain data.

**TASK OPS-9.1-D(v)-INFRAOPS: OFFLINE STRAIN DATA REGENERATION**

If for some reason the strain production is inadequate for any period of time, it will have to be regenerated to produce a “C01” version of the strain channel during the period of inadequacy. The software, scripts, and environment needed to run the offline regeneration need to be maintained, and regeneration process itself needs to be managed.

**ACTIVITY OPS-9.1-E-INFRAOPS: LIGO CALIBRATION MONITORING**

Development and maintenance of services that provide on-going monitoring of the LIGO Calibration pipeline.

**TASK OPS-9.1-E(i)-INFRAOPS: SUMMARY PAGE MAINTENANCE AND COORDINATION**

The detector monitoring web pages, a.k.a. “summary pages,” have been used as the primary monitoring tool for calibration outside of the control rooms. These pages need maintenance and upgrades to keep up with any changes and evolving checks on the calibration. The LIGO calibration group will interface with the DetChar and CompSoft working groups to keep this tool up-to-date with needed calibration monitoring checks.

**TASK OPS-9.1-E(ii)-INFRAOPS: REAL-TIME MONITORING TOOLS**

In addition to working with the software development teams to maintain the general summary pages, the LIGO calibration group is also developing/maintaining/improving real-time monitoring tools for the computational status of each detector's low-latency calibration pipeline to assist in operational status tracking. Photon calibration group is also maintaining/improving similar monitoring tools that continuously display X/Y photon calibrations comparisons and its components, which facilitates more accurate and precise absolute calibration.

**ACTIVITY OPS-9.1-F-INFRAOPS: LIGO HARDWARE INJECTIONS**

The photon calibrator system remains the best tool for creating DARM actuation in each detector, whether this be for verification of the data produced by each calibration group, for testing of astrophysical search pipelines, or for understanding the cross-coupling of the detectors' network of auxiliary loops and sensors. LIGO plans to continue the interactive relationship with each appropriate consumer group in order to facilitate these activities.

**TASK OPS-9.1-F(i)-INFRAOPS: FACILITATION OF HARDWARE INJECTIONS**

Several artificial, simulated continuous signals are added via the photon calibrator hardware injection to the detector data stream. These signals are coherent between detectors in order to simulate a real continuous signal. They serve as known fiducial reference signals, acting as invaluable tools aiding validation of detector calibration and data cleaning procedures.

**ACTIVITY OPS-9.1-G-INFRAOPS: LIGO CALIBRATION REVIEW AND DOCUMENTATION**

The calibration process and products need to be documented and reviewed, and the final calibrated strain products need to be validated for release.

**TASK OPS-9.1-G(i)-INFRAOPS: CALIBRATION REVIEW**

All calibrated data, the generation and monitoring processes there-in, systematic error budgets, and uncertainty must be reviewed. The review process involves creating quantitative summary statistics of the data throughout a given observational time period, which is done using various software packages. Creating and documenting each of these statistics, reviewing the code that generated the model, data and statistics, investigating any anomalies or peculiarities that arise from this review, ensuring the results are reproducible, and fixing any issues that are identified in the process are all essential parts of the review. The review process is necessary but time consuming. The calibration group plans to participate in any reviews held, and improve the efficiency and speed of creating the quantitative summary statistics of the data, which should assist in speeding up certain aspects of the review process that are limited by computation time.

**TASK OPS-9.1-G(ii)-INFRAOPS: DOCUMENTATION OF CALIBRATION PROCESSES**

On going efforts to record calibration efforts and procedures in the electronic logs, software repositories, technical notes, drawings, and graphical presentations document control centers, wiki pages, and peer-reviewed articles. The LIGO calibration group results are posted and documented in the LIGO Document Control Center, in the form of a related-document tree, whose trunk is [53]. Additional, organizational content may be found on the ligo.org wiki page [54].

**ACTIVITY OPS-9.1-H-INFRAOPS: LIGO CALIBRATION PIPELINE IMPROVEMENTS**

Continuing development is needed to improve the calibration process and pipeline, to make it e.g. more robust against behavioral changes of the detectors, more accurate, to simplify the pipeline and the process, to make it more efficient, manageable, and maintainable, improve automation, etc.

**TASK OPS-9.1-H(i)-INFRAOPS: IMPROVED AUTOMATION OF CALIBRATION MEASUREMENTS**

The LIGO calibration group will continue to upgrade the current systems for automating calibration measurements, such as the swept-sine and other calibration measurements.

**TASK OPS-9.1-H(ii)-INFRAOPS: IMPROVED AUTOMATION OF CALIBRATION MODEL UPDATES**

After measurements are taken, the calibration model and filters often need to be updated based on the most recent measurements. The group will endeavor to make this process simpler and more streamlined and automated. This will allow the calibration to respond to detector changes more rapidly.

**TASK OPS-9.1-H(iii)-INFRAOPS: FRONT-END CALIBRATION PIPELINE IMPROVEMENTS**

The front end component of the calibration pipeline will be more-or-less deprecated in O5, in favor of a single, unified application that runs downstream of the instrument control systems (see the following Task below). It may however still be desirable to do some amount of pre-processing or other supporting calculations in the front end, so development and maintenance of the front end “CALCS” model will likely continue to be needed for the foreseeable future.

**TASK OPS-9.1-H(iv)-INFRAOPS: LOW-LATENCY CALIBRATION PIPELINE IMPROVEMENTS**

Various computing infrastructure and environment changes for O5 require us to continue developing the calibration pipeline to ensure that it remains well integrated into the overall low-latency science pipeline. The group would also like to unify the calibration pipeline into a single stream processing application that will run entirely downstream of the LIGO front end systems. This will simplify the pipeline considerably, and make it much easier to manage and update, as well as integrate it more with the pyDARM modeling software. Some other development tasks might be:

- implementing approximation free methods for calculating time-varying calibration factors that will result in better accuracy.
- improving the computational speed and resource consumption of the pipeline.
- reducing the overall latency of the pipeline.
- implementing real-time monitoring into the pipeline.

**TASK OPS-9.1-H(v)-INFRAOPS: IMPROVE CALIBRATION ERROR AND UNCERTAINTY ESTIMATION**

The LIGO Calibration group needs to reduce the time it take to produce an estimation of the total calibration uncertainty on the C00 data. This will require new methodologies that could include more frequent measurements of the detector response as well as new low-latency infrastructure for constructing a calibration uncertainty estimate from these measurements.

**TASK OPS-9.1-H(vi)-INFRAOPS: EARLY-WARNING CALIBRATED STRAIN PRODUCTION**

In order to support early-warning transient searches, the group will explore computational methods, filtering techniques, and modeling changes that could allow the calibration pipeline to produce the calibrated strain channels with significantly lower latency.

**ACTIVITY OPS-9.1-I-OTHER: LIGO LONG TERM CALIBRATION IMPROVEMENT PROJECTS**

Various projects should be pursued to improve the calibration process over the long term.

**TASK OPS-9.1-I(i)-OTHER: DETECTOR MODELING IMPROVEMENTS**

Models of the detectors response function need to be improved as the detector evolves, to maintain accuracy of the calibration.

**TASK OPS-9.1-I(ii)-OTHER: ERROR AND UNCERTAINTY MODELING IMPROVEMENTS**

Research into ways to improve or overhaul how the calibration error and uncertainty are estimated.

**TASK OPS-9.1-I(iii)-OTHER: MODIFY DARM LOOP TO MINIMIZE SYSTEMATIC ERROR**

Work in concert with the detector commissioning groups to modify the design of the loops to minimize contributions of systematic error and to reduce now-known, controllable, systematic error in the DARM via refinement of the interaction between other detector control loops.

**TASK OPS-9.1-I(iv)-OTHER: CALIBRATION ABOVE 1 KHz**

Verifying the accuracy of models for the calibration above 1 kHz is challenging due to the difficulty in collecting precision measurements at high frequencies where the detector noise is high and actuator strength is low. Work is ongoing to develop and implement methods for accurately modeling the detector response at high frequencies and to more accurately determine the uncertainty in this frequency range. See further discussion in the Instrument Science White Paper.

**TASK OPS-9.1-I(v)-OTHER: FIX SOURCES OF KNOWN SYSTEMATIC ERRORS**

Maintaining precise and accurate calibrated data relies on understanding any systematic errors present in the overall scale of the calibration and resolving these errors where possible is standard part of each calibration group's effort. Depending on the results of the above mentioned understanding of the integration of calibration systematic error and uncertainty within astrophysical analysis (including those for which low systematic error above 1 kHz is important), efforts to reduce the systematic error beyond existing levels of will be appropriately matched with the needs.

**TASK OPS-9.1-I(vi)-OTHER: COMPENSATE FOR KNOWN SYSTEMATIC ERRORS**

Additionally, if the systematic error is quantified, the calibration group may develop methods to correct for this systematic error in the strain data, therefore eliminating it to within the level of confidence it was measured. This is distinct from eliminating the source of the systematic error. New methods for calibrating the data by frequent, direct measurement of the detector response function will also be explored and developed in parallel to the current model-based calibration methods.

**TASK OPS-9.1-I(vii)-OTHER: UPGRADES TO PHOTON CALIBRATOR SYSTEMS**

Pcal systems have demonstrated the ability to generate fiducial displacements with accuracy better than 0.3%. The Pcal power standards, however, have exhibited unexplained variations in their responsivity which appear to be at least partly explained by temperature changes. End station sensors should be upgraded to add temperature sensors (Analog Devices AD590) directly on the photodetector circuit board, allowing us to better quantify and correct for their temperature dependence. Before the next observing run, the LIGO Laboratory plans to move a 40 kg end test mass to the center of the vacuum chamber at one end station. To illuminate the relocated test mass with the Pcal beams, the beam-relay periscope structure, that was required when the ETM was offset, will have to be modified or removed and a new beam relay system will be designed and implemented. The planned A# upgrade to 100 kg test masses, will necessitate an increase in photon calibration system laser power by a factor of 2.5 to realize fiducial displacements of similar amplitude. A higher power (10 W) laser system candidate should be identified to replace the current 2 W Pcal laser, purchased and tested for the suitability of the laser for implementation into the Pcal system. Update measurement procedures, analysis codes and uncertainty estimates to be compatible with the hardware upgrades and changes to improve efficiency of routine measurements and EPICS records updates. Develop monitoring tools to trend the key components of Pcal calibrations, including the X/Y photon calibration comparison real-time.

**TASK OPS-9.1-I(viii)-OTHER: INCORPORATE CALIBRATION ERROR AND UNCERTAINTY WITH ASTROPHYSICAL RESULTS**

The LIGO, Virgo and KAGRA groups are partnering with astrophysical analysis groups to understand the impact of systematic error and uncertainty in calibration on astrophysical results.

Feedback from studies will inform how (and/or whether) to proceed in improving the existing levels of systematic error and uncertainty. See more discussion in this year's Observational Science White Paper.

## OPS-9.2 Virgo Calibration Operations

**Start date:** 2024-12-01

**Estimated due date:** 2026-01-01

### ACTIVITY OPS-9.2-A-**INFRAOPS**: VIRGO CALIBRATION HARDWARE MAINTENANCE

#### TASK OPS-9.2-A(i)-**INFRAOPS**: MAINTENANCE OF PHOTON CALIBRATORS

Monitor and maintain the two Virgo photon calibrators during O4, as well as perform regular recalibration bringing the Virgo Working Standard to the end-station photon calibrators. Continue the practice of comparing transfer standards to all four detectors and NIST and PTB. This means shipping of transfer standards between Virgo and other sites during O4, and may reveal systematic effects on their cross-calibration.

#### TASK OPS-9.2-A(ii)-**INFRAOPS**: MAINTENANCE AND STUDY OF NEWTONIAN CALIBRATORS

Monitor and maintain the Virgo Newtonian calibrators during O4, study the possible noise coupling with the detector. Compare the Newtonian calibration with the photon calibration.

### ACTIVITY OPS-9.2-B-**OTHER**: VIRGO CALIBRATION MEASUREMENTS

Regular calibration measurements need to be taken throughout the O4 observing run to keep the calibration pipeline up-to-date.

#### TASK OPS-9.2-B(i)-**OTHER**: REGULAR MEASUREMENTS THROUGHOUT OBSERVING RUN

Weekly automatized measurements during O4 to extract the transfer functions of the sensing and actuation, and as well as to measure interferometer optical response and to weekly-monitor the bias and error of the  $h(t)$  reconstructed strain.

#### TASK OPS-9.2-B(ii)-**OTHER**: PERMANENT MEASUREMENTS THROUGHOUT OBSERVING RUN

Permanent injection of about 10 sine signals in the detector are used to monitor the bias and error of the  $h(t)$  reconstructed strain.

### ACTIVITY OPS-9.2-C-**OTHER**: VIRGO STRAIN PRODUCTION SOFTWARE AND INFRASTRUCTURE

The Virgo reconstruction pipeline include the reconstruction of the raw calibrated  $h(t)$  time series, corrected for the modeled slow time variations, the correction of an estimated bias, the subtraction of calibration lines and the linear subtraction of some wide-band noise.

#### TASK OPS-9.2-C(i)-**OTHER**: MAINTAIN CALIBRATION PRODUCTION PIPELINE PROGRAMS AND SOFTWARE

The pipeline program that generates the calibrated strain channel needs to be maintained.

#### TASK OPS-9.2-C(ii)-**OTHER**: UPDATE SOFTWARE CONFIGURATION TO BE CONSISTENT WITH CALIBRATION MODELS AS NEEDED

Changes in the calibration models will be propagated to the reconstruction pipeline, in general only in its configuration, and if needed in the code itself.

#### TASK OPS-9.2-C(iii)-**OTHER**: CLEANING OF STRAIN DATA

The calibration lines and some known wide-band noise with linear coupling to  $h(t)$  can be removed from the strain data. The list of noise to be removed must be kept up-to-date during the observing run and the efficiency of the noise subtraction must be monitored.

**TASK OPS-9.2-C(iv)-OTHER: LOW-LATENCY STRAIN DATA PRODUCTION DURING O4**

The strain data is produced online, and unbiased, with a latency of about 10 s. Preliminary estimates of the associated uncertainties U00 are stored in the same online frame files.

**TASK OPS-9.2-C(v)-OTHER: OFFLINE ESTIMATION OF STRAIN DATA UNCERTAINTIES**

The bias and uncertainties on the  $h(t)$  strain data are estimated from permanent lines and some weekly measurements. A new set of frame files is produced offline, including the initial online strain data, along with updated frequency-dependent bias and uncertainty estimates U01. Only the Analysis Ready periods will be available in these frames.

**TASK OPS-9.2-C(vi)-OTHER: OFFLINE STRAIN DATA REGENERATION**

If for some reason the strain production is inadequate for any period of time, it will have to be regenerated to produce a C01 version of the strain channel during the period of inadequacy, along with its associated uncertainty. The software, scripts, and environment needed to run the offline regeneration need to be maintained, and regeneration process itself needs to be managed.

**ACTIVITY OPS-9.2-D-OTHER: VIRGO CALIBRATION MONITORING**

Development and maintenance of services that provide on-going monitoring of the Virgo Calibration pipeline.

**TASK OPS-9.2-D(i)-OTHER: SUMMARY PAGE MAINTENANCE AND COORDINATION**

Detector monitoring web interfaces, i.e. Detector Monitoring System (DMS) and Virgo Monitoring (VIM), are used as the primary monitoring tool for calibration inside and outside of the control room. These pages need constant maintenance and upgrades to keep up with any changes and evolving checks on the calibration.

**ACTIVITY OPS-9.2-E-OTHER: VIRGO HARDWARE INJECTIONS**

The calibrated electromagnetic actuators remains the reference for creating DARM actuation in the Virgo detector for understanding the cross-coupling of the detector network of auxiliary loops and sensors, or for simulating astrophysical signals in the detector. A series of softwares are used to inject these signals either in Virgo only, either coherently with the LIGO detectors to simulate a real continuous signal. They have to be maintained and monitored.

**ACTIVITY OPS-9.2-F-OTHER: VIRGO CALIBRATION REVIEW AND DOCUMENTATION**

The calibration process and products need to be documented and reviewed, and the final calibrated strain products need to be validated for release.

**ACTIVITY OPS-9.2-G-OTHER: VIRGO CALIBRATION PIPELINE IMPROVEMENTS**

Continuing development is needed to improve the calibration process and pipeline, to make it e.g. more robust against behavioral changes of the detectors, more accurate, to simplify the pipeline and the process, to make it more efficient, manageable, and maintainable, improve automation, etc. A migration from ROOT5 to ROOT6 is planned after the end of O4.

**TASK OPS-9.2-G(i)-OTHER: IMPROVED AUTOMATION OF CALIBRATION MEASUREMENTS AND ANALYSIS**

The Virgo calibration group will continue to upgrade the current systems for automating calibration measurements and their analysis during the course of O4.

**TASK OPS-9.2-G(ii)-OTHER: LOW-LATENCY CALIBRATION ERROR ESTIMATION**

The estimation of the total calibration uncertainty on the low-latency calibrated data must be monitored during O4.



**ACTIVITY OPS-9.2-H-OTHER: VIRGO LONG TERM CALIBRATION IMPROVEMENTS PROJECTS****TASK OPS-9.2-H(i)-OTHER: UPGRADES TO PHOTON CALIBRATOR SYSTEMS**

Upgrades of the photon calibrator systems are planned before joining the O5 run. The main developments will be (i) to develop new preamplifiers for the LVK integrating spheres, aiming at a single design for all the spheres (both Transfer Standards spheres and spheres on the PCal benches), (ii) to extend the Virgo PCal bandwidth (using AOM to control the laser power), (iii) reduce the uncertainties at few kHz (scanning the beam position to measure and improve modeling the excitation of mirror internal modes). They are described in the Technical Design Report of AdV+-phase2 (updated end 2024).

**TASK OPS-9.2-H(ii)-OTHER: UPGRADES TO NEWTONIAN CALIBRATOR SYSTEMS**

Upgrades of the NE Newtonian calibrator systems and addition of a system at the WE end-station are planned. They are described in the Technical Design Report of AdV+-phase2.

**TASK OPS-9.2-H(iii)-OTHER: UPGRADES TO PHOTODIODE OUTPUT CALIBRATION SYSTEM**

Systems to monitor and calibrate the output photodiodes (frequency-dependent response and timing) are planned to be added. Plans are described in the Technical Design Report of AdV+-phase2.

**TASK OPS-9.2-H(iv)-OTHER: USE OF SCATTERED LIGHT FROM END-STATIONS TO CHECK STRAIN DATA RECONSTRUCTION**

Addition of scattering vibrating element on the optical benches in transmission of the ETM to test a method using scattered light to cross-check strain data reconstruction level. Plans are described in the Technical Design Report of AdV+-phase2 (end 2024).

**TASK OPS-9.2-H(v)-OTHER: EARLY WARNING CALIBRATED STRAIN PRODUCTION**

Virgo will explore methods to produce extremely low-latency calibration strain data stream useful for early-warning transient searches.

**OPS-9.3 KAGRA Calibration Operations**

**Start date:** 2024-11-01

**Estimated due date:** 2025-11-01

**ACTIVITY OPS-9.3-A-OTHER: KAGRA CALIBRATION HARDWARE MAINTENANCE**

Maintain hardware for KAGRA calibration for O4 and O5.

**TASK OPS-9.3-A(i)-OTHER: MAINTENANCE OF PHOTON CALIBRATORS**

KAGRA will collaborate with LIGO and Virgo to maintain KAGRA's photon calibrator system, which includes, but is not limited to, continuously perform absolute calibration of each photon calibrator using the power standard.

**ACTIVITY OPS-9.3-B-OTHER: KAGRA DETECTOR MODELING FOR CALIBRATION**

The current KAGRA calibration pipeline encodes a model of the detector response, which is used to calculate the strain from the DARM error and control signals. This model must be regularly updated to reflect any changes to the interferometer over time.

**TASK OPS-9.3-B(i)-OTHER: DARM LOOP MODEL MEASUREMENTS AND UPDATES**

A variety of measurements inform a carefully constructed model of the DARM control loop, allowing for precise and accurate calibration. As the detectors are changed during the course of O4, commissioned during the commissioning break, or upgraded for O5, the calibration group will revisit, remeasure, and update the model parameters to reflect the changes and upgrades of the detectors, as needed. In addition, any large-scale infrastructure changes required for the model in conjunction with the upgrades to O4 and O5 also need to be carried out in a timely fashion.

**ACTIVITY OPS-9.3-C-OTHER: KAGRA CALIBRATION MEASUREMENTS**

Regular calibration measurements must be taken throughout the observing run to keep the calibration pipeline up to date.

**TASK OPS-9.3-C(i)-OTHER: REGULAR MEASUREMENTS THROUGHOUT OBSERVING RUN**

The transfer functions for the sensing and actuation functions are obtained through swept sine measurements, with the photon calibrator used to perform these measurements.

**ACTIVITY OPS-9.3-D-OTHER: KAGRA STRAIN PRODUCTION SOFTWARE AND INFRASTRUCTURE**

KAGRA currently operates three types of calibration pipelines: a real-time processing pipeline, a low-latency processing pipeline, and an offline processing pipeline. All of these softwares need to be maintained. KAGRA plans to, like LIGO, use a low-latency pipeline for the final product in the future and will discontinue the development and operation of offline pipeline.

**TASK OPS-9.3-D(i)-OTHER: MAINTAIN CALIBRATION PRODUCTION PIPELINE PROGRAMS AND SOFTWARE**

The pipeline code that generates the calibrated strain channel need to be maintained. The pipeline components needs to be maintained to retain compatibility with their surrounding computational environments which are constantly evolving.

**TASK OPS-9.3-D(ii)-OTHER: UPDATE SOFTWARE TO BE CONSISTENT WITH DARM MODEL AS NEEDED**

Changes in DARM model parameters and/or infrastructure will be propagated to the respective pipelines with minimal introduction of systematic error in an extensible and robust fashion. This includes the most current and accurate ways to track time-dependence and communicate live calibration fidelity through the calibration state vector.

**TASK OPS-9.3-D(iii)-OTHER: DARM LOOP MODELING SOFTWARE UPDATE**

KAGRA will imitate the LIGO calibration pipeline and start (re)building the low latency pipeline in order to make it the final product.

**ACTIVITY OPS-9.3-E-OTHER: KAGRA CALIBRATION REVIEW AND DOCUMENTATION**

The calibration process and its resulting products must be thoroughly documented and reviewed, with the final calibrated products validated before release.

**TASK OPS-9.3-E(i)-OTHER: CALIBRATION REVIEW**

All calibrated data, the generation and monitoring processes there-in, systematic error budgets, and uncertainty must be reviewed. The review process involves creating quantitative summary statistics of the data throughout a given observational period, using various software packages. Creating and documenting each of these statistics, reviewing the code that generated the model, data and statistics, investigating any anomalies or peculiarities that arise from this review, ensuring the results are reproducible, and fixing any issues that are identified in the process are all essential parts of the review. The calibration group aims to improve and speed up the efficiency of the review process.

**TASK OPS-9.3-E(ii)-OTHER: DOCUMENTATION OF CALIBRATION PROCESSES**

On going efforts to record calibration efforts and procedures in the electronic logs, software repositories, technical notes, drawings, and graphical presentations document control centers, wiki pages, and peer-reviewed articles. The KAGRA calibration group's results are posted and documented in the JGW Document Server or the KAGRA DAC wiki system.

**ACTIVITY OPS-9.3-F-OTHER: KAGRA IMPROVE ABSOLUTE REFERENCE HARDWARE**

**TASK OPS-9.3-F(i)-OTHER: UPGRADES TO PHOTON CALIBRATOR SYSTEMS**

KAGRA has the newest PCal system, which includes a 20 W laser, dual-AOM actuation, and steering mirrors for spot-position control. Planned improvements aim to reduce laser power noise, improve beam quality, enhance beam position measurement accuracy, and increase the overall operational stability of the system.

**TASK OPS-9.3-F(ii)-OTHER: AUTOMATION OF POWER SENSOR CALIBRATION**

KAGRA has established an automatic power sensor calibration system at the Pcal lab, based on the system at LIGO. This year, the focus will be on evaluating its performance, maintaining its operation, and implementing improvements to enhance its capabilities.

**ACTIVITY OPS-9.3-G-OTHER: KAGRA LONG TERM CALIBRATION IMPROVEMENT PROJECTS****TASK OPS-9.3-G(i)-OTHER: DEVELOPMENT OF NEWTONIAN CALIBRATORS**

KAGRA will continue developing an improved Newtonian calibrator system, with the goal of conducting technical tests during O5.

## **OPS-10 Low Latency**

### **OPS-10.1 Low Latency system architecture**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The low-latency system has supported many discoveries over the past three observing runs, during the course of which the architecture and tooling has gone through three distinct phases of evolution, of which the latest is GWCelery. We now have a mature understanding of the requirements from both internal and external stakeholders, and should be progressing toward a durable architecture and software stack that will serve the community through the rest of O4.

#### *Motivation and goals*

The unifying constant across observing runs is that we wish to have a simple and reliable system for annotating and orchestrating LIGO/Virgo/KAGRA alerts, built from widely used open source components. Its responsibilities include:

- Merging related candidates from multiple online LVK transient searches
- Correlating LVK events with transient events in the electromagnetic spectrum as well as in neutrinos
- Launching automated follow-up analyses including data quality checks, rapid sky localization, automated parameter estimation, source classification, and source properties inference
- Generating and sending machine-readable alerts
- Sending updated alerts after awaiting human input
- Automatically composing templates for any human-readable prose (e.g. “Circulars”)

*Expected products and/or outcomes*

The realization, maintenance and operation of the O4 alert system is the highest priority task for the low-latency group in this White Paper cycle.

The key aspects of the O4 system include the following:

- ability to provide two mechanisms/platforms for the distribution of the alerts; one based on the GCN protocol and overall approach as in O3 and a new one that will be based on *kafka* streams,
- target a few-seconds ( $\sim 15s$ ) intrinsic latency of the system, including ability to send preliminary alerts with only basic information like the type and significance of the event (i.e., without the complete event payload),
- incorporate under the same infrastructure MoU-based analyses and resulting events that will require public or private alert-issuing,
- maintain multiple development and testing computing environments for deployment of production code,
- retain GWcelery as the main workflow manager but rework few key services like the event aggregator and GCN alert sender.

*Required inputs*

The alert system is the intersection of many pieces of critical infrastructure, including searches and data quality information.

**ACTIVITY OPS-10.1-A-INFRAOPS: IMPROVE DEPLOYMENT AND TESTING METHODS FOR THE LOW-LATENCY INFRASTRUCTURE**

Facilitate prototyping, testing, review and deployment of the low-latency computing software and hardware infrastructure via multiple and flexible environments where these can be undertaken. As part of that, we will streamline the review and overall protocol for deployment of the low-latency-specific software infrastructure.

**TASK OPS-10.1-A(i)-INFRAOPS: LOW-LATENCY TRIGGER MOCK EVENT GENERATOR IMPROVEMENTS**

Maintain improve and develop the system that replays gravitational-wave pipeline triggers and uploads them. Ensure that the system allows easy testing and performing stress-test the low-latency infrastructure without having the need to operate the search pipelines.

**TASK OPS-10.1-A(ii)-INFRAOPS: LOAD TESTING FOR THE LOW-LATENCY INFRASTRUCTURE**  
Continue regular load testing to debug out of memory errors and other related issues.

**TASK OPS-10.1-A(iii)-INFRAOPS: DEPLOYMENT OF THE LOW-LATENCY INFRASTRUCTURE**  
Consider improvements to the deployment workflow, to simplify the introduction of bug fixes.

**TASK OPS-10.1-A(iv)-INFRAOPS: PERFORMANCE AND ERROR TRACKING FOR THE LOW-LATENCY INFRASTRUCTURE**  
Maintain use of error tracking software such as Sentry and time-series monitoring such as Prometheus.

**ACTIVITY OPS-10.1-B-INFRAOPS: FEATURE DEVELOPMENT FOR THE LOW-LATENCY INFRASTRUCTURE**

While the system is relatively mature, there are a number of broad goals for O4b.

**TASK OPS-10.1-B(i)-INFRAOPS:** REDUCE LATENCY OF THE LOW-LATENCY INFRASTRUCTURE  
Benchmark and reduce latency throughout the entire alert pipeline.

**TASK OPS-10.1-B(ii)-INFRAOPS:** INCORPORATING EXTRA DETECTORS IN THE LOW-LATENCY INFRASTRUCTURE

Test integration of detectors not present in O4a, i.e. Virgo and KAGRA, within the alert framework.

**TASK OPS-10.1-B(iii)-INFRAOPS:** INCORPORATION OF NEW AND EXISTING DATA PRODUCT IN THE LOW-LATENCY INFRASTRUCTURE

Development, improvement, and incorporation of new and existing data products for multi-messenger searches

## OPS-10.2 Low Latency system documentation

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The Public Alerts User Guide<sup>2</sup> provides the broader community information on how to receive and interpret the real-time gravitational-wave information. The guide and its update is presented regularly at the OpenLVK-EM telecons, monthly meetings between gravitational-wave and the interested community.

### *Motivation and goals*

LIGO/Virgo/KAGRA is as a major international astronomy facility and a public scientific resource, **similar** to astrophysics space missions like the Fermi Gamma-Ray Space Telescope, the Neil Gehrels Swift Observatory, or the James Webb Space Telescope; or analogous to major ground-based observatories like Gemini Observatory, W. M. Keck Observatory, or the European Southern Observatory. Facilities in this class are expected to provide high quality and up to date public documentation for scientists. Documentation generally includes observing capabilities, operations plans, explanation of data flow, description of data products and data formats, sample code, and tables of sensitivity and sensitivity calculators.

Since O3 and continuing through O4, the low latency group has curated the User Guide, soliciting and collecting contributions from other LIGO/Virgo/KAGRA working groups, and making timely updates. For example, it documents data products, including providing guidance and explanation on usage of the various products.

### *Expected products and/or outcomes*

We provide documentation of the alert content (public information delivered and science properties of the alert such as FARs,  $p(\text{astro})$ , EM-Bright numbers, etc.).

### *Required inputs*

**ACTIVITY OPS-10.2-A-INFRAOPS:** REGULAR PUBLIC ALERTS USER GUIDE UPDATES AND RELEASES

Maintenance of the User Guide requires editors to review PRs for correctness, conciseness, and grammar; and one or two maintainers to tend to the Sphinx configuration and the CI/CD pipeline.

---

<sup>2</sup><https://emfollow.docs.ligo.org>

**TASK OPS-10.2-A(i)-INFRAOPS: RELEASE USER GUIDE MONTHLY**

Desire to release the User Guide once per month

**ACTIVITY OPS-10.2-B-INFRAOPS: IGWN SCIENCE USER DOCUMENTATION HUB**

Curation, editing, and maintenance of an IGWN documentation hub.

**TASK OPS-10.2-B(i)-INFRAOPS: DEVELOPMENT OF DOCUMENTATION HUB**

Work is performed in coordination with EPO group.

### **OPS-10.3 Data replays and mock data challenges**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The low latency group has provided a data replay and injection set of O3 data useful for performance and acceptance testing. This should continue in some form for O4b.

*Motivation and goals*

Given that pipelines will continue to need to update and new pipelines potentially introduced, the data replay will serve an important role.

*Expected products and/or outcomes*

The technical and scientific exploitation of the data replay and associated injection sets will continue to be important in O4b.

*Required inputs*

The data replay and injection set requires support from both search pipelines as well as computing staff.

**ACTIVITY OPS-10.3-A-INFRAOPS: DATA REPLAYS FOR LOW-LATENCY ALERT SYSTEM TESTING**

Finalize and carry out search, annotation, alert-triggering and pipeline testing in a continual form using O3 replay data, simulated data as well as engineering data as soon as they become available. These data replays form a key piece of the the acceptance testing for search and annotation pipelines.

**TASK OPS-10.3-A(i)-INFRAOPS: MAINTAIN CURRENT DATA REPLAY AND ASSOCIATED INJECTION SETS FOR LOW-LATENCY ALERT SYSTEM TESTING**

Maintain use of the existing system, including downstream analyses.

**TASK OPS-10.3-A(ii)-INFRAOPS: INTEGRATING NEW SEARCHES INTO THE LOW-LATENCY ALERT SYSTEM**

The working group will test integration of searches not present in O4a, i.e. Subsolar Mass (SSM), within the alert framework.

**TASK OPS-10.3-A(iii)-INFRAOPS: LATENCY TRACKING FOR THE LOW-LATENCY ALERT SYSTEM**

Profile latency of all tasks and implications to the target global latency of  $<10$  s for regular, non-merger, alerts as well as pre-merger ones.

## OPS-10.4 External Coincidences

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

RAVEN is module within gwcelery that looks for coincidences with external events (gamma-ray bursts, neutrino bursts), assigns a joint significance, and potentially sends out alerts if significant.

### *Motivation and goals*

With the alert system for RAVEN working consistently as expected, there is still work to improve this system and address the remaining known shortcomings.

### *Expected products and/or outcomes*

RAVEN should be able to report on all coincidences that pass publishing conditions, and we should improve the current methods for including sky map info into the joint FAR due to known biases. Before the end of O4, an offline search script should be available to analyze the run and to be used for future speculative searches.

### *Required inputs*

RAVEN relies on search results from both CBC and Burst pipelines, as well as external triggers.

**ACTIVITY OPS-10.4-A-INFRAOPS: IMPROVED JOINT FAR FOR EXTERNAL COINCIDENCES**

Improvements to the sky map overlap/joint FAR method: distance, occultation, correct bias.

**ACTIVITY OPS-10.4-B-INFRAOPS: OFFLINE SEARCHES WITHIN THE EXTERNAL COINCIDENCES**

Create an offline search script, covering events from an entire observing run or more.

**ACTIVITY OPS-10.4-C-INFRAOPS: INCLUDING MULTIPLE EXTERNAL COINCIDENCES**

The current design for sending RAVEN alerts (i.e. GW alerts with additional info regarding an external event) is to only include info on a single coincidence/external event.

**ACTIVITY OPS-10.4-D-INFRAOPS: INCLUDING NEW EXTERNAL EXPERIMENTS**

Add new external experiments and new corresponding searches to RAVEN as they become available and are of interest to the external astronomical community.

## OPS-10.5 Parameter estimation and skymap generation

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

During O4, significant event candidates are followed up by automated parameter estimation analyses performed with the Bilby and RapidPE-RIFT pipelines. They explore broader parameter space than the other low-latency inference pipelines such as Bayestar, and provide more accurate estimates on source location, classification, and properties to update their initial estimates.

*Motivation and goals*

In order to provide improved inference results stably throughout O4, we need to maintain infrastructures in GWCelery, Bilby, and RapidPE-RIFT that are relevant for automated parameter estimation. While their results have been sent out more or less smoothly for event candidates in O4, their data products and the procedure to send them out can be improved.

*Expected products and/or outcomes*

Bilby provides estimates on source location and properties. RapidPE-RIFT provides estimates on source classification.

*Required inputs*

Automated parameter estimation relies on search results from CBC pipelines to determine its analysis configurations.

**ACTIVITY OPS-10.5-A-INFRAOPS: MAINTAIN AND IMPROVE AUTOMATED BILBY ANALYSIS**

Maintain and improve automated Bilby analysis. Potential improvements include enabling Bilby to update source classification and automating procedure to send out Bilby results.

**ACTIVITY OPS-10.5-B-INFRAOPS: MAINTAIN AND IMPROVE AUTOMATED RAPIDPE-RIFT ANALYSIS**

Maintain and improve automated RapidPE-RIFT analysis. Potential improvements include enabling RapidPE-RIFT to update source location and properties, and automating procedure to send out RapidPE-RIFT results.

**ACTIVITY OPS-10.5-C-INFRAOPS: MAINTAIN AND IMPROVE AUTOMATED BAYESTAR ANALYSIS**

Maintain and improve automated Bayestar analysis. Potential improvements include SIMD, GPU, and NPU acceleration as well as incorporation of novel localization data products (e.g. inclination angles).

**ACTIVITY OPS-10.5-D-OTHER: DEVELOPMENT NEW LOW-LATENCY FOCUSED PARAMETER ESTIMATION METHODS**

Development and implementation of new machine learning based rapid parameter estimation methods.

**OPS-10.6 GraceDB and igwn-alert**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The Gravitational-Wave Candidate Event Database (GraceDB) is the central location that houses analyses for transient searches. State changes in GraceDB (which may take the form of new event uploads/annotations, new superevent uploads/annotations, log/file updates, etc.) are communicated to outside parties by the igwn alert system.



*Motivation and goals*

At its core, GraceDB is, architecturally, a standard Web/API application. A MySQL (MariaDB) backend is powered by a Django web framework. External requests are served by Apache acting as a reverse-proxy for a Gunicorn-based WSGI HTTP server. Files are stored on an NFS filesystem. Low-latency analyses stream data from the detectors and upload "candidate events" to GraceDB via a representational state transfer (REST) API. igwn-alert is an alert data stream based on kafka and leverage SCiMMA infrastructure for data delivery. Client-side tools maintained by LSCSoft allow users to listen and respond to igwn-alert messages. igwn-alert messages are machine-readable JSON-formatted so as to be read by automated follow-up processes. igwn-alert listeners act on notifications from GraceDB and are used to launch follow-up analyses (*e.g.*, Superevent creation, parameter estimation, sky localization, etc.). Results from follow-up analyses are then uploaded and stored in GraceDB.

*Expected products and/or outcomes*

GraceDB and igwn-alert are the orchestrator and source-of-truth for external observers and follow-up processes.

**ACTIVITY OPS-10.6-A-INFRAOPS:** GRACEDB DEVELOPMENT AND MAINTENANCE FOCUSED ON LOW-LATENCY

**TASK OPS-10.6-A(i)-INFRAOPS:** EXPLORE ALTERNATE DEPLOYMENT STRATEGIES FOR GRACEDB

GraceDB has been running in a Docker Swarm configuration since O3b. With Docker Swarm running out of mainstream support in favor of various flavors of Kubernetes (K8S, K3S, EKS). Leverage expertise and experience at Caltech and Cascina to deploy and test new deployment strategies for O4b.

**TASK OPS-10.6-A(ii)-INFRAOPS:** STREAMLINE AND DEVELOP API EXPERIENCE FOR GRACEDB

Reduce API call latencies through a multistrategy approach: 1) reduce the latency of existing API calls through a combination of database optimization and asynchronous request-response-alert cycles, 2) combining low-level user functions into targeted high-level specialized calls, 3) moving targeted user request functions server-side.

**TASK OPS-10.6-A(iii)-INFRAOPS:** APACHE KAFKA INTEGRATION

Integrate further with Apache Kafka, beyond messaging with igwn-alert. The **GraceDB!** (**GraceDB!**) client code will be upgraded to facilitate gravitational wave (GW) candidate event submission via Kafka, and **GraceDB!**'s cloud deployment will be modified to ingest events from Kafka into the database.

**OPS-10.7 Low Latency system review**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The main goal for the review is to ensure consistency with the requirements document: LIGO-T2000740.

During O4a, the main focus of the review was establishing instances where the requirements document deviated from current performance. The main goal of O4b should be to bring the requirements document into alignment with reality, as well as suggest areas of the lowest hanging fruit for improvement.

*Motivation and goals*

Review serves many goals, including maximizing reliability and best practices amongst the alert system.

*Expected products and/or outcomes*

Achieve review signoff on the low latency alert system for O4b.

*Required inputs***ACTIVITY OPS-10.7-A-INFRAOPS: LOW LATENCY REVIEW AND TESTING****TASK OPS-10.7-A(i)-INFRAOPS: LOW LATENCY DOCUMENTS REVIEW**

Review the design and implementation documents of the low latency alerts system and the “User Guide of the alerts” for the non-LVK community.

**TASK OPS-10.7-A(ii)-INFRAOPS: REVIEW OF MAIN LOW LATENCY SOFTWARE STACK OF O4 SYSTEM**

The review will also include the execution of extensive stress test of the whole infrastructure including the GraceDB / igwn alert system that will be deployed for the O4 operations.

**TASK OPS-10.7-A(iii)-INFRAOPS: PRODUCTION LOW LATENCY ALERT SYSTEM REVIEW**

Continuous review and testing maintenance and updates of the production alert (GWCelery) system.

**OPS-10.8 Interfaces with IGWN working groups**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

The low latency group provides both technical infrastructure and science analyses specific to searches, all of which are required in order to communicate transient detections as public alerts.

*Motivation and goals*

The interfaces between the low latency and other groups are considerable, including how search groups interact with the alert system. The low latency group maintains value-added data products such as ligo.skymap, embright, and others.

*Expected products and/or outcomes*

The low latency group runs the Mock Data Challenges, upon which acceptance testing relies, in addition to aids in the assessment and development of alert data products. It also has membership in two CBC task forces, one focused on SSM and the other on mass information.

*Required inputs***ACTIVITY OPS-10.8-A-INFRAOPS: COARSE-GRAINED MASS INFORMATION****TASK OPS-10.8-A(i)-INFRAOPS: DEVELOPMENT OF CGMI DATA PRODUCTS**

Improve and revise mass information in alerts (in collaboration with the CBC group).

**TASK OPS-10.8-A(ii)-INFRAOPS: DEVELOPMENT AND MAINTENANCE FOR CGMI SOFTWARE PACKAGE**

Development and maintenance for CGMI package to provide binned chirp mass estimates.

**ACTIVITY OPS-10.8-B-INFRAOPS: INCORPORATION OF MULTIPLE PIPELINE INFORMATION IN LOW LATENCY ALERT PRODUCTS**

**TASK OPS-10.8-B(i)-INFRAOPS: DEVELOP METHODS RELATED TO LOW-LATENCY COMBINATION OF MULTIPLE PIPELINES**

Better understand the redundancy and complementarity among multiple search pipelines contributing to low-latency alerts, including through the use of quantitative metrics derived from the mock data challenges.

**TASK OPS-10.8-B(ii)-INFRAOPS: IMPLEMENTATION OF COMBINED DATA PRODUCTS WITHIN THE LOW-LATENCY ALERT SYSTEM**

Implement methods of combining data products and annotations from multiple pipelines

**ACTIVITY OPS-10.8-C-INFRAOPS: SUB-SOLAR MASS**

**TASK OPS-10.8-C(i)-INFRAOPS: DEVELOPMENT OF SSM WORKFLOW**

Deploy SSM within the low-latency alert system.

**TASK OPS-10.8-C(ii)-INFRAOPS: DEVELOPMENT AND MAINTENANCE OF DATA PRODUCTS WITHIN EMBRIGHT**

Development and maintenance for hasSSM within EMBright to provide source properties.

## **OPS-11 Computing and Software**

### **OPS-11.1 Collaboration Operation Services (LVK.OPS.COMP.COS)**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Work areas under this heading provide basic collaboration resources for daily business and operations such as document repositories, version control systems, membership rosters and email lists, etc.

*Motivation and goals*

None

*Expected products and/or outcomes*

None

*Relationships to other projects*

None

**ACTIVITY OPS-11.1-A-INFRAOPS: DOCUMENT DATABASES  
(LVK.OPS.COMP.COS.DBDOC)**

Maintain, operate and develop a database and its interface for collaboration documents and meeting agendas.

**ACTIVITY OPS-11.1-B-INFRAOPS: DOCUMENT WEB APPS**  
(LVK.OPS.COMP.COS.DOC)

Maintenance, operations and development of document web apps not otherwise mentioned such as Google Docs and electronic notebooks (alogs).

**ACTIVITY OPS-11.1-C-INFRAOPS: GITLAB**  
(LVK.OPS.COMP.COS.GIT)

Maintain, operate and develop a collaboration wide Gitlab instance used for document and code version control, project management and help desk functions.

**ACTIVITY OPS-11.1-D-INFRAOPS: HELP DESK**  
(LVK.OPS.COMP.COS.HELP)

Maintenance, operations and development of tutorials and documentation about IAM, IGWN computing, security, etc.

**ACTIVITY OPS-11.1-E-INFRAOPS: COLLABORATION MAIL**  
(LVK.OPS.COMP.COS.MAIL)

Maintenance, operations and development of email lists, e.g., sympa.ligo.org., and transfer agents.

**ACTIVITY OPS-11.1-F-INFRAOPS: MEMBERSHIP SERVICES**  
(LVK.OPS.COMP.COS.MEM)

Maintain, operate and develop several sites and tools used for managing collaboration membership. Some examples include membership rosters, address books, group management services, MOU infrastructure, election systems and publication databases.

**ACTIVITY OPS-11.1-G-INFRAOPS: REMOTE MEETINGS**  
(LVK.OPS.COMP.COS.RMTM)

Maintenance, operations and development of remote meeting platforms such as Mattermost and Team-Speak.

**ACTIVITY OPS-11.1-H-INFRAOPS: COLLABORATION WEB SITES.**  
(LVK.OPS.COMP.COS.WEB)

Maintain, operate and develop websites and webapps that are useful for collaboration activities but are not otherwise accounted for in the WBS, e.g., the stochastic group ALOG and the EPO website.

**ACTIVITY OPS-11.1-I-INFRAOPS: WIKI**  
(LVK.OPS.COMP.COS.WIKI)

Maintain, operate and develop a Foswiki instance used for collaboration documentation.

## **OPS-11.2 Data Analysis and Handling Services** (LVK.OPS.COMP.DASH)

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Work areas under this heading deal with the movement and storage of collaboration data internally and to the public. Work areas under this heading provide services for data analysis.

*Motivation and goals*

None

*Expected products and/or outcomes*

None

*Relationships to other projects*

None

**ACTIVITY OPS-11.2-A-INFRAOPS: GLOBAL DIAGNOSTIC SYSTEM  
(LVK.OPS.COMP.DASH.GDS)**

GDS is comprised of software and services that primarily plays the role of providing a layer between the LIGO real-time control system and down stream analysts using the LIGO Data Analysis System (LDAS) environment. GDS, for example, is currently where some real-time calibration and data quality processes are managed.

**ACTIVITY OPS-11.2-B-INFRAOPS: LOW LATENCY DATA DISTRIBUTION AND ANALYSIS SYSTEMS  
(LVK.OPS.COMP.DASH.LL)**

Internally gravitational wave data is streamed from all observatories across collaboration operated data centers using Kafka and some services. Work areas under this heading support low latency data analysis services such as data replay and simulation streaming services.

**ACTIVITY OPS-11.2-C-INFRAOPS: OPEN SCIENCE GRID  
(LVK.OPS.COMP.DASH.OSG)**

Work areas under this heading directly support grid computing using open science grid software and services. Specifically, this work area tracks only the maintenance of compute elements (CE) as entry points to various LIGO, Virgo and KAGRA computing facilities.

**ACTIVITY OPS-11.2-D-INFRAOPS: WEB BASED ANALYSIS PORTALS AND FRAMEWORKS  
(LVK.OPS.COMP.DASH.WEB)**

Work areas under this heading directly support web-based data analysis platforms such as Jupyter and Streamlit. Additionally some bespoke platforms such as the inspiral range monitor and gwistat fall under this category.

**ACTIVITY OPS-11.2-E-INFRAOPS: BULK DATA AGGREGATION AND DISTRIBUTION  
(LVK.OPS.COMP.DASH.BULKDD)**

This project covers the operation, maintenance, and support of services that aggregate and distribute bulk detector data (hoft).

**ACTIVITY OPS-11.2-F-INFRAOPS: CHANNEL INFORMATION SYSTEM  
(LVK.OPS.COMP.DASH.CIS)**

The channel information system provides an updateable interface to define LIGO interferometer channels.

**ACTIVITY OPS-11.2-G-INFRAOPS: CVMFS**  
(LVK.OPS.COMP.DASH.CVMFS)

CERN Virtual Machine File System is used to distribute both software and data in a globally routable location that leverages http and FUSE. Work here manages providing access to LIGO data and software via CVMFS mechanisms.

**ACTIVITY OPS-11.2-H-INFRAOPS: DATA FORMATS AND SERVICES**  
(LVK.OPS.COMP.DASH.FMT)

Work in this area covers maintenance and development of current standards such as frame files and LIGO LW XML as well as exploring new standards.

**ACTIVITY OPS-11.2-I-INFRAOPS: GRACEDB**  
(LVK.OPS.COMP.DASH.GDB)

GraceDB is used both internally and by the broader (public access) community to access gravitational wave candidate events in real-time. It is at the center of the public alert infrastructure and the creation of gravitational wave transient catalogs (GWTC)

**ACTIVITY OPS-11.2-J-INFRAOPS: GRAVITATIONAL WAVE DATA FIND**  
(LVK.OPS.COMP.DASH.GDF)

Gravitational wave data find allows cross-collaboration, cross site location of gravitational wave data files (frame files) as a service.

**ACTIVITY OPS-11.2-K-INFRAOPS: IGWN ALERT**  
(LVK.OPS.COMP.DASH.IGWA)

Based on SCIMMA HOPSKOTCH, IGWN Alert is a client library to support internal message passing to orchestrate real-time analysis.

**ACTIVITY OPS-11.2-L-INFRAOPS: KAFKA**  
(LVK.OPS.COMP.DASH.KAFK)

Kafka plays several roles in data transport through the collaboration including low latency strain data, analysis metric data, and real-time message passing. We have a goal of potentially reducing some of the duplication of infrastructure around kafka and to consider expanding its use to other areas.

**ACTIVITY OPS-11.2-M-INFRAOPS: LEGACY DATA REPLICATION SERVICES**  
(LVK.OPS.COMP.DASH.LEGDD)

These are legacy services used to replicate data to computing sites for some remaining needs.

**ACTIVITY OPS-11.2-N-INFRAOPS: NDS2**  
(LVK.OPS.COMP.DASH.NDS2)

Network service for accessing data (rather than file access)

**ACTIVITY OPS-11.2-O-INFRAOPS: OSDF**  
(LVK.OPS.COMP.DASH.OSDF)

Federated data storage in the Open Science Grid

**ACTIVITY OPS-11.2-P-INFRAOPS: PUBLIC DATA RELEASE**  
(LVK.OPS.COMP.DASH.PUB)

Data is release to the public across several platforms including DCC, the GWOSC website, OSDF and Zenodo. This work area captures existing public release mechanisms and explores future needs.

**ACTIVITY OPS-11.2-Q-INFRAOPS: PUBLIC ALERT INFRASTRUCTURE**  
(LVK.OPS.COMP.DASH.PUBA)

The public alert infrastructure is responsible for disseminating gravitational wave discoveries quickly in an automated fashion and to facilitate further communications.

**ACTIVITY OPS-11.2-R-INFRAOPS: RESULTS DATA BASES**  
(LVK.OPS.COMP.DASH.RDB)

Trigger and time series databases are often used internally as part of data analysis workflows and can / should be centrally managed.

**ACTIVITY OPS-11.2-S-INFRAOPS: RUCIO**  
(LVK.OPS.COMP.DASH.RUC)

This is a new service for replicating data to computing sites.

**ACTIVITY OPS-11.2-T-INFRAOPS: SEGMENT DB**  
(LVK.OPS.COMP.DASH.SEGDB)

Database for storing LIGO and Virgo segments that indicate when interferometer data is available as well as its quality

**OPS-11.3 Management**  
(LVK.OPS.COMP.MGMT)

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Work in this area contributes to the overall direction and prioritization of the IGWN Computing and Software Group. In some cases it comprises managerial tasks, in others it is providing the direction to other areas and projects contained elsewhere within Computing and Software. It also contains entire projects, such as usage accounting, that are necessary to provide data to the rest of the collaborations on how computing resources are prioritized and delivered.

*Motivation and goals*

None

*Expected products and/or outcomes*

None

*Relationships to other projects*

None

**ACTIVITY OPS-11.3-A-INFRAOPS: ACCOUNTING**  
(LVK.OPS.COMP.MGMT.ACCT)

This project develops, supports, and operates the software and infrastructure that allow measurement and recording of all IGWN and non-IGWN computing resources.

**ACTIVITY OPS-11.3-B-INFRAOPS: COMPSOFT CHAIR**  
**(LVK.OPS.COMP.MGMT.CHR)**

All of the management tasks performed by the Co-Chairs to lead the group and interface with the broader collaborations. *Note:* This entry is provided for compatibility with previous whitepapers; all activity under this WBS entry should be tracked in OPS-16.6-A.

**ACTIVITY OPS-11.3-C-INFRAOPS: COMPSOFT EXTERNAL GROUP INTERACTIONS**  
**(LVK.OPS.COMP.MGMT.EXT)**

Facilitation of external computing collaborators (such as OSG, EGI, or HTCondor) to help achieve IGWN CompSoft deliverables.

**ACTIVITY OPS-11.3-D-INFRAOPS: HARDWARE SUPPLY, DEMAND AND PRIORITIZATION**  
**(LVK.OPS.COMP.MGMT.HDW)**

This project anticipates needed hardware and efficiently allocates the resources to acquire such hardware, based on the demand of the collaborations for computing resources, and enables prioritization of such resources should they be over-subscribed.

**ACTIVITY OPS-11.3-E-INFRAOPS: OPTIMIZATION PRIORITIZATION**  
**(LVK.OPS.COMP.MGMT.OPT)**

Strategic identification of opportunities and priorities within IGWN computing optimization efforts.

**ACTIVITY OPS-11.3-F-INFRAOPS: COMPSOFT POLICIES AND PROCEDURES**  
**(LVK.OPS.COMP.MGMT.POL)**

Creation and updating of the policies and procedures that guide the operation of the group, and tracking the implementation of such policies where required.

**ACTIVITY OPS-11.3-G-INFRAOPS: COMPSOFT REVIEW**  
**(LVK.OPS.COMP.MGMT.REV)**

Internal review of software developed or maintained by the group, in accordance with standard collaboration review requirements for production readiness.

**ACTIVITY OPS-11.3-H-INFRAOPS: WORK BREAKDOWN STRUCTURE**  
**(LVK.OPS.COMP.MGMT.WBS)**

Development, support, and maintenance of software tools to manage the group WBS, and review and updating of the work items and their progress within the chosen software tools.

**OPS-11.4 Security, Identity and Access Management**  
**(LVK.OPS.COMP.SIAM)**

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Work in this area allows the tracking of who is in IGWN, what their roles and affiliations are, and allows them to authenticate to and get authorized for services that they need to access for IGWN work. Work in this area sets information security policy and manages security operations and incident response.

*Motivation and goals*

None



*Expected products and/or outcomes*

None

*Relationships to other projects*

None

**ACTIVITY OPS-11.4-A-INFRAOPS: ACCOUNTS**  
(LVK.OPS.COMP.SIAM.ACCT)

Work in this area involves creation and management of user accounts and credentials (passwords, ssh keys, etc).

**ACTIVITY OPS-11.4-B-INFRAOPS: CILOGON**  
(LVK.OPS.COMP.SIAM.CIL)

This work relates to contract management, liason efforts, and managing priorities for our subscription to CILogon (cilogon.org).

**ACTIVITY OPS-11.4-C-INFRAOPS: COMANAGE**  
(LVK.OPS.COMP.SIAM.COMG)

This is work related to managing an identity management platform which currently is used for KAGRA members and will replace myLIGO for LIGO and Virgo members.

**ACTIVITY OPS-11.4-D-INFRAOPS: ECP**  
(LVK.OPS.COMP.SIAM.ECP)

Work in this area is related to translating web logins into a command-line environment.

**ACTIVITY OPS-11.4-E-INFRAOPS: INFRASTRUCTURE**  
(LVK.OPS.COMP.SIAM.INF)

Work in this area relates to management of hardware and software platforms upon which IAM and security systems run.

**ACTIVITY OPS-11.4-F-INFRAOPS: KERBEROS**  
(LVK.OPS.COMP.SIAM.KRB)

Work in this area is related to the creation and management of LIGO.ORG credentials for user accounts and robots.

**ACTIVITY OPS-11.4-G-INFRAOPS: MULTIFACTOR AUTHENTICATION**  
(LVK.OPS.COMP.SIAM.MFA)

Work in this area relates to implementing and managing a second factor (beyond passwords) for LVK authentications.

**ACTIVITY OPS-11.4-H-INFRAOPS: IAM SUBGROUP MANAGEMENT**  
(LVK.OPS.COMP.SIAM.MGMT)

This work relates to coordinating efforts, holding meetings, and tracking efforts related to IGWN identity and access management and security.

**ACTIVITY OPS-11.4-I-INFRAOPS: MYLIGO**  
(LVK.OPS.COMP.SIAM.MYLG)

This work relates to management of myLIGO, the identity management system for LIGO and Virgo members needing LIGO.ORG credentials.

**ACTIVITY OPS-11.4-J-INFRAOPS: SCITOKENS**  
(LVK.OPS.COMP.SIAM.SCIT)

Work in this area relates to using JSON web tokens called SciTokens to authorize robots and users to access grid computing services.

**ACTIVITY OPS-11.4-K-INFRAOPS: SHIBBOLETH**  
(LVK.OPS.COMP.SIAM.SHB)

Work in this area relates to web logins and the passing of authorization information to web services.

**ACTIVITY OPS-11.4-L-INFRAOPS: GROUPER**  
(LVK.OPS.COMP.SIAM.GRPR)

Management of the Grouper infrastructure and related items

**OPS-11.5 Software**  
(LVK.OPS.COMP.SOFT)

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Work in this area supports the use of shared software by other IGWN groups, through either the support and maintenance of shared software common to many groups, or the integration of individual groups's software into common distributions.

*Motivation and goals*

None

*Expected products and/or outcomes*

None

*Relationships to other projects*

None

**ACTIVITY OPS-11.5-A-INFRAOPS: FRAME DISTRIBUTION AND READING**  
(LVK.OPS.COMP.SOFT.FRSUP)

The support, maintenance, and operation of software tools and libraries to distribute and read gravitational-wave frame files.

**ACTIVITY OPS-11.5-B-INFRAOPS: GLUE**  
(LVK.OPS.COMP.SOFT.GLUE)

The support, maintenance, and operation of LSCSoft GLUE.

**ACTIVITY OPS-11.5-C-INFRAOPS: GSTLAL CALIBRATION**  
(LVK.OPS.COMP.SOFT.GSTC)

The support, maintenance, and operation of the GstLAL calibration framework.

**ACTIVITY OPS-11.5-D-INFRAOPS: GWPY**  
(LVK.OPS.COMP.SOFT.GWPY)

Support, maintenance, and operations of the GWPy package for access to gravitational-wave frame data.

**ACTIVITY OPS-11.5-E-INFRAOPS: LALSUITE MAINTENANCE AND SUPPORT**  
(LVK.OPS.COMP.SOFT.LAL)

The support as well as the maintenance and operation of the LALSuite software. Development of software in LALSuite is excluded.

**ACTIVITY OPS-11.5-F-INFRAOPS: LDG PACKAGE**  
(LVK.OPS.COMP.SOFT.LDG)

The support, maintenance, and operation of the LDG package providing a user environment for interacting with collaboration data and services

**ACTIVITY OPS-11.5-G-INFRAOPS: SOFTWARE SUBGROUP MANAGEMENT**  
(LVK.OPS.COMP.SOFT.MGMT)

Work in this area prioritizes, organizes, and manages the other areas within the COMP.SOFT project.

**ACTIVITY OPS-11.5-H-INFRAOPS: SOFTWARE PERFORMANCE OPTIMIZATION**  
(LVK.OPS.COMP.SOFT.OPT)

Work in this area is specialized engineering to improve the hardware performance of other collaboration software, porting of such software to run on accelerators, and the testing and deployment of hardware-specific optimizations.

**ACTIVITY OPS-11.5-I-INFRAOPS: PACKAGING**  
(LVK.OPS.COMP.SOFT.PKG)

The support, maintenance, and operation of IGWN designated software packaging, as well as the cyberinfrastructure and associated support, maintenance, and operation of platforms that enable IGWN users to deploy their own software. Work in this area must support an approved platform (currently conda and Rocky Linux 8).

**ACTIVITY OPS-11.5-J-INFRAOPS: DEVELOPMENT SUPPORT FOR ANY SOFTWARE**  
(LVK.OPS.COMP.SOFT.SUP)

Supporting IGWN software developers in migrations to currently supported environments and build tools (for example, python versions).

**ACTIVITY OPS-11.5-K-INFRAOPS: TESTING INFRASTRUCTURE AND SUPPORT**  
(LVK.OPS.COMP.SOFT.TEST)

Support, maintenance, and operation of the cyberinfrastructure and documentation that facilitates IGWN users' ability to deploy continuous integration and automated testing, as well as direct training and support of IGWN users in adapting their software to automated testing.

**ACTIVITY OPS-11.5-L-INFRAOPS: WORKFLOW MANAGEMENT TOOLKIT**  
(LVK.OPS.COMP.SOFT.WRKF)

Work in this project develops, supports, and maintains a general-purpose workflow management tool, or facilitates the migration of existing IGWN pipelines to use standard IGWN HTCondor interfaces and environments.

**ACTIVITY OPS-11.5-M-INFRAOPS: PYTHON VIRGO TOOL**  
(LVK.OPS.COMP.SOFT.PVT)

Maintenance and support of pythonvirgotools, a collection of Python functions for interacting with software, hardware and data of the Virgo Interferometer. These functions were mainly written for daily use in the control room, but some of these might also be useful for e.g. DetChar work.

**OPS-11.6 Computing systems**  
(LVK.OPS.COMP.SYS)

**Start date:** 2025-01-01

**Estimated due date:** 2026-01-01

Work under this area deals with procuring, maintaining and operating computing resources for collaboration data analysis and other activities.

*Motivation and goals*

None

*Expected products and/or outcomes*

None

*Relationships to other projects*

None

**ACTIVITY OPS-11.6-A-INFRAOPS: HTCONDOR**  
(LVK.OPS.COMP.SYS.COND)

Work in this area deals with operating and maintaining an HTCondor scheduling system

**ACTIVITY OPS-11.6-B-INFRAOPS: EUROPEAN DATA GRID USER SERVICES AND INFRASTRUCTURE**  
(LVK.OPS.COMP.SYS.EDG)

Work in this area provides a consistent and useful user environment in European computing

**ACTIVITY OPS-11.6-C-INFRAOPS: HARDWARE**  
(LVK.OPS.COMP.SYS.HDW)

Work in this area focuses on operating, maintaining and planning for new compute capacity to support collaboration data analysis.

**ACTIVITY OPS-11.6-D-INFRAOPS: INDIAN COMPUTING USER SERVICES AND INFRASTRUCTURE**  
(LVK.OPS.COMP.SYS.IDG)

Work in this area provides a consistent and useful user environment in LIGO India computing

**ACTIVITY OPS-11.6-E-INFRAOPS: JAPANESE COMPUTING USER SERVICES AND INFRASTRUCTURE**  
(LVK.OPS.COMP.SYS.JDG)

Work in this area provides a consistent and useful user environment in KAGRA computing

**ACTIVITY OPS-11.6-F-~~INFRA~~OPS: KUBERNETES**  
(LVK.OPS.COMP.SYS.K8S)

Work in this area supports operating kubernetes infrastructure for real-time computing environments

**ACTIVITY OPS-11.6-G-~~INFRA~~OPS: LDG USER SERVICES AND INFRASTRUCTURE**  
(LVK.OPS.COMP.SYS.LDG)

Work in this area provides a consistent and useful user environment in LIGO computing

**ACTIVITY OPS-11.6-H-~~INFRA~~OPS: COMPUTING SYSTEMS SUBGROUP MANAGEMENT**  
(LVK.OPS.COMP.SYS.MGMT)

Work in this area manages physical cyberinfrastructure.

**ACTIVITY OPS-11.6-I-~~INFRA~~OPS: MONITORING**  
(LVK.OPS.COMP.SYS.MON)

Work in this area develops, operates and maintains monitoring infrastructure for collaboration physical cyberinfrastructure.

**ACTIVITY OPS-11.6-J-~~INFRA~~OPS: NETWORK**  
(LVK.OPS.COMP.SYS.NET)

Work in this area deals with networking - both LAN and WAN - for collaboration physical cyberinfrastructure.

**ACTIVITY OPS-11.6-K-~~INFRA~~OPS: OPTIMIZATION FOR HETEROGENEOUS COMPUTING SYSTEMS**  
(LVK.OPS.COMP.SYS.OPT)

Work in this area focuses on optimizing the utilization of computing hardware accounting for highly heterogenous workflows and requirements, e.g., “online” and “offline” workflows.

**ACTIVITY OPS-11.6-L-~~INFRA~~OPS: STORAGE**  
(LVK.OPS.COMP.SYS.STR)

Work in this area focuses on procuring, operating, maintaining and planning for new storage to support collaboration data analysis and data release.

**ACTIVITY OPS-11.6-M-~~INFRA~~OPS: VIRTUAL MACHINES**  
(LVK.OPS.COMP.SYS.VMS)

Work in this area supports operating and maintaining virtual machines that provide collaboration computing resources.

## **OPS-12 Open Data**

The Open Data Working Group prepares, hosts, and maintains public releases of instrument data from the LVK collaboration. We also support public releases of analysis results, such as event catalogs.

### **OPS-12.1 Public Data Preparation**

**Start date:** 2025-01-01

**Estimated due date:** 2025-08-23

*Project Description*

The O4a observing run completed in January of 2024. At that time, we began preparing the O4a data release. This includes the bulk strain data release and the O4a transient catalog events. These are planned to be released August 23, 2025. In addition, we plan to write a paper describing the data release as part of the GWTC-4 focus issue, and post it to the arXiv at the time of release.

**ACTIVITY OPS-12.1-A-INFRAOPS: ADD O4A TRANSIENT EVENTS FROM CBC CATALOG TO GWOSC EVENT PORTAL**

Astrophysical transients observed during O4a will be released in a catalog. These events will need to be added to the Event Portal database.

**ACTIVITY OPS-12.1-B-INFRAOPS: PREPARE O4A STRAIN DATA RELEASE**

Strain data from O4a will be released on August 23, 2025. We will need to prepare this data release, along with documentation and data quality segments.

**ACTIVITY OPS-12.1-C-INFRAOPS: PREPARE O4A AUXILIARY CHANNEL RELEASE**

In O3, we released all auxiliary channels used to create data quality flags and data cleaning. We need to decide if there will be a similar release for O4a.

**ACTIVITY OPS-12.1-D-INFRAOPS: PREPARE O4A EXCEPTIONAL EVENT DATA RELEASES**

Select astrophysical transients (i.e. exceptional events) may have dedicated publications, and may be published before the time of the strain data release. In these cases, our policy is to release snippets of data around the time of the event at the time of publication.

**ACTIVITY OPS-12.1-E-INFRAOPS: PREPARE O4A DATA PAPER**

We plan to write a paper describing the O4 data release. The first draft of this paper will describe only the O4a data release as part of the GWTC-4 focus issue, and should be posted to the arXiv at the time of the data release.

## **OPS-12.2 GWOSC Webserver Development**

**Start date:** 2025-01-01

**Estimated due date:** 2025-12-31

*Project description*

The GWOSC website ([gwosc.org](http://gwosc.org)) is maintained by the Open Data Working Group. Several key developments are planned for this year.

As the number of events expands, we need to develop the webserver to handle larger numbers of events. For example, the current API includes nodes that return ALL events in the database. Beyond a few hundred events, this won't be feasible for simple JSON/HTTP formats. Instead, we need to develop a framework where all queries require some selection, with options to limit the number of returned results.

We are also seeking to make our webserver more robust by implementing a package known as the Django REST framework, which will allow us to limit the rate of queries from a single IP address. This is needed, as currently, our webserver can be crashed by large numbers of queries from computer clusters. This may require a redesign of our API

ACTIVITY OPS-12.2-A-~~OTHER~~: NOT USED  
NOT USED

ACTIVITY OPS-12.2-B-~~OTHER~~: NOT USED  
NOT USED

ACTIVITY OPS-12.2-C-**INFRAOPS**: GWOSC WEBSERVER MAINTENANCE (LEVEL-OF-EFFORT)

The GWOSC webserver routinely requires maintenance. This includes a wide variety of tasks, such as fixing problems as they arise, organizing new releases, minor updates, bug fixes, model updates, software updates, and bug fixes.

ACTIVITY OPS-12.2-D-**INFRAOPS**: CREATE A PROTOTYPE CONTENT MANAGEMENT SYSTEM

Try to use a CMS to separate website content and structure.

ACTIVITY OPS-12.2-E-**INFRAOPS**: CREATE A DJANGO APP FOR CBC FLOW

CBC Flow has become a tool used by the CBC group to keep track of events. Open Data group will create a web app to display content from this app.

ACTIVITY OPS-12.2-F-**INFRAOPS**: IMPROVE UI/UX

The user experience on the GWOSC website should be improved in a number of ways.

ACTIVITY OPS-12.2-G-**INFRAOPS**: UPDATE TO DJANGO 5.2

Upgrade django and associated software stack to latest version with long-term support.

### **OPS-12.3 Display Community Catalogs**

**Start date:** 2025-01-01

**Estimated due date:** 2025-03-01

#### *Project Description*

A number of teams outside of the LVK have published catalogs of GW transient events found in searches of public LIGO/Virgo data. We are developing a process within the LVK to make some of these catalogs available through the Event Portal, to enable research across multiple data sets.

ACTIVITY OPS-12.3-A-**INFRAOPS**: INGEST AND RELEASE COMMUNITY CATALOGS

Add some GW catalogs produced by teams outside the LVK to the Event Portal.

### **OPS-12.4 Create Desktop App**

**Start date:** 2025-01-01

**Estimated due date:** 2025-12-01

*Project Description*

Even basic interactions with a GW data file require programming skills. This project seeks to create a desktop application with a GUI for viewing the contents of a GW data file.

**ACTIVITY OPS-12.4-A-INFRAOPS:** DEVELOP AN INTERACTIVE PLOTTING SOFTWARE FOR GW DATA

We are interested in developing a desktop app, with a GUI that allows inspecting public detector data files and performing some basic analysis tasks. A first draft of the app was developed last year, the next steps include a review and some bug fixes.

**OPS-12.5 Host Open Data Workshop**

**Start date:** 2025-01-01

**Estimated due date:** 2025-05-01

*Project Description*

The last several years, we have hosted Open Data Workshops. This activity has grown to become a hybrid online and in-person events, with multiple Study Hub locations and participants spanning the globe. This year LIGO will take the lead.

**ACTIVITY OPS-12.5-A-INFRAOPS:** PLAN OPEN DATA WORKSHOP 2025

Lead the planning of the Open Data Workshop.

**ACTIVITY OPS-12.5-B-INFRAOPS:** MENTOR AT OPEN DATA WORKSHOP 2025

The workshop is supported by a team of mentors who update the tutorials, present the lectures, host Study Hubs, answer questions, and support all content for the workshop.

**ACTIVITY OPS-12.5-C-INFRAOPS:** ANSWER QUESTIONS ON ASK.IGWN.ORG (LEVEL OF EFFORT)

We need year-round support to answer questions on ask.igwn.org. This is a great activity for any member of the LVK.

**OPS-13 Unused Section****OPS-13.1 Unused: This Project ID unused**

**Start date:** 2024-01-01

**Estimated due date:** 2025-01-01

**ACTIVITY OPS-13.1-A-OTHER:** UNUSED: THIS ACTIVITY ID UNUSED

**TASK OPS-13.1-A(i)-OTHER:** UNUSED: THIS TASK ID UNUSED

**TASK OPS-13.1-A(ii)-OTHER:** UNUSED: THIS TASK ID UNUSED

**TASK OPS-13.1-A(iii)-OTHER:** UNUSED: THIS TASK ID UNUSED

**TASK OPS-13.1-A(iv)-OTHER:** UNUSED: THIS TASK ID UNUSED

**TASK OPS-13.1-A(v)-OTHER:** UNUSED: THIS TASK ID UNUSED



ACTIVITY OPS-13.1-B-**OTHER**: UNUSED: THIS ACTIVITY ID UNUSED

TASK OPS-13.1-B(i)-**OTHER**: UNUSED: THIS TASK ID UNUSED

TASK OPS-13.1-B(ii)-**OTHER**: UNUSED: THIS TASK ID UNUSED

TASK OPS-13.1-B(iii)-**OTHER**: UNUSED: THIS TASK ID UNUSED

## OPS-14 Joint Run Planning

### OPS-14.1 Coordination of observing between LIGO, KAGRA, and Virgo

**Start date:** 2024-10-01

**Estimated due date:** 2026-01-01

#### *Motivation and goals*

The value of the LSC, Virgo and KAGRA data is much greater when combined with that of other GW detectors. Furthermore, the scientific rewards are greater when the analysis can be performed jointly on all available LVK data. Lastly, the greater scientific community needs a definitive and uniform vision of the IGWN network's plans for observing. The goal of the joint LVK Run Planning Committee is to ensure that the required discussions take place and that the common statement, and timeline for future observing, is maintained in a timely way.

#### *Expected products and/or outcomes*

The most visible and concrete products are text, timeline, and their posting at the web page <https://observing.docs.ligo.org/plan/>.

#### *Required inputs*

Input to create the text and timeline is collected from LVK experts in commissioning, operations, and the collaboration/laboratory leadership of the three Collaborations.

ACTIVITY OPS-14.1-A-**INFRAOPS**: JRPC MAINTAINING THE PUBLIC OBSERVER PAGE

Maintain the public facing web page.

TASK OPS-14.1-A(i)-**INFRAOPS**: PUBLIC TEXT

Help to collect and harmonize IGWN texts from the LSC/LIGO Lab, as well as from Virgo and KAGRA.

TASK OPS-14.1-A(ii)-**INFRAOPS**: PUBLIC TIMELINE

Maintain the IGWN timeline, for the LSC/LIGO Lab, as well as from Virgo and KAGRA.

### OPS-14.2 Rapid Response Team for human vetting of low latency public alerts

**Start date:** 2025-01-01

**Estimated due date:** 2025-06-09

Rapid Response Team (RRT) is an LVK group that provides human responses to monitor and vet gravitational wave event candidates. Vetting process ultimately leads to issuing human-readable public alerts in the form of Global Coordinate Network (GCN) circulars for each and every significant event candidate.

*Motivation and goals*

When a significant GW event candidate is detected, the first public alert is issued autonomously. Subsequently, RRT vets the candidate and informs the external astronomers of its findings by issuing machine-readable public alerts in several channels as well as a human readable GCN Circular. Either an Initial or a Retraction Circular is issued depending on whether or not the event is considered to be a candidate of interest by the RRT. This provides the external astronomers critical information that would be helpful for their decision to perform follow-up observation or not.

The main goal of the RRT is to provide human response for all significant public alerts with an acceptable latency for O4. Toward that goal, JRPC cooperates with working groups that take part in the RRT to define the RRT policy [55], to provide manual for responders[56], to manage the shifts for non-expert responders from wider collaboration and to provide training.

*Expected products and/or outcomes*

All Significant LVK public alerts in O4 will be accompanied by timely GCN circulars (either Initial or Retraction). Toward that goal, a properly trained team must be maintained without interruption for the entire O4 without over-stretching anybody in the team.

In O4, due to improved automated checks made possible by Detector Characterization working group, majority of events (e.g. BBH without external counterpart) are handled by a non-expert group called Level 0 from wider collaboration without involvement of technical experts called Level 1 experts. Since LVK collaborators are spread over the globe, each collaboration will provide 8 hours of Level 0 coverage per day, resulting in 24/7 non-expert coverage. It is expected that about 50% of non-expert shifts in US time zone will be provided by the LSC Fellows, and the remaining 50% by the wider collaboration members. In Virgo, shifters recruitment is organized at the group level, where each scientific group within the Virgo collaboration is given the responsibility of undertaking a number of shifts proportional to the number of group's members signing LVK publications.

It is JRPC's job to ensure that Level 0 shift will be maintained with properly trained responders without interruption for the entire O4. A series of training days has been organized in the month preceding the start of the O4 run to prepare the initial set of shifters. Additional dedicated sessions are organized to provide ongoing support for groups contributing to the RRT effort throughout the observing run. The JRPC maintain a similar supervision also for site advocate shifts (level 1 experts who are typically run coordinators and delegates).

There are other RRT Level 1 shifts and rosters (Detector Characterization, astronomical analysis pipelines, low latency infrastructure, parameter estimation, calibration) but these are maintained by relevant working groups in coordination with RRT managers.

*Required inputs*

JRPC will work with LVK Operations chairs as well as working group chairs to draft and maintain policies as well as manuals for RRT as needed.

**ACTIVITY OPS-14.2-A-INFRAOPS: PROVIDING LOW LATENCY HUMAN RESPONSES TO ALL SIGNIFICANT PUBLIC ALERTS**

**TASK OPS-14.2-A(i)-INFRAOPS: MAINTAINING POLICY DOCUMENTS AND SOFTWARE**

This includes policies for the collaboration as well as software pieces relevant for RRT. Most of the work was done in 2023. However, existing documents and software must be updated as necessary.

**TASK OPS-14.2-A(ii)-INFRAOPS: ORGANIZING AND TRAINING THE RRT RESPONDERS TEAM**

Recruit and train Level 0 responders. Maintain a roster of responders as far as O4 continues. Maintain training materials and manuals.

**TASK OPS-14.2-A(iii)-INFRAOPS: SERVICE AS THE RRT LEVEL 0 RESPONDER: LSC FELLOWS**

This task is used for contributions from LSC fellows. For LSC collaborators who are not LSC Fellows, use OPS-14.2-A(iv).

Note: Each shift slot requires about 0.8 hours of person power on average including the time to respond to events, assuming 1 event per week per shift time zone. This is regardless of the number of shifters per shift and regardless of the duration of each shift (8 hours per shift for Europe and US, Asia is sometimes but not always subdivided into two 4 hours shifts).

**TASK OPS-14.2-A(iv)-INFRAOPS: SERVICE AS THE RRT LEVEL 0 RESPONDER: MEMBERS WHO ARE NOT FELLOWS**

This task is used for contributions from LSC collaborators who are not LSC fellows. See the note in OPS-14.2-A(iii) for calculating the contribution.

**TASK OPS-14.2-A(v)-INFRAOPS: SERVICE AS THE RRT LEVEL 0 RESPONDER: VIRGO COLLABORATION**

Virgo groups are tasked to serve to RRT Level 0 shifts, with the number of shifts to be covered being proportional to the group's total number of authors. The proportionality factor has been calculated to ensure the presence of two shifters each day, during the 8-hour European shift slot, throughout the entire duration of the O4 run.

**TASK OPS-14.2-A(vi)-INFRAOPS: SERVICE AS THE RRT LEVEL 0 RESPONDER: KAGRA COLLABORATION**

The KAGRA teams, along with the LIGO colleagues in the Asia-Pacific region, are responsible for the Asia-Pacific time zone shift for RRT Level 0.

## **OPS-15 Support of LIGO Observatories**

### **OPS-15.1 Collaboration between LSC Members and Observatory Staff**

**Start date:** 2024-10-01

**Estimated due date:** 2026-01-01

This committee is responsible for coordinating contributions by LSC members in direct support of Observatory activities. This includes LSC Fellows, LSC members who make working visits to the sites and LSC members who collaborate with the commissioning teams at the sites.

#### *Motivation and goals*

The SO chairs serve as liaisons between the LIGO observatories and the broader LSC community. LSC members (including LIGO Lab. staff) and others who either have a need for support from the LSC for a particular investigation, or who would like to get involved in efforts to support the observatories, can contact the SO chairs for assistance in identifying and organizing efforts to satisfy the needs.

#### *Expected products and/or outcomes*

In the long-term this committee seeks to encourage ongoing in-depth collaborations between LSC groups and scientists and engineers working at the sites.

**ACTIVITY OPS-15.1-A-INFRAOPS: PARTICIPATION IN THE LSC FELLOWS PROGRAM**

LSC Fellows visit an observatory site for periods on at least three months. While on-site the Fellows work with a local mentor on various projects such as improving detector operation or noise, future upgrades, outreach, or analysis. During Observing runs LSC Fellows also participate in Data Quality(DQ) shifts and in the Level 0 response to event candidates found by search algorithms running in near real-time.

**TASK OPS-15.1-A(i)-INFRAOPS: ACTIVITIES AS AN LSC FELLOW**

LSC Fellows should be able to claim full credit for their participation. Depending on their projects they may assign some of their effort elsewhere (for example to the commissioning, calibration, or detector characterization activities). This activity can be used to account for the balance of their time, or to record all of it if a detailed accounting of their various efforts would be overly cumbersome.

**TASK OPS-15.1-A(ii)-INFRAOPS: ON-SITE CONTACT FOR DQ SHIFTS**

During O4 have regular meetings with collaborators who are taking DQ shifts. Aid in the interpretation of local events for the (usually) remote DQ shift takers. Train and staff DQ shifts.

**ACTIVITY OPS-15.1-B-OTHER: COLLABORATION WITH LOCAL SITE STAFF ON IMPROVING DETECTOR NOISE OR DUTY CYCLE.**

Activities by LSC members in support of local efforts. Activities involving Detector Characterization, Calibration, Low Latency, Computing & Software etc. should be accounted for in the relevant sections. This activity exists to capture work not otherwise categorized explicitly in the white paper. It can include efforts from LSC Fellows.

## OPS-16 LVK Leadership and Service Roles

### OPS-16.1 Operations Divisions Leadership

**Start date:** ongoing

**Estimated due date:** ongoing

The LVK Operations Divisions are responsible for coordinating, overseeing, and reviewing operations work for the IGWN.

#### ACTIVITY OPS-16.1-A-**INFRAOPS**: OPERATIONS DIVISIONS CHAIRS

The LVK Operations Divisions Chairs coordinate the activities of the Divisions. There is one chair from each of the LSC, Virgo, and KAGRA Operations Divisions.

### OPS-16.2 Calibration Working Groups Leadership

**Start date:** ongoing

**Estimated due date:** ongoing

#### ACTIVITY OPS-16.2-A-**INFRAOPS**: SERVING AS CALIBRATION WORKING GROUPS CHAIRS

The Calibration Working Groups are responsible for organizing, delivering, and documenting the calibration information for the detectors in IGWN. These Working Groups have two co-chairs for the LSC, one chair for Virgo, and one chair for KAGRA.

### OPS-16.3 Detector Characterization Working Groups Leadership

**Start date:** ongoing

**Estimated due date:** ongoing

#### ACTIVITY OPS-16.3-A-**INFRAOPS**: SERVING AS DETECTOR CHARACTERIZATION WORKING GROUPS CHAIRS

The Detector Characterization (DetChar) Working Groups are responsible for organizing and documenting the LVK efforts in detector characterization and the development of tools for that purpose. These Working Groups have two co-chairs for the LSC, one chair for Virgo, and two co-chairs for KAGRA.

### OPS-16.4 Low-latency Working Group Leadership

**Start date:** ongoing

**Estimated due date:** ongoing

#### ACTIVITY OPS-16.4-A-**INFRAOPS**: SERVING AS LOW-LATENCY WORKING GROUP CHAIRS

The joint LVK Low-latency Working Group plans, organizes and oversees analysis activities necessary to provide and disseminate low-latency event information within and outside the LVK. This Working Group has one co-chair from each of the LSC, Virgo, and KAGRA Collaborations.

## **OPS-16.5 Run Planning Committee Leadership**

**Start date:** ongoing

**Estimated due date:** ongoing

### **ACTIVITY OPS-16.5-A-INFRAOPS: SERVING AS RUN PLANNING COMMITTEE CHAIRS**

The Run Planning Committee is charged with the strategic planning of engineering and observing runs and advises the IGWN leadership on proposed observing run start dates, run duration, and other relevant activities. This joint LVK Committee has one co-chair from each of the LSC, Virgo, and KAGRA Collaborations.

## **OPS-16.6 Computing and Software Working Group Leadership**

**Start date:** ongoing

**Estimated due date:** ongoing

### **ACTIVITY OPS-16.6-A-INFRAOPS: SERVING AS COMPUTING AND SOFTWARE WORKING GROUP CHAIRS**

All of the management tasks performed by the Co-Chairs to lead the group and interface with the broader collaborations.

The Computing and Software Working Group is responsible for organizing and documenting the LVK Collaborations' computing hardware and software infrastructure, and for formulating plans for its evolution. This Working Group has two co-chairs from the LSC, two co-chairs from Virgo, and one co-chair from KAGRA.

## **OPS-16.7 Support of the LIGO Observatories Committee Leadership**

**Start date:** ongoing

**Estimated due date:** ongoing

### **ACTIVITY OPS-16.7-A-INFRAOPS: SERVING AS SUPPORT OF THE OBSERVATORIES COMMITTEE CHAIR**

This Committee is responsible for coordinating contributions by LSC members in direct support of Observatory activities. This Committee is unique to the LSC, and has two co-chairs.

## **OPS-16.8 Open Data Working Group Leadership**

**Start date:** ongoing

**Estimated due date:** ongoing

### **ACTIVITY OPS-16.8-A-INFRAOPS: SERVING AS OPEN DATA WORKING GROUP CHAIR**

The Open Data Working Group is responsible for the release of instrumental data and associated documentation to the public. This Working Group has one LSC chair plus a Virgo co-chair and two KAGRA co-chairs.

## References

- [1] LIGO-Virgo-KAGRA Detector Characterization Requirements Document. *LIGO Document: LIGO-T2100043*; *Virgo Document: VIR-0402A-21*, 2021.
- [2] The LIGO-Virgo Collaboration. LSC-Virgo-KAGRA Operations White Paper (2022-2023 edition) , 2022. LIGO-DCC-T2200381.
- [3] A. D. Viets, M. Wade, A. L. Urban, S. Kandhasamy, J. Betzwieser, D. A. Brown, J. Burguet-Castell, C. Cahillane, E. Goetz, K. Izumi, S. Karki, J. S. Kissel, G. Mendell, R. L. Savage, X. Siemens, D. Tuyenbayev, and A. J. Weinstein. Reconstructing the calibrated strain signal in the Advanced LIGO detectors. *Class. Quantum Grav.*, 35(9):095015, apr 2018.
- [4] D. Estevez, B. Mours, L. Rolland, and D. Verkindt. Online h(t) reconstruction for Virgo O3 data: start of O3. Technical Report VIR-0652B-19, Virgo, 2019.
- [5] B. P. Abbott et al. Calibration of the Advanced LIGO detectors for the discovery of the binary black-hole merger GW150914. *Phys. Rev. D*, 95(6):062003, 2017.
- [6] D. Tuyenbayev, S. Karki, J. Betzwieser, C. Cahillane, E. Goetz, K. Izumi, S. Kandhasamy, J. S. Kissel, G. Mendell, M. Wade, A. J. Weinstein, and R. L. Savage. Improving LIGO calibration accuracy by tracking and compensating for slow temporal variations. *Class. Quantum Grav.*, 34(1):015002, dec 2016.
- [7] S. Karki, D. Tuyenbayev, S. Kandhasamy, B. P. Abbott, T. D. Abbott, E. H. Anders, J. Berliner, J. Betzwieser, C. Cahillane, L. Canete, C. Conley, H. P. Daveloza, N. De Lillo, J. R. Gleason, E. Goetz, K. Izumi, J. S. Kissel, G. Mendell, V. Quetschke, M. Rodruck, S. Sachdev, T. Sadecki, P. B. Schwinberg, A. Sottile, M. Wade, A. J. Weinstein, M. West, and R. L. Savage. The Advanced LIGO photon calibrators. *Review of Scientific Instruments*, 87(11):114503, 2016.
- [8] Dripta Bhattachargee et al. Fiducial displacements with improved accuracy for the global network of gravitational wave detectors. Technical Report P2000113, LSC, 6 2020.
- [9] Yuki Inoue, Sadakazu Haino, Nobuyuki Kanda, Yujiro Ogawa, Toshikazu Suzuki, Takayuki Tomaru, Takahiro Yamanmoto, and Takaaki Yokozawa. Improving the absolute accuracy of the gravitational wave detectors by combining the photon pressure and gravity field calibrators. *Physical Review D*, 98(2):022005, 2018.
- [10] Virgo Collaboration. Virgo photon calibrators for O3. *In preparation*.
- [11] D Estevez, B Lieunard, F Marion, B Mours, L Rolland, and D Verkindt. First tests of a newtonian calibrator on an interferometric gravitational wave detector. *Classical and Quantum Gravity*, 35(23):235009, 2018.
- [12] B. Mours and T. Pradier. Analysis of the NCal data collected during O3B. Technical Report VIR-0268A-20, Virgo, 2020.
- [13] Ling Sun et al. Characterization of systematic error in Advanced LIGO calibration. 5 2020.
- [14] IGWN Data Quality Report Design Document for the Fourth Observing Run (O4).  
<https://dcc.ligo.org/LIGO-T2100413>.
- [15] Continuous Wave First Detection Readiness Committee Report: DQ checklist details.  
<https://dcc.ligo.org/LIGO-T2200347>.
- [16] Detection checklists for stochastic searches.  
[https://git.ligo.org/stochastic/detection\\_checklist/-/blob/master/checklists/checklists.pdf](https://git.ligo.org/stochastic/detection_checklist/-/blob/master/checklists/checklists.pdf).

- [17] Review of data mitigation for the O3a event catalog.  
<https://dcc.ligo.org/T2000251>.
- [18] O3b data mitigation review status update.  
<https://dcc.ligo.org/LIGO-G2100185>.
- [19] KAGRA SummarPages.  
<https://gwdet.icrr.u-tokyo.ac.jp/~controls/summary/today/>.
- [20] Bruco.  
<https://github.com/mikelovskij/bruco>.
- [21] Michael Coughlin. Noise line identification in LIGO S6 and Virgo VSR2. *J. Phys. Conf. Ser.*, 243:012010, 2010.
- [22] Pastavi.  
H. Yuzurihara, *JGW-G1910938*  
<https://gwdoc.icrr.u-tokyo.ac.jp/cgi-bin/private/DocDB/ShowDocument?docid=10938>.
- [23] NoiseBudgetter.  
A. Shoda, *JGW-T1910917*  
<https://gwdoc.icrr.u-tokyo.ac.jp/cgi-bin/private/DocDB/ShowDocument?docid=10917>.
- [24] Proposal for common data formats for LIGO-Virgo data products.  
<https://dcc.ligo.org/LIGO-T1800014>.
- [25] J. Rollins et al. Distributed state machine supervision for long-baseline gravitational-wave detectors. *Review of Scientific Instruments*, 87(094502), 2016.
- [26] GWpy: a python package for gravitational-wave astrophysics.  
<https://gwpy.github.io>  
<https://doi.org/10.5281/zenodo.597016>.
- [27] The LIGO-Virgo segment database project wiki.  
<https://wiki.ligo.org/Computing/DQSEGDB>.
- [28] The LIGO-Virgo segment database.  
<https://segments-web.ligo.org/>.
- [29] R. P. Fisher, G. Hemming, M.-A. Bizouard, D. A. Brown, P. F. Couvares, F. Robinet, and D. Verkindt. DQSEGDB: A time-interval database for storing gravitational wave observatory metadata. *SoftwareX*, 14:100677, 2021.
- [30] The LIGO Channel Information System.  
<https://github.com/lscsoft/cis.server>.
- [31] The LIGO-Virgo Summary Pages.  
[https://www.gw-openscience.org/detector\\_status/](https://www.gw-openscience.org/detector_status/).
- [32] Gravitational-wave interferometer summary information.  
<https://github.com/gwpy/gwsumm>  
<https://doi.org/10.5281/zenodo.2647609>.
- [33] PyOmicron.  
<https://doi.org/10.5281/zenodo.2616570>.
- [34] B.P. Abbott et al. Characterization of transient noise in Advanced LIGO relevant to gravitational wave signal GW150914. *Class. Quant. Grav.*, 33(13), 2016.



- [35] DetChar Hardware Injections.  
<https://dcc.ligo.org/LIGO-T1900555>.
- [36] DetChar Hardware Injections.  
<https://git.ligo.org/detchar/detchar-hwinj>.
- [37] Reed Essick, Patrick Godwin, Chad Hanna, Lindy Blackburn, and Erik Katsavounidis. iDQ: Statistical Inference of Non-Gaussian Noise with Auxiliary Degrees of Freedom in Gravitational-Wave Detectors. *arXiv preprint arXiv:2005.12761*, 2020.
- [38] SNAX toolkit: Stream-based Noise Acquisition and eXtraction toolkit.  
[https://lscsoft.docs.ligo.org/gstlal/feature\\_extraction.html](https://lscsoft.docs.ligo.org/gstlal/feature_extraction.html).
- [39] GW Detector Characterization python utilities.  
<https://github.com/gwdetchar/gwdetchar>  
<https://doi.org/10.5281/zenodo.2575786>.
- [40] Stochmon: A LIGO Data Analysis Tool.  
<https://dcc.ligo.org/LIGO-T1400205>.
- [41] STAMP-PEM.  
[https://ldas-jobs.ligo-wa.caltech.edu/~stochastic/stamppem\\_docs/](https://ldas-jobs.ligo-wa.caltech.edu/~stochastic/stamppem_docs/).
- [42] J. R Smith, T. Abbott, E. Hirose, N. Leroy, D. MacLeod, J. McIver, P. Saulson, and P. Shawhan. A hierarchical method for vetoing noise transients in gravitational-wave detectors. *Classical and Quantum Gravity*, 28(23):235005, 2011.  
<https://doi.org/10.5281/zenodo.2584615>.
- [43] Tomoki Isogai. Used percentage veto for LIGO and virgo binary inspiral searches. *J. Phys. Conf. Ser.*, 243:012005, 2010.
- [44] Pointy Poisson.  
<https://docs.ligo.org/detchar/data-quality-report/tasks/pointy-dqr.html>.
- [45] September 2019 O3a Saefty Studies.  
<https://dcc.ligo.org/LIGO-T1900697>.
- [46] The Gravitational-wave Veto Evaluation and Testing suite.  
<https://github.com/gwpy/vet>.
- [47] LIGO Physical Environment Monitoring.  
<http://pem.ligo.org/>.
- [48] Fscan git repository.  
<https://git.ligo.org/CW/instrumental/fscan/>.
- [49] Michael Coughlin et al. Noise Line Identification in LIGO S6 and Virgo VSR2. *Journal of Physics: Conference Series*, 243:012010, 2010.
- [50] Michael Zevin et al. Gravity Spy: Integrating Advanced LIGO Detector Characterization, Machine Learning, and Citizen Science. *Class. Quant. Grav.*, 34(6):064003, 2017.
- [51] Elena Cuoco et al. Enhancing Gravitational-Wave Science with Machine Learning. *arXiv:2005.03745*, 2020.
- [52] The Gravitational Wave Open Science Center.  
<https://www.gw-openscience.org>.
- [53] LIGO calibration DCC Document Tree.  
<https://dcc.ligo.org/LIGO-E1500281>.

- [54] LIGO calibration web page.  
<https://wiki.ligo.org/Calibration/WebHome>.
- [55] O4 Rapid Response Policy for Event Candidates.  
<https://dcc.ligo.org/L2100046>.
- [56] LIGO/Virgo/KAGRA Rapid Response Team Level-0 Responder Guide.  
<https://emfollow.docs.ligo.org/followup-advocate-guide/index.html>.

# List of Activities

OPS-1.1-A-InfraOps	ALTS.COMM: Advanced LIGO Commissioning . . . . .	15
OPS-1.2-A-InfraOps	ALTS.DI: Detector Improvements . . . . .	16
OPS-1.3-A-InfraOps	LOPS: LIGO Lab Operations . . . . .	16
OPS-1.4-A-InfraOps	GEO600 Operations . . . . .	16
OPS-2.1-A-InfraOps	Advanced LIGO Detector Research . . . . .	17
OPS-3.1-A-InfraOps	Advanced Virgo Commissioning . . . . .	18
OPS-3.2-A-InfraOps	AdV+ phase I . . . . .	19
OPS-3.3-A-InfraOps	Support from Virgo groups . . . . .	19
OPS-3.3-B-InfraOps	Support from EGO operations team . . . . .	19
OPS-4.1-A-InfraOps	AdV+ O5 Upgrades . . . . .	20
OPS-5.1-A-InfraOps	Operations of the KAGRA Observatory . . . . .	20
OPS-6.1-A-InfraOps	KAGRA Upgrades . . . . .	20
OPS-7.1-A-InfraOps	Civil Construction of LIGO Aundha Observatory . . . . .	21
OPS-7.1-B-InfraOps	LIGO Aundha Vacuum Construction . . . . .	21
OPS-7.1-C-InfraOps	Interfaces between LAO Subsystems . . . . .	21
OPS-7.2-A-InfraOps	LIGO India 10m Prototype . . . . .	22
OPS-7.2-B-InfraOps	LIGO India Pre-Stabilized Laser . . . . .	22
OPS-7.2-C-InfraOps	Commissioning LIGO India Training Facilities . . . . .	22
OPS-7.3-A-InfraOps	Detector Shipping from LIGO Hanford to India . . . . .	23
OPS-7.3-B-InfraOps	Detector Upgrades for LAO . . . . .	23
OPS-7.3-C-InfraOps	Detector Construction and Augmentation for LAO . . . . .	23
OPS-7.3-D-InfraOps	LIGO India Suspension Work . . . . .	23
OPS-7.4-A-InfraOps	LIGO Aundha Observatory Services . . . . .	23
OPS-7.4-B-Other	Long term activities for the LIGO Aundha Observatory . . . . .	23
OPS-8.1-A-InfraOps	Monitoring known or new DQ issues in the LIGO interferometers . . . . .	25
OPS-8.1-B-InfraOps	Monitoring known or new DQ issues in the Virgo interferometer . . . . .	26
OPS-8.1-C-InfraOps	Monitoring known or new DQ issues in the KAGRA interferometer . . . . .	26
OPS-8.1-D-InfraOps	LIGO Data quality shifts . . . . .	26
OPS-8.1-E-InfraOps	Monitoring known or new DQ issues that are correlated between detectors . . . . .	26
OPS-8.1-F-InfraOps	Investigation of DQ issues that impact search backgrounds . . . . .	27
OPS-8.2-A-Other	UNUSED . . . . .	27
OPS-8.2-B-InfraOps	Generation of online LIGO DQ Products . . . . .	28
OPS-8.2-C-InfraOps	Generation of offline Virgo DQ Products . . . . .	28
OPS-8.2-D-InfraOps	Generation of online Virgo DQ Products . . . . .	28
OPS-8.2-E-InfraOps	Generation of offline KAGRA DQ Products . . . . .	28
OPS-8.2-F-InfraOps	Generation of online KAGRA DQ Products . . . . .	29
OPS-8.2-G-InfraOps	Generation of veto definer files for astrophysical searches . . . . .	29
OPS-8.2-H-InfraOps	Developing, testing, and documenting offline LIGO DQ flags . . . . .	29
OPS-8.2-I-InfraOps	Producing lists of line artifacts in LIGO that impact searches for persistent gravitational wave signals . . . . .	29
OPS-8.2-J-InfraOps	Producing lists of instrumental correlations between detectors, including information on time evolution . . . . .	29
OPS-8.2-K-InfraOps	Generation of the offline iDQ timeseries for LIGO . . . . .	29
OPS-8.2-L-InfraOps	Develop and produce LIGO data frames with loud short-duration glitches gated for use by searches for persistent gravitational wave signals . . . . .	29

OPS-8.2-M-InfraOps	Generation of offline LIGO data frames with broadband noise subtraction . . .	29
OPS-8.2-N-InfraOps	Research and development of new techniques for broadband noise subtraction .	29
OPS-8.2-O-InfraOps	Research and development of new tools for generation of data quality products	29
OPS-8.3-A-InfraOps	DetChar vetting of transient GW candidates . . . . .	30
OPS-8.3-B-InfraOps	IGWN Data Quality Report: Operation and maintenance . . . . .	30
OPS-8.3-C-InfraOps	Support of the Virgo Data Quality Report . . . . .	30
OPS-8.3-D-InfraOps	DetChar vetting of persistent GW candidates . . . . .	30
OPS-8.3-E-InfraOps	Data mitigation for GW candidates . . . . .	31
OPS-8.3-F-InfraOps	Development to support current IGWN Data Quality Report with the next generation data delivery system . . . . .	31
OPS-8.3-G-InfraOps	Research and development of new tools for the IGWN Data Quality Report . . .	31
OPS-8.4-A-InfraOps	LIGO DetChar support of commissioning . . . . .	32
OPS-8.4-B-InfraOps	Virgo DetChar support of commissioning . . . . .	32
OPS-8.4-C-InfraOps	KAGRA DetChar support of commissioning . . . . .	33
OPS-8.5-A-InfraOps	Review of key DetChar tools, particularly those used to generate vetoes . . . .	34
OPS-8.5-B-InfraOps	GWsumm summary pages: Maintenance, operation, and development . . . .	34
OPS-8.5-C-Other	UNUSED . . . . .	34
OPS-8.5-D-InfraOps	Omicron: Maintenance, operation, and development . . . . .	34
OPS-8.5-E-InfraOps	Tools for safety information and studies: Maintenance, operation, and development . . . . .	34
OPS-8.5-F-InfraOps	iDQ: Maintenance, operation, and development . . . . .	34
OPS-8.5-G-InfraOps	SNAX toolkit: Maintenance, operation, and development . . . . .	34
OPS-8.5-H-InfraOps	GW-DetChar: Maintenance, operation, and development . . . . .	34
OPS-8.5-I-InfraOps	Stochmon: Maintenance, operation, and development . . . . .	35
OPS-8.5-J-InfraOps	STAMP-PEM: Maintenance, operation, and development . . . . .	35
OPS-8.5-K-InfraOps	Hveto: Maintenance, operation, and development . . . . .	35
OPS-8.5-L-InfraOps	UPV: Maintenance, operation, and development . . . . .	35
OPS-8.5-M-Other	UNUSED . . . . .	35
OPS-8.5-N-InfraOps	Pointy Poisson: Maintenance, operation, and development . . . . .	35
OPS-8.5-O-InfraOps	VET: Maintenance, operation, and development . . . . .	35
OPS-8.5-P-Other	UNUSED . . . . .	35
OPS-8.5-Q-Other	UNUSED . . . . .	35
OPS-8.5-R-InfraOps	LigoCAM: Maintenance, operation, and development . . . . .	35
OPS-8.5-S-InfraOps	Fscans and dependent tools: Maintenance, operation, and development . . . .	35
OPS-8.5-T-InfraOps	DetChar coherence tool: Maintenance, operation, and development . . . . .	35
OPS-8.5-U-InfraOps	Monitoring tool for CW hardware injections: Maintenance, operation, and development . . . . .	35
OPS-8.5-V-Other	UNUSED . . . . .	35
OPS-8.5-W-InfraOps	Adapt DetChar computing ecosystem to new storage architecture at EGO . . .	35
OPS-8.5-X-InfraOps	Maintaining key tools in Virgo DetChar . . . . .	36
OPS-8.5-Y-InfraOps	Gravity Spy: Maintenance, operation, and development . . . . .	36
OPS-8.6-A-InfraOps	Interfacing between DetChar and the search groups, calibration, and computing teams . . . . .	36
OPS-8.7-A-InfraOps	Development of new machine learning tools for DetChar investigations . . . .	37
OPS-8.7-B-Other	Development of tools to predict LIGO detector performance based on instrument state using machine learning . . . . .	37
OPS-8.7-C-Other	Machine learning for DetChar investigations of the Virgo interferometers . . . .	37
OPS-8.8-A-Other	UNUSED . . . . .	38

OPS-8.8-B-InfraOps Organization of planning and development in Virgo DetChar for the current and future observing runs . . . . .	38
OPS-8.9-A-InfraOps Characterization of the LIGO interferometers and auxiliary channels during A+ installation and for future observing runs . . . . .	39
OPS-8.9-B-InfraOps Characterization of the Virgo interferometer and auxiliary channels during AdV+ installation and for future observing runs . . . . .	39
OPS-8.9-C-InfraOps Characterization of the KAGRA interferometer and auxiliary channels during KAGRA installation and for future observing runs . . . . .	39
OPS-8.10-A-InfraOps Improve monitors of known DQ features in the LIGO interferometers . . . . .	40
OPS-8.10-B-InfraOps Improve monitors of known DQ features in the Virgo interferometer . . . . .	40
OPS-8.10-C-Other UNUSED . . . . .	40
OPS-8.10-D-Other Research and development of using known methods for noise identification/mitigation on different interferometers . . . . .	40
OPS-8.10-E-Other Research and development of new methods for noise identification/mitigation . . . . .	40
OPS-8.11-A-InfraOps Curation of detector characterization information for internal use . . . . .	41
OPS-8.11-B-InfraOps Curation of DQ information for public data releases through GWOSC . . . . .	41
OPS-8.12-A-Other Quantify the impact of transient noise on parameter estimation for transient GW events . . . . .	41
OPS-9.1-A-InfraOps LIGO Calibration Hardware Maintenance . . . . .	42
OPS-9.1-B-InfraOps LIGO Detector Modeling for Calibration . . . . .	42
OPS-9.1-C-InfraOps LIGO Calibration Measurements . . . . .	43
OPS-9.1-D-InfraOps LIGO Strain Production Software and Infrastructure . . . . .	43
OPS-9.1-E-InfraOps LIGO Calibration Monitoring . . . . .	44
OPS-9.1-F-InfraOps LIGO Hardware Injections . . . . .	44
OPS-9.1-G-InfraOps LIGO Calibration Review and Documentation . . . . .	44
OPS-9.1-H-InfraOps LIGO Calibration Pipeline Improvements . . . . .	45
OPS-9.1-I-Other LIGO Long Term Calibration Improvement Projects . . . . .	47
OPS-9.2-A-InfraOps Virgo Calibration Hardware Maintenance . . . . .	47
OPS-9.2-B-Other Virgo Calibration measurements . . . . .	47
OPS-9.2-C-Other Virgo Strain Production Software and Infrastructure . . . . .	48
OPS-9.2-D-Other Virgo Calibration Monitoring . . . . .	48
OPS-9.2-E-Other Virgo Hardware Injections . . . . .	48
OPS-9.2-F-Other Virgo Calibration Review and Documentation . . . . .	48
OPS-9.2-G-Other Virgo Calibration Pipeline Improvements . . . . .	48
OPS-9.2-H-Other Virgo Long Term Calibration Improvements Projects . . . . .	49
OPS-9.3-A-Other KAGRA Calibration Hardware Maintenance . . . . .	49
OPS-9.3-B-Other KAGRA Detector Modeling for Calibration . . . . .	50
OPS-9.3-C-Other KAGRA Calibration Measurements . . . . .	50
OPS-9.3-D-Other KAGRA Strain Production Software and Infrastructure . . . . .	50
OPS-9.3-E-Other KAGRA Calibration Review and Documentation . . . . .	50
OPS-9.3-F-Other KAGRA Improve Absolute Reference Hardware . . . . .	51
OPS-9.3-G-Other KAGRA Long Term Calibration Improvement Projects . . . . .	51
OPS-10.1-A-InfraOps Improve deployment and testing methods for the low-latency infrastructure . . . . .	52
OPS-10.1-B-InfraOps Feature development for the low-latency infrastructure . . . . .	53
OPS-10.2-A-InfraOps Regular Public Alerts User Guide updates and releases . . . . .	54
OPS-10.2-B-InfraOps IGWN science user documentation hub . . . . .	54
OPS-10.3-A-InfraOps Data replays for low-latency alert system testing . . . . .	54
OPS-10.4-A-InfraOps Improved joint FAR for external coincidences . . . . .	55

OPS-10.4-B-InfraOps	Offline searches within the external coincidences . . . . .	55
OPS-10.4-C-InfraOps	Including multiple external coincidences . . . . .	55
OPS-10.4-D-InfraOps	Including new external experiments . . . . .	55
OPS-10.5-A-InfraOps	Maintain and improve automated Bilby analysis . . . . .	56
OPS-10.5-B-InfraOps	Maintain and improve automated RapidPE-RIFT analysis . . . . .	56
OPS-10.5-C-InfraOps	Maintain and improve automated Bayestar analysis . . . . .	56
OPS-10.5-D-Other	Development new low-latency focused parameter estimation methods . . . . .	56
OPS-10.6-A-InfraOps	GraceDB development and maintenance focused on low-latency . . . . .	57
OPS-10.7-A-InfraOps	Low Latency review and testing . . . . .	58
OPS-10.8-A-InfraOps	Coarse-grained mass information . . . . .	58
OPS-10.8-B-InfraOps	Incorporation of multiple pipeline information in low latency alert products . .	59
OPS-10.8-C-InfraOps	Sub-solar mass . . . . .	59
OPS-11.1-A-InfraOps	Document Databases	
	(LVK.OPS.COMP.COS.DBDOC) . . . . .	59
OPS-11.1-B-InfraOps	Document web apps	
	(LVK.OPS.COMP.COS.DOC) . . . . .	60
OPS-11.1-C-InfraOps	Gitlab	
	(LVK.OPS.COMP.COS.GIT) . . . . .	60
OPS-11.1-D-InfraOps	Help Desk	
	(LVK.OPS.COMP.COS.HELP) . . . . .	60
OPS-11.1-E-InfraOps	Collaboration Mail	
	(LVK.OPS.COMP.COS.MAIL) . . . . .	60
OPS-11.1-F-InfraOps	Membership services	
	(LVK.OPS.COMP.COS.MEM) . . . . .	60
OPS-11.1-G-InfraOps	Remote Meetings	
	(LVK.OPS.COMP.COS.RMTM) . . . . .	60
OPS-11.1-H-InfraOps	Collaboration web sites.	
	(LVK.OPS.COMP.COS.WEB) . . . . .	60
OPS-11.1-I-InfraOps	Wiki	
	(LVK.OPS.COMP.COS.WIKI) . . . . .	60
OPS-11.2-A-InfraOps	Global Diagnostic System	
	(LVK.OPS.COMP.DASH.GDS) . . . . .	61
OPS-11.2-B-InfraOps	Low Latency data distribution and analysis systems	
	(LVK.OPS.COMP.DASH.LL) . . . . .	61
OPS-11.2-C-InfraOps	Open Science Grid	
	(LVK.OPS.COMP.DASH.OSG) . . . . .	61
OPS-11.2-D-InfraOps	Web based analysis portals and frameworks	
	(LVK.OPS.COMP.DASH.WEB) . . . . .	61
OPS-11.2-E-InfraOps	Bulk data aggregation and distribution	
	(LVK.OPS.COMP.DASH.BULKDD) . . . . .	61
OPS-11.2-F-InfraOps	Channel Information System	
	(LVK.OPS.COMP.DASH.CIS) . . . . .	61
OPS-11.2-G-InfraOps	CVMFS	
	(LVK.OPS.COMP.DASH.CVMFS) . . . . .	62
OPS-11.2-H-InfraOps	Data formats and services	
	(LVK.OPS.COMP.DASH.FMT) . . . . .	62
OPS-11.2-I-InfraOps	GraceDB	
	(LVK.OPS.COMP.DASH.GDB) . . . . .	62

OPS-11.2-J-InfraOps Gravitational Wave Data Find	
(LVK.OPS.COMP.DASH.GDF) . . . . .	62
OPS-11.2-K-InfraOps IGWN Alert	
(LVK.OPS.COMP.DASH.IGWA) . . . . .	62
OPS-11.2-L-InfraOps Kafka	
(LVK.OPS.COMP.DASH.KAFK) . . . . .	62
OPS-11.2-M-InfraOps Legacy data replication services	
(LVK.OPS.COMP.DASH.LEGDD) . . . . .	62
OPS-11.2-N-InfraOps NDS2	
(LVK.OPS.COMP.DASH.NDS2) . . . . .	62
OPS-11.2-O-InfraOps OSDF	
(LVK.OPS.COMP.DASH.OSDF) . . . . .	62
OPS-11.2-P-InfraOps Public Data Release	
(LVK.OPS.COMP.DASH.PUB) . . . . .	62
OPS-11.2-Q-InfraOps Public Alert Infrastructure	
(LVK.OPS.COMP.DASH.PUBA) . . . . .	63
OPS-11.2-R-InfraOps Results data bases	
(LVK.OPS.COMP.DASH.RDB) . . . . .	63
OPS-11.2-S-InfraOps Rucio	
(LVK.OPS.COMP.DASH.RUC) . . . . .	63
OPS-11.2-T-InfraOps Segment DB	
(LVK.OPS.COMP.DASH.SEGDB) . . . . .	63
OPS-11.3-A-InfraOps Accounting	
(LVK.OPS.COMP.MGMT.ACCT) . . . . .	63
OPS-11.3-B-InfraOps CompSoft Chair	
(LVK.OPS.COMP.MGMT.CHR) . . . . .	64
OPS-11.3-C-InfraOps CompSoft External group interactions	
(LVK.OPS.COMP.MGMT.EXT) . . . . .	64
OPS-11.3-D-InfraOps Hardware supply, demand and prioritization	
(LVK.OPS.COMP.MGMT.HDW) . . . . .	64
OPS-11.3-E-InfraOps Optimization Prioritization	
(LVK.OPS.COMP.MGMT.OPT) . . . . .	64
OPS-11.3-F-InfraOps CompSoft Policies and Procedures	
(LVK.OPS.COMP.MGMT.POL) . . . . .	64
OPS-11.3-G-InfraOps CompSoft Review	
(LVK.OPS.COMP.MGMT.REV) . . . . .	64
OPS-11.3-H-InfraOps Work Breakdown Structure	
(LVK.OPS.COMP.MGMT.WBS) . . . . .	64
OPS-11.4-A-InfraOps Accounts	
(LVK.OPS.COMP.SIAM.ACCT) . . . . .	65
OPS-11.4-B-InfraOps CILogon	
(LVK.OPS.COMP.SIAM.CIL) . . . . .	65
OPS-11.4-C-InfraOps Comanage	
(LVK.OPS.COMP.SIAM.COMG) . . . . .	65
OPS-11.4-D-InfraOps ECP	
(LVK.OPS.COMP.SIAM.ECP) . . . . .	65
OPS-11.4-E-InfraOps Infrastructure	
(LVK.OPS.COMP.SIAM.INF) . . . . .	65

OPS-11.4-F-InfraOps Kerberos (LVK.OPS.COMP.SIAM.KRB) . . . . .	65
OPS-11.4-G-InfraOps Multifactor authentication (LVK.OPS.COMP.SIAM.MFA) . . . . .	65
OPS-11.4-H-InfraOps IAM Subgroup Management (LVK.OPS.COMP.SIAM.MGMT) . . . . .	65
OPS-11.4-I-InfraOps myLIGO (LVK.OPS.COMP.SIAM.MYLG) . . . . .	65
OPS-11.4-J-InfraOps Scitokens (LVK.OPS.COMP.SIAM.SCIT) . . . . .	66
OPS-11.4-K-InfraOps Shibboleth (LVK.OPS.COMP.SIAM.SHB) . . . . .	66
OPS-11.4-L-InfraOps Grouper (LVK.OPS.COMP.SIAM.GRPR) . . . . .	66
OPS-11.5-A-InfraOps Frame distribution and reading (LVK.OPS.COMP.SOFT.FRSUP) . . . . .	66
OPS-11.5-B-InfraOps GLUE (LVK.OPS.COMP.SOFT.GLUE) . . . . .	66
OPS-11.5-C-InfraOps GstLAL Calibration (LVK.OPS.COMP.SOFT.GSTC) . . . . .	66
OPS-11.5-D-InfraOps GWPy (LVK.OPS.COMP.SOFT.GWPY) . . . . .	67
OPS-11.5-E-InfraOps LALSuite Maintenance and Support (LVK.OPS.COMP.SOFT.LAL) . . . . .	67
OPS-11.5-F-InfraOps LDG package (LVK.OPS.COMP.SOFT.LDG) . . . . .	67
OPS-11.5-G-InfraOps Software Subgroup Management (LVK.OPS.COMP.SOFT.MGMT) . . . . .	67
OPS-11.5-H-InfraOps Software Performance Optimization (LVK.OPS.COMP.SOFT.OPT) . . . . .	67
OPS-11.5-I-InfraOps Packaging (LVK.OPS.COMP.SOFT.PKG) . . . . .	67
OPS-11.5-J-InfraOps Development support for any software (LVK.OPS.COMP.SOFT.SUP) . . . . .	67
OPS-11.5-K-InfraOps Testing Infrastructure and Support (LVK.OPS.COMP.SOFT.TEST) . . . . .	67
OPS-11.5-L-InfraOps Workflow management toolkit (LVK.OPS.COMP.SOFT.WRKF) . . . . .	67
OPS-11.5-M-InfraOps Python Virgo Tool (LVK.OPS.COMP.SOFT.PVT) . . . . .	68
OPS-11.6-A-InfraOps HTCondor (LVK.OPS.COMP.SYS.COND) . . . . .	68
OPS-11.6-B-InfraOps European data grid user services and infrastructure (LVK.OPS.COMP.SYS.EDG) . . . . .	68
OPS-11.6-C-InfraOps Hardware (LVK.OPS.COMP.SYS.HDW) . . . . .	68
OPS-11.6-D-InfraOps Indian computing user services and infrastructure (LVK.OPS.COMP.SYS.IDG) . . . . .	68



OPS-11.6-E-InfraOps Japanese computing user services and infrastructure (LVK.OPS.COMP.SYS.JDG) . . . . .	68
OPS-11.6-F-InfraOps Kubernetes (LVK.OPS.COMP.SYS.K8S) . . . . .	69
OPS-11.6-G-InfraOps LDG user services and infrastructure (LVK.OPS.COMP.SYS.LDG) . . . . .	69
OPS-11.6-H-InfraOps Computing Systems Subgroup Management (LVK.OPS.COMP.SYS.MGMT) . . . . .	69
OPS-11.6-I-InfraOps Monitoring (LVK.OPS.COMP.SYS.MON) . . . . .	69
OPS-11.6-J-InfraOps Network (LVK.OPS.COMP.SYS.NET) . . . . .	69
OPS-11.6-K-InfraOps Optimization for heterogeneous computing systems (LVK.OPS.COMP.SYS.OPT) . . . . .	69
OPS-11.6-L-InfraOps Storage (LVK.OPS.COMP.SYS.STR) . . . . .	69
OPS-11.6-M-InfraOps Virtual Machines (LVK.OPS.COMP.SYS.VMS) . . . . .	69
OPS-12.1-A-InfraOps Add O4a Transient Events from CBC Catalog to GWOSC Event Portal . . . .	70
OPS-12.1-B-InfraOps Prepare O4a strain data release . . . . .	70
OPS-12.1-C-InfraOps Prepare O4a auxiliary channel release . . . . .	70
OPS-12.1-D-InfraOps Prepare O4a exceptional event data releases . . . . .	70
OPS-12.1-E-InfraOps Prepare O4a data paper . . . . .	70
OPS-12.2-A-Other NOT USED . . . . .	71
OPS-12.2-B-Other NOT USED . . . . .	71
OPS-12.2-C-InfraOps GWOSC Webserver Maintenance (level-of-effort) . . . . .	71
OPS-12.2-D-InfraOps Create a prototype Content Management System . . . . .	71
OPS-12.2-E-InfraOps Create a django app for CBC Flow . . . . .	71
OPS-12.2-F-InfraOps Improve UI/UX . . . . .	71
OPS-12.2-G-InfraOps Update to django 5.2 . . . . .	71
OPS-12.3-A-InfraOps Ingest and Release Community Catalogs . . . . .	71
OPS-12.4-A-InfraOps Develop an interactive plotting software for GW data . . . . .	72
OPS-12.5-A-InfraOps Plan Open Data Workshop 2025 . . . . .	72
OPS-12.5-B-InfraOps Mentor at Open Data Workshop 2025 . . . . .	72
OPS-12.5-C-InfraOps Answer questions on ask.igwn.org (Level of Effort) . . . . .	72
OPS-13.1-A-Other Unused: This Activity ID unused . . . . .	72
OPS-13.1-B-Other Unused: This Activity ID unused . . . . .	73
OPS-14.1-A-InfraOps JRPC Maintaing the public Observer page . . . . .	73
OPS-14.2-A-InfraOps Providing low latency human responses to all significant public alerts . . . .	75
OPS-15.1-A-InfraOps Participation in the LSC Fellows Program . . . . .	76
OPS-15.1-B-Other Collaboration with local site staff on improving detector noise or duty cycle. . . .	76
OPS-16.1-A-InfraOps Operations Divisions Chairs . . . . .	77
OPS-16.2-A-InfraOps Serving as Calibration Working Groups Chairs . . . . .	77
OPS-16.3-A-InfraOps Serving as Detector Characterization Working Groups Chairs . . . . .	77
OPS-16.4-A-InfraOps Serving as Low-latency Working Group Chairs . . . . .	77
OPS-16.5-A-InfraOps Serving as Run Planning Committee Chairs . . . . .	78
OPS-16.6-A-InfraOps Serving as Computing and Software Working Group Chairs . . . . .	78
OPS-16.7-A-InfraOps Serving as Support of the Observatories Committee Chair . . . . .	78

OPS-16.8-A-InfraOps Serving as Open Data Working Group Chair . . . . .	78
--	----

# List of Tasks

OPS-3.1-A(i)-InfraOps	Noise hunting . . . . .	17
OPS-3.1-A(ii)-InfraOps	Duty cycle improvements . . . . .	18
OPS-3.2-A(i)-InfraOps	Double recycling . . . . .	18
OPS-3.2-A(ii)-InfraOps	Frequency dependent squeezing . . . . .	18
OPS-3.2-A(iii)-InfraOps	High power laser . . . . .	18
OPS-3.2-A(iv)-InfraOps	NN cancellation . . . . .	19
OPS-3.2-A(v)-InfraOps	Detection upgrades . . . . .	19
OPS-3.2-A(vi)-InfraOps	Other upgrades . . . . .	19
OPS-8.1-A(i)-InfraOps	Investigation of worst offender noise sources . . . . .	25
OPS-8.1-A(ii)-InfraOps	Monitoring and studies to characterize spectral artifacts (lines or combs) that impact searches for persistent gravitational wave signals . . . . .	25
OPS-8.1-A(iii)-InfraOps	Maintenance and characterization of the Physical Environment Monitor (PEM) sensors . . . . .	25
OPS-8.1-A(iv)-InfraOps	Measuring and monitoring the level of magnetic coupling at the LIGO observatories . . . . .	25
OPS-8.1-B(i)-InfraOps	Investigation of transient noise in Virgo data . . . . .	25
OPS-8.1-B(ii)-InfraOps	Monitoring and studies to characterize spectral artifacts . . . . .	25
OPS-8.1-B(iii)-InfraOps	Investigation of BNS range drops and lock-losses causes by means of a new improved monitor . . . . .	25
OPS-8.1-B(iv)-InfraOps	Characterizing the level of environmental noise coupling at the Virgo site . . . . .	26
OPS-8.1-C(i)-InfraOps	Investigation reasons for lock losses . . . . .	26
OPS-8.1-C(ii)-InfraOps	Maintenance and characterization of the Physical Environment Monitor (PEM) sensors . . . . .	26
OPS-8.1-D(i)-InfraOps	Contributing to conducting or mentoring LIGO DQ shifts . . . . .	26
OPS-8.1-E(i)-InfraOps	Perform studies of instrumental and environmental correlations between detectors, particularly correlated magnetic noise. . . . .	26
OPS-8.1-F(i)-InfraOps	Studying how instrumental artifacts affect the sensitivity of a specific search or search method. . . . .	26
OPS-8.1-F(ii)-InfraOps	Developing search-specific techniques for noise mitigation. . . . .	26
OPS-8.1-F(iii)-InfraOps	Investigating the loudest background outliers for a specific search or search method . . . . .	27
OPS-8.1-F(iv)-InfraOps	Calibration uncertainty assessment for stochastic searches . . . . .	27
OPS-8.2-A(i)-Other	UNUSED . . . . .	27
OPS-8.2-A(ii)-Other	UNUSED . . . . .	27
OPS-8.2-A(iii)-Other	UNUSED . . . . .	27
OPS-8.2-A(iv)-Other	UNUSED . . . . .	27
OPS-8.2-A(v)-Other	UNUSED . . . . .	27
OPS-8.2-A(vi)-Other	UNUSED . . . . .	27
OPS-8.2-A(vii)-Other	UNUSED . . . . .	27
OPS-8.2-A(viii)-Other	UNUSED . . . . .	27
OPS-8.2-B(i)-InfraOps	Support of online DQ products . . . . .	27
OPS-8.2-B(ii)-InfraOps	Review of online DQ products . . . . .	28
OPS-8.2-C(i)-InfraOps	Review of offline DQ products . . . . .	28
OPS-8.2-C(ii)-InfraOps	Full automation (and latency reduction) of the production of offline DQ flags and vetoes . . . . .	28

OPS-8.2-C(iii)-InfraOps	Support for additional offline DQ products such as iDQ timeseries . . . . .	28
OPS-8.2-C(iv)-InfraOps	Producing and reviewing lists of line artifacts that impact searches for per- sistent gravitational wave signals . . . . .	28
OPS-8.2-C(v)-InfraOps	Analysing correlated magnetic noise that impacts searches for the stochastic gravitational-wave background . . . . .	28
OPS-8.2-C(vi)-InfraOps	Study of the implementation and impact of non-linear noise subtraction on stochastic searches, and adopt where necessary . . . . .	28
OPS-8.2-D(i)-InfraOps	Review of online DQ products . . . . .	28
OPS-8.2-D(ii)-InfraOps	Reduce latency of online flags and vetoes production . . . . .	28
OPS-8.2-E(i)-InfraOps	Providing segment information using auxiliary channels . . . . .	28
OPS-8.2-E(ii)-InfraOps	Providing CAT1 DQ flags for each search group . . . . .	28
OPS-8.2-E(iii)-InfraOps	Providing CAT2/3/4 DQ flags for each search group . . . . .	28
OPS-8.2-E(iv)-InfraOps	Producing and reviewing lists of line artifacts that impact searches for per- sistent gravitational wave signals . . . . .	28
OPS-8.2-F(i)-InfraOps	Providing the online DQ state vector . . . . .	29
OPS-8.2-F(ii)-InfraOps	Providing observation mode DQ segments with shorter cadence than the O3GK run . . . . .	29
OPS-8.2-G(i)-InfraOps	Producing and reviewing offline veto definer files, which define the DQ flags that are used to veto data for each individual astrophysical search . . . . .	29
OPS-8.3-A(i)-InfraOps	Contributing to conducting or mentoring GW event candidate validation . . .	30
OPS-8.3-A(ii)-InfraOps	Field a DetChar rapid response team to vet the data quality for low-latency gravitational wave candidate events . . . . .	30
OPS-8.3-B(i)-InfraOps	Operation, maintenance and review of tasks for the IGWN DQR . . . . .	30
OPS-8.3-B(ii)-InfraOps	Produce training material to evaluate the IGWN DQR for GW event validation	30
OPS-8.3-C(i)-InfraOps	Development, maintenance and review of tasks for the Virgo DQR . . . . .	30
OPS-8.3-C(ii)-InfraOps	Inclusion in the Virgo DQR of new tasks for O4 common to the IGWN DQR	30
OPS-8.3-C(iii)-InfraOps	Providing LIGO and KAGRA with tasks developed within the Virgo DQR framework, for potential reuse in their own DQR instances . . . . .	30
OPS-8.3-D(i)-InfraOps	Support validation of CW candidates, including development and studies to address DetChar-related items in the protocol for establishing confidence in a CW candidate [15] .	30
OPS-8.3-D(ii)-InfraOps	Support validation of stochastic GW candidates, including DetChar-related items in the Stochastic detection checklist [16] . . . . .	30
OPS-8.3-E(i)-InfraOps	Produce, test and review glitch mitigated frames for parameter estimation analyses . . . . .	30
OPS-8.3-E(ii)-InfraOps	Development and automation of data mitigation process . . . . .	31
OPS-8.3-F(i)-InfraOps	Development to support current IGWN Data Quality Report with the next generation data delivery system . . . . .	31
OPS-8.3-G(i)-InfraOps	Research and development of new tools for the IGWN Data Quality Report .	31
OPS-8.4-A(i)-InfraOps	Tracking issues that affect interferometer uptime, such as seismic motion . .	31
OPS-8.4-A(ii)-InfraOps	Investigating noise sources that limit detector sensitivity . . . . .	31
OPS-8.4-A(iii)-InfraOps	Interfacing with commissioners and instrument experts to propagate instru- ment changes and developments to detector characterization investigations and monitoring. . . . .	31
OPS-8.4-A(iv)-InfraOps	Monitoring and using the Fault Reporting System (FRS) and the electronic logs (alogs) to communicate results and request tests. . . . .	31
OPS-8.4-A(v)-InfraOps	Performing investigations as prompted by commissioners, including request- ing additional information or suggesting follow-up tests when needed and reporting results on the alogs. . . . .	31

OPS-8.4-A(vi)-InfraOps	Mentoring and training scientists in the Detector Characterization group to perform instrumental investigations . . . . .	32
OPS-8.4-A(vii)-InfraOps	Mentoring and training scientists participating in the LSC fellows program . . . . .	32
OPS-8.4-A(viii)-InfraOps	Reporting to commissioners and instrument experts about noise features that have the largest impacts on specific astrophysical analyses. . . . .	32
OPS-8.4-B(i)-InfraOps	Investigating issues that affect interferometer duty cycle . . . . .	32
OPS-8.4-B(ii)-InfraOps	Investigating noise sources that limit detector sensitivity . . . . .	32
OPS-8.4-B(iii)-InfraOps	Performing investigations as prompted by commissioners, including requesting additional information or suggesting follow-up tests when needed and reporting results on the logbook . . . . .	32
OPS-8.4-B(iv)-InfraOps	Support commissioners by maintainig the available statistical analysis tools and developing new ones on demand . . . . .	32
OPS-8.4-B(v)-InfraOps	Participating in commissioning activities . . . . .	32
OPS-8.4-B(vi)-InfraOps	Reporting to commissioners and instrument experts the results of relevant noise studies . . . . .	32
OPS-8.4-C(i)-InfraOps	Providing tools and information to commissioners. . . . .	32
OPS-8.5-X(i)-InfraOps	Review of key DetChar tools . . . . .	35
OPS-8.6-A(i)-InfraOps	Interfacing with search groups . . . . .	36
OPS-8.6-A(ii)-InfraOps	Interfacing with the calibration, computing, and low-latency teams. . . . .	36
OPS-8.6-A(iii)-InfraOps	Assist the calibration group with investigating and testing which auxiliary channels are needed to produce broadband noise subtracted frames, if needed by the collaboration . . . . .	36
OPS-8.7-A(i)-InfraOps	Machine learning [51] classification, regression and data mining studies targeting known noise sources, e.g., scattering. . . . .	37
OPS-8.7-B(i)-Other	Lock loss prediction. . . . .	37
OPS-8.7-B(ii)-Other	Prediction of noise characteristics or other detector performance metrics. . . . .	37
OPS-8.7-C(i)-Other	Glitch classification . . . . .	37
OPS-8.7-C(ii)-Other	Anomaly detection . . . . .	37
OPS-8.7-C(iii)-Other	Non-linear noise subtraction . . . . .	37
OPS-8.8-A(i)-Other	UNUSED . . . . .	37
OPS-8.8-A(ii)-Other	UNUSED . . . . .	38
OPS-8.8-B(i)-InfraOps	Construction of a core team of DetChar experts, active in the last period before O4 and during the whole run . . . . .	38
OPS-8.8-B(ii)-InfraOps	Monitoring the group's activities and efficient distribution of the resources via GitLab project . . . . .	38
OPS-8.8-B(iii)-InfraOps	GitLab Help project to assist newcomers and share knowledge by answering help requests . . . . .	38
OPS-8.8-B(iv)-InfraOps	Addressing personpower issues that have limited the number of tasks the Virgo DetChar group could focus on during O3 . . . . .	38
OPS-8.9-A(i)-InfraOps	Documentation of planned or newly installed interferometer subsystems and environmental monitors. . . . .	38
OPS-8.9-A(ii)-InfraOps	Maintenance of lists of auxiliary channels useful for DetChar studies to include new subsystems and environmental monitors. . . . .	38
OPS-8.9-A(iii)-InfraOps	Maintenance of summary page content to include new subsystems and environmental monitors. . . . .	38
OPS-8.9-A(iv)-InfraOps	Signal fidelity studies of newly installed auxiliary channels. . . . .	38
OPS-8.9-A(v)-InfraOps	Auxiliary channel safety studies for new subsystems and environmental monitors. . . . .	38

OPS-8.9-A(vi)-InfraOps	Development and improvement of PEM sensors and sensor characterization for A+ and future observing runs, e.g., magnetometers to monitor Schumann resonances in the Earth's electromagnetic field. . . . .	39
OPS-8.9-B(i)-InfraOps	Review and maintain the lists of channels that are needed and used by the DetChar software . . . . .	39
OPS-8.9-B(ii)-InfraOps	Maintenance of lists of auxiliary channels useful for DetChar studies to include new subsystems and environmental monitors . . . . .	39
OPS-8.9-B(iii)-InfraOps	Deploy an improved pipeline for regular Virgo channel safety studies before and during O4 . . . . .	39
OPS-8.9-B(iv)-InfraOps	Auxiliary channel safety studies for new subsystems and environmental monitors . . . . .	39
OPS-8.9-C(i)-InfraOps	Auxiliary channel safety studies for new subsystems and environmental monitors . . . . .	39
OPS-8.10-A(i)-InfraOps	Improving monitoring and reporting of digital and analog overflows, reaching software limits, and other kinds of saturations; monitoring and reporting of real-time data handling errors (timing, dropped data, etc.). . . . .	39
OPS-8.10-A(ii)-InfraOps	Improving monitors for excess mirror motion leading to scattered light. . .	39
OPS-8.10-A(iii)-InfraOps	Schumann resonance studies. . . . .	40
OPS-8.10-A(iv)-InfraOps	Develop tool to query stochastic monitors to find which auxiliary channels are coherent with the gravitational wave strain data at a given frequency. . . . .	40
OPS-8.10-A(v)-InfraOps	Optic suspension resonance 'violin mode' monitoring . . . . .	40
OPS-8.10-B(i)-InfraOps	Improve integration of bi-linear noise coupling daily monitor into VIM summary pages . . . . .	40
OPS-8.10-B(ii)-InfraOps	Deploy online Scattered Light monitor . . . . .	40
OPS-8.10-B(iii)-InfraOps	Deploy BNS range drops monitor and keep maintaining the lock-loss monitor	40
OPS-8.10-B(iv)-InfraOps	Deploy monitor of daily regression results . . . . .	40
OPS-8.10-C(i)-Other	UNUSED . . . . .	40
OPS-8.10-C(ii)-Other	UNUSED . . . . .	40
OPS-8.10-C(iii)-Other	UNUSED . . . . .	40
OPS-8.10-C(iv)-Other	UNUSED . . . . .	40
OPS-8.10-C(v)-Other	UNUSED . . . . .	40
OPS-8.10-D(i)-Other	Investigating the use of iDQ at Virgo during O4 . . . . .	40
OPS-8.10-E(i)-Other	Research and development of new methods for noise identification/mitigation .	40
OPS-8.11-A(i)-InfraOps	Curation, documentation, and review of documentation for key tools. . . . .	41
OPS-8.11-A(ii)-InfraOps	Curation, documentation, and review of documentation for configuration files used in detector characterization analyses. . . . .	41
OPS-8.11-B(i)-InfraOps	Curation, documentation, and review of DQ vetoes for release by the GW Open Science Center (GWOSC) [52]. . . . .	41
OPS-8.11-B(ii)-InfraOps	Development and documentation of the "Detector status" public summary pages hosted by the GWOSC [31]. . . . .	41
OPS-8.12-A(i)-Other	Test the effects of transient noise on recovered source properties . . . . .	41
OPS-8.12-A(ii)-Other	Develop and test methods to reconstruct and remove from h(t) isolated glitches and other noise types . . . . .	41
OPS-9.1-A(i)-InfraOps	Maintenance and monitoring of Photon Calibrators . . . . .	42
OPS-9.1-B(i)-InfraOps	DARM Loop Model Measurements and Updates . . . . .	42
OPS-9.1-B(ii)-InfraOps	DARM Loop Modeling Software Maintenance . . . . .	42
OPS-9.1-C(i)-InfraOps	Regular Measurements Throughout Observing Run . . . . .	43
OPS-9.1-D(i)-InfraOps	Maintain Production Low-latency Calibration Pipeline . . . . .	43

OPS-9.1-D(ii)-InfraOps	Maintain Low-latency Error and Uncertainty Estimate Infrastructure . . . . .	43
OPS-9.1-D(iii)-InfraOps	Update Software to be Consistent with DARM Model As Needed . . . . .	43
OPS-9.1-D(iv)-InfraOps	Cleaning of Strain Data . . . . .	43
OPS-9.1-D(v)-InfraOps	Offline Strain Data Regeneration . . . . .	43
OPS-9.1-E(i)-InfraOps	Summary Page Maintenance and Coordination . . . . .	43
OPS-9.1-E(ii)-InfraOps	Real-time Monitoring Tools . . . . .	44
OPS-9.1-F(i)-InfraOps	Facilitation of Hardware Injections . . . . .	44
OPS-9.1-G(i)-InfraOps	Calibration Review . . . . .	44
OPS-9.1-G(ii)-InfraOps	Documentation of Calibration Processes . . . . .	44
OPS-9.1-H(i)-InfraOps	Improved Automation of Calibration Measurements . . . . .	44
OPS-9.1-H(ii)-InfraOps	Improved Automation of Calibration Model Updates . . . . .	45
OPS-9.1-H(iii)-InfraOps	Front-end Calibration Pipeline Improvements . . . . .	45
OPS-9.1-H(iv)-InfraOps	Low-latency Calibration Pipeline Improvements . . . . .	45
OPS-9.1-H(v)-InfraOps	Improve Calibration Error and Uncertainty Estimation . . . . .	45
OPS-9.1-H(vi)-InfraOps	Early-warning Calibrated Strain Production . . . . .	45
OPS-9.1-I(i)-Other	Detector Modeling Improvements . . . . .	45
OPS-9.1-I(ii)-Other	Error and Uncertainty Modeling Improvements . . . . .	45
OPS-9.1-I(iii)-Other	Modify DARM Loop to Minimize Systematic Error . . . . .	45
OPS-9.1-I(iv)-Other	Calibration Above 1 kHz . . . . .	46
OPS-9.1-I(v)-Other	Fix Sources of Known Systematic Errors . . . . .	46
OPS-9.1-I(vi)-Other	Compensate for Known Systematic Errors . . . . .	46
OPS-9.1-I(vii)-Other	Upgrades to Photon Calibrator Systems . . . . .	46
OPS-9.1-I(viii)-Other	Incorporate Calibration Error and Uncertainty with Astrophysical Results . . . . .	46
OPS-9.2-A(i)-InfraOps	Maintenance of Photon Calibrators . . . . .	47
OPS-9.2-A(ii)-InfraOps	Maintenance and study of Newtonian Calibrators . . . . .	47
OPS-9.2-B(i)-Other	Regular Measurements Throughout Observing Run . . . . .	47
OPS-9.2-B(ii)-Other	Permanent Measurements Throughout Observing Run . . . . .	47
OPS-9.2-C(i)-Other	Maintain Calibration Production Pipeline Programs and Software . . . . .	47
OPS-9.2-C(ii)-Other	Update Software Configuration to be Consistent with Calibration Models as Needed . . . . .	47
OPS-9.2-C(iii)-Other	Cleaning of Strain Data . . . . .	47
OPS-9.2-C(iv)-Other	Low-latency Strain Data Production during O4 . . . . .	48
OPS-9.2-C(v)-Other	Offline Estimation of Strain Data Uncertainties . . . . .	48
OPS-9.2-C(vi)-Other	Offline Strain Data Regeneration . . . . .	48
OPS-9.2-D(i)-Other	Summary Page Maintenance and Coordination . . . . .	48
OPS-9.2-G(i)-Other	Improved Automation of Calibration Measurements and Analysis . . . . .	48
OPS-9.2-G(ii)-Other	Low-latency Calibration Error Estimation . . . . .	48
OPS-9.2-H(i)-Other	Upgrades to Photon Calibrator Systems . . . . .	49
OPS-9.2-H(ii)-Other	Upgrades to Newtonian Calibrator Systems . . . . .	49
OPS-9.2-H(iii)-Other	Upgrades to Photodiode Output Calibration System . . . . .	49
OPS-9.2-H(iv)-Other	Use of scattered light from end-stations to check strain data reconstruction . . . . .	49
OPS-9.2-H(v)-Other	Early Warning Calibrated Strain Production . . . . .	49
OPS-9.3-A(i)-Other	Maintenance of Photon Calibrators . . . . .	49
OPS-9.3-B(i)-Other	DARM Loop Model Measurements and Updates . . . . .	49
OPS-9.3-C(i)-Other	Regular Measurements Throughout Observing Run . . . . .	50
OPS-9.3-D(i)-Other	Maintain Calibration Production Pipeline Programs and Software . . . . .	50
OPS-9.3-D(ii)-Other	Update Software to be Consistent with DARM Model as Needed . . . . .	50
OPS-9.3-D(iii)-Other	DARM Loop Modeling Software Update . . . . .	50

OPS-9.3-E(i)-Other Calibration Review . . . . .	50
OPS-9.3-E(ii)-Other Documentation of Calibration Processes . . . . .	50
OPS-9.3-F(i)-Other UPGRADES TO PHOTON CALIBRATOR SYSTEMS . . . . .	51
OPS-9.3-F(ii)-Other AUTOMATION OF POWER SENSOR CALIBRATION . . . . .	51
OPS-9.3-G(i)-Other Development of Newtonian Calibrators . . . . .	51
OPS-10.1-A(i)-InfraOps Low-latency trigger Mock Event Generator improvements . . . . .	52
OPS-10.1-A(ii)-InfraOps Load testing for the low-latency infrastructure . . . . .	52
OPS-10.1-A(iii)-InfraOps Deployment of the low-latency infrastructure . . . . .	52
OPS-10.1-A(iv)-InfraOps Performance and Error tracking for the low-latency infrastructure . . . . .	52
OPS-10.1-B(i)-InfraOps Reduce latency of the low-latency infrastructure . . . . .	53
OPS-10.1-B(ii)-InfraOps Incorporating extra detectors in the low-latency infrastructure . . . . .	53
OPS-10.1-B(iii)-InfraOps Incorporation of new and existing data product in the low-latency infras- tructure . . . . .	53
OPS-10.2-A(i)-InfraOps Release User Guide monthly . . . . .	54
OPS-10.2-B(i)-InfraOps Development of documentation hub . . . . .	54
OPS-10.3-A(i)-InfraOps Maintain current data replay and associated injection sets for low-latency alert system testing . . . . .	54
OPS-10.3-A(ii)-InfraOps Integrating new searches into the low-latency alert system . . . . .	54
OPS-10.3-A(iii)-InfraOps Latency tracking for the low-latency alert system . . . . .	54
OPS-10.6-A(i)-InfraOps Explore Alternate Deployment Strategies for GraceDB . . . . .	57
OPS-10.6-A(ii)-InfraOps Streamline and Develop API Experience for GraceDB . . . . .	57
OPS-10.6-A(iii)-InfraOps Apache Kafka integration . . . . .	57
OPS-10.7-A(i)-InfraOps Low latency documents review . . . . .	58
OPS-10.7-A(ii)-InfraOps Review of Main low latency software stack of O4 system . . . . .	58
OPS-10.7-A(iii)-InfraOps Production low latency alert system review . . . . .	58
OPS-10.8-A(i)-InfraOps Development of CGMI data products . . . . .	58
OPS-10.8-A(ii)-InfraOps Development and maintenance for CGMI software package . . . . .	58
OPS-10.8-B(i)-InfraOps Develop methods related to low-latency combination of multiple pipelines . . . . .	59
OPS-10.8-B(ii)-InfraOps Implementation of combined data products within the low-latency alert system . . . . .	59
OPS-10.8-C(i)-InfraOps Development of SSM workflow . . . . .	59
OPS-10.8-C(ii)-InfraOps Development and maintenance of data products within EMBright . . . . .	59
OPS-13.1-A(i)-Other Unused: This Task ID unused . . . . .	72
OPS-13.1-A(ii)-Other Unused: This Task ID unused . . . . .	72
OPS-13.1-A(iii)-Other Unused: This Task ID unused . . . . .	72
OPS-13.1-A(iv)-Other Unused: This Task ID unused . . . . .	72
OPS-13.1-A(v)-Other Unused: This Task ID unused . . . . .	72
OPS-13.1-B(i)-Other Unused: This Task ID unused . . . . .	73
OPS-13.1-B(ii)-Other Unused: This Task ID unused . . . . .	73
OPS-13.1-B(iii)-Other Unused: This Task ID unused . . . . .	73
OPS-14.1-A(i)-InfraOps Public Text . . . . .	73
OPS-14.1-A(ii)-InfraOps Public Timeline . . . . .	73
OPS-14.2-A(i)-InfraOps Maintaining policy documents and software . . . . .	74
OPS-14.2-A(ii)-InfraOps Organizing and training the RRT responders team . . . . .	75
OPS-14.2-A(iii)-InfraOps Service as the RRT Level 0 responder: LSC Fellows . . . . .	75
OPS-14.2-A(iv)-InfraOps Service as the RRT Level 0 responder: Members who are not Fellows . . . . .	75
OPS-14.2-A(v)-InfraOps Service as the RRT Level 0 responder: Virgo Collaboration . . . . .	75
OPS-14.2-A(vi)-InfraOps Service as the RRT Level 0 responder: KAGRA Collaboration . . . . .	75



OPS-15.1-A(i)-InfraOps Activities as an LSC Fellow . . . . .	76
OPS-15.1-A(ii)-InfraOps On-Site contact for DQ shifts . . . . .	76