



Symbol	Count	Hole Size	Plated	Hole Type	Drill Layer Pair	Via/Pad	Pad Shape	Template	Description	Hole Tolerance (+)	Hole Tolerance (-)
◇	2	75.00mil (1.905mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c254h190			
▣	2	155.00mil (3.937mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c508h394			
✳	4	29.00mil (0.737mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c120h74			
▽	4	128.35mil (3.260mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c476h326			
◎	4	190.00mil (4.826mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c559h483			
✕	4	193.00mil (4.902mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c584h490			
⊕	8	28.00mil (0.711mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c122h71			
□	8	32.00mil (0.813mm)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)			
⊠	9	40.00mil (1.016mm)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)			
✧	18	42.91mil (1.090mm)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)			
⌘	18	52.00mil (1.321mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c190h132			
A	30	18.00mil (0.457mm)	NPTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c46hn46m46			
○	34	80.00mil (2.032mm)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)			
⊗	54	20.00mil (0.508mm)	PTH	Round	Top Layer - Bottom Layer	Via	Rounded	v94h51			
▼	149	14.00mil (0.356mm)	PTH	Round	Top Layer - Bottom Layer	(Mixed)	Rounded	(Mixed)			
	348 Total										

